15 पतले क्लाइंट के साथ रैक सर्वर, जिसमें दोहरे प्रोसेसर सहित दोहरे GPU कार्ड/सह-प्रोसेसर और अन्य सहायक उपकरण शामिल हैं,

की आपूर्ति, स्थापना और कमीशर्निंग के लिए

(सीपीपीपी के ई-प्रोक्योरमेंट पोर्टल के माध्यम से) ऑनलाइन बोली आमंत्रित हैं

निविदा संख्या: IIT(BHU)/ECE/MT/DRDO/2025-26/Tender/164, दिनांक: 05/06/2025

जमा करने की अंतिम तिथि: 26.06.2025, (04:00 PM) निविदा खुलने की तिथि: 27.06.2025, (04:00 PM)



इलेक्ट्रॉनिक्स इंजीनियरिंग विभाग भारतीय प्रौद्योगिकी संस्थान (काशी हिंदू विश्वविद्यालय) वाराणसी – 221005

ई-मेल: mthottappan.ece@iitbhu.ac.in

Online Bids

(Through E-Procurement Portal of CPPP)

are invited

for

Supply, Installation and Commissioning of Rack Server with 15 Thin Client having Dual Processors including Dual GPU Card/Co-Processor and other Accessories

Tender No.: IIT(BHU)/ECE/MT/DRDO/2025-26/Tender/164, Dated: 05/06/2025

Last Date of Bid Submission: 26.06.2025, (04:00 PM) Tender Opening Date: 27.06.2025, (04:00 PM)



Department of Electronics Engineering Indian Institute of Technology (BHU), Varanasi Varanasi - 221005, Uttar Pradesh, India

E-mail: mthottappan.ece@iitbhu.ac.in

भारतीय प्रौद्योगिकी संस्थान (काशी हिंंदू विश्वविद्यालय), वाराणसी – 221005

विभाग/स्कूल/इकाई/केंद्र का नाम : इलेक्ट्रॉनिक्स इंजीनियरिंग विभाग, भारतीय प्रौद्योगिकी संस्थान (काशी हिंदू विश्वविद्यालय)

विज्ञापित निविदा जांच दस्तावेज <u>(निविदा आमंत्रण सूचना)</u>

भारतीय प्रौद्योगिकी संस्थान (का.हि.वि.), वाराणसी द्वारा निम्नलिखित वस्तुओं के निर्माताओं (या उनके 'अधिकृत' वितरक से जिसे निविदा आमंत्रण सूचना के प्रत्युत्तर में प्रस्तुत करने के लिए अधिकृत किया गया हो) से ऑनलाइन निविदा आमंत्रित किए जाते हैं:

क्रम संख्या	निविदा संख्या और अंतिम तिथि	वस्तुओं की विशिष्टता और मात्रा	जमा की जाने वाली अग्रिम धनराशि
1.	निविदा संख्या: IIT(BHU)/ECE/MT/DRDO/2025-	15 पतले क्लाइंट के साथ रैक सर्वर (जिसमें दोहरे प्रोसेसर सहित दोहरे GPU	
	26/Tender/164, Dated: 05.06.2025	कार्ड/सह-प्रोसेसर और अन्य सहायक उपकरण शामिल हैं), की आपूर्ति, स्थापना और कमीशर्निंग	रु. 5,00,000/-
	जमा करने की अंतिम तिथि: 26.06.2025, (04:00 PM)	आइटमवार आवश्यकता का विवरण और अनुलग्नक-I के अनुसार विशिष्टताएँ	

निविदा दस्तावेज केंद्रीय सार्वजनिक खरीद पोर्टल http://eprocure.gov.in/eprocure/app से डाउनलोड किया जा सकता है। उचित निविदा का चयन करे एवं उन्हें सभी प्रासंगिक सूचनाओं से भरे और पूर्ण रूप से भरे हुए निविदा दस्तावेज को अगले पृष्ठ पर दी गई अनुसूची के अनुसार वेबसाइट http://eprocure.gov.in/eprocure/app पर ऑनलाइन जमा करें।

इच्छुक निविदादाता जिन्होंने नामांकन/पंजीकरण-खरीदारी नहीं की है, उन्हें वेबसाइट http://eprocure.gov.in/eprocure/app के माध्यम से भाग लेने से पहले नामांकन/पंजीकरण करना चाहिए । पोर्टल पर पंजीकरण निःशुल्क है । निविदादाताओं को सलाह दी जाती है कि वे 'ऑनलाइन निविदा प्रस्तुत करने के निर्देश' में दिए गए निर्देशों को पढ़ें ।

कोई भी निविदा हार्ड प्रति में स्वीकार नहीं की जाएगी । सभी कोटेशन (तकनीकी और वित्तीय दोनों को ई-प्रोक्योरमेंट पोर्टल - http://eprocure.gov.in/eprocure/app पर केवल ऑनलाइन माध्यम से ही जमा किया जाना चाहिए) ।

निविदा डॉ. एम. थोट्टप्पन, **इलेक्ट्रॉनिक्स इंजीनियरिंग विभाग, भारतीय प्रौद्योगिकी संस्थान (काशी हिंदू विश्वविद्यालय)** वाराणसी – 221005, उ.प्र. को संबोधित किया जाना चाहिए एवं निविदा दस्तावेज में उल्लिखित समय सीमा के अनुसार निविदा खुलने के दिन या उससे पहले ऑनलाइन जमा/प्रस्तुत करें। ऑनलाइन निविदा जमा करने में हुई किसी भी देरी के लिए संस्थान जिम्मेदार नहीं होगा । संस्थान के पास किसी भी निविदा को स्वीकार या अस्वीकार करने, बिना कोई कारण बताए निविदा को रद्द करने का अधिकार सुरक्षित है । इस संबंध में किसी भी पत्राचार पर विचार नहीं किया जाएगा ।

यदि किसी भी स्तर पर निविदा द्वारा आपूर्ति की गई वस्तु के विषय में गलत विवरण/जानकारी पाया जाता है तो धरोहर राशि जब्त कर लिया जाएगा ।

> डॉ. एम. थोट्टप्पन, इलेक्ट्रॉनिक्स इंजीनियर्रिंग विभाग भारतीय प्रौद्योगिकी संस्थान (काशी हिंंदू विश्वविद्यालय), वाराणसी–221005

INDIAN INSTITUTE OF TECHNOLOGY (BHU) VARANASI Varanasi - 221005, Uttar Pradesh, India

DEPARTMENT/ CENTRE: Department of Electronics Engineering, Indian Institute of Technology (BHU) Varanasi, Varanasi - 221005, Uttar Pradesh, India

Advertised Tender Enquiry Documents

(NOTICE INVITING TENDER)

IIT (BHU) Varanasi invites online tender from manufacturers (or their 'authorized' dealers that they have been authorized to quote in response to this NIT) of the following items are invited:

S. No.	Tender No. and Last Date	Specifications & Quantity of the item	Earnest Money Deposit to be submitted	
1.	Tender No. : IIT(BHU)/ECE/MT/DRDO/ 2025- 26/Tender/164, Dated: 05.06.2025	Supply, Installation and Commissioning of Rack Server with 15 Thin Client having Dual Processors including Dual		
	Last Date of Bid Submission: 26.06.2025, (04:00 PM)	t Date of Bid Submission: 26.06.2025, GPU Card/Co-Processor and other		
		Detail item wise requirement and Technical Specifications as per Annexure-I		

Tender Documents may be downloaded from Central Public Procurement Portal <u>http://eprocure.gov.in/eprocure/app</u>. Tenderers can access tender documents on the CPP Portal. Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <u>http://eprocure.gov.in/eprocure/app</u> as per the schedule given in the next page.

Aspiring Bidders who have not enrolled/ registered in e-procurement should enroll/ register before participating through the website <u>http://eprocure.gov.in/eprocure/app</u>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

No manual bids will be accepted. All quotation (both Technical and Financial should be submitted in the e-procurement portal).

The tender should be addressed to Dr. M. Thottappan, Department of Electronics Engineering, Indian Institute of Technology (BHU) Varanasi, Varanasi - 221005, Uttar Pradesh, India and should be submitted online on or before the last Date of Submission as mentioned in critical date sheet.

The Institute shall not be responsible for any delay in submitting online Bids. The Institute reserves the right to accept or reject any bid, cancel the Tender without assigning any reason thereof. No correspondence in this regard will be entertained.

Dr. M. Thottappan Department of Electronics Engineering IIT (BHU), Varanasi Varanasi - 221005, Uttar Pradesh, India

<u>भारतीय प्रौद्योगिकी संस्थान (काशी हिंदू विश्वविद्यालय), वाराणसी - 221005</u>

विभाग/स्कूल/इकाई/केंद्र का नाम : इलेक्ट्रॉनिक्स इंजीनियर्रिंग विभाग, भारतीय प्रौद्योगिकी संस्थान (काशी हिंदू विश्वविद्यालय), वाराणसी – 221005

15 पतले क्लाइंट के साथ रैक सर्वर (जिसमें दोहरे प्रोसेसर सहित दोहरे GPU कार्ड/सह-प्रोसेसर और अन्य सहायक उपकरण शामिल हैं), की आपूर्ति, स्थापना और कमीशर्निंग

<u>महत्वपूर्ण डाटा शीट</u>

संगठन का नाम	भारतीय प्रौद्योगिकी संस्थान (का.हि.वि.), वाराणसी
निविदा	खुली निविदा
प्रकार/अनुबंध का प्रारूप (कार्य/आपूर्ति/नीलामी/सेवा/खरीद/ इंपैनेलमेंट/ बिक्री)	आपूर्ति
मूल निविदा जारी/प्रकाशित करने की तिथि	05/06/2025 (06:00 PM)
ू दस्तावेज डाउनलोड प्रारंभ तिथि	05/06/2025 (06:00 PM)
निविदा-पूर्व बैठक की तिथि*	
(यदि कोई प्रश्न हो, जिस पर चर्चा की जानी हो, तो उसे निविदा-पूर्व बैठक की तिथि से पहले <u>mthottappan.ece@iitbhu.ac.in</u> पर ईमेल किया जाना चाहिए)	लागू नहीं
शुद्धिपत्र ,यदि कोई हो	
निविदाएं अपलोड करने की अंतिम तिथि और समय	26.06.2025 (04:00 PM)
तकनीकी निविदा खोलने की तिथि और समय	27.06.2025 (04:00 PM)
निविदा प्रसंस्करण शुल्क (जीएसटी सहित लागू)	 र. 2,360/- (निविदा प्रसंस्करण शुल्क के लिए) (शुल्क और ईएमडी निम्नलिखित विवरण के अनुसार आरटीजीएस/एनईएफटी के माध्यम से भुगतान किया जाना है:) खाते का नाम: रजिस्ट्रार, आईआईटी (बीएचयू) बैंक का नाम: भारतीय स्टेट बैंक शाखा का नाम: आईटी, बी.एच.यू., वाराणसी खाता संख्या: 32778803937 आईएफएससी: SBIN0011445 भुगतान का प्रमाण तकनीकी बोली के साथ संलग्न होना चाहिए।
ईएमडी (अर्नेस्ट राशि जमा)	<u> </u>
कवरों की संख्या (1/2)	02
निविदा वैधता दिन	180
संचार के लिए पता के फेन पत्र	डॉ. एम. थोट्टप्पन, इलेक्ट्रॉनिक्स इंजीनियरिंग विभाग, भारतीय प्रौद्योगिकी संस्थान (काशी हिंदू विश्वविद्यालय), वाराणसी – 221005
ई–मेल पता	mthottappan.ece@iitbhu.ac.in

INDIAN INSTITUTE OF TECHNOLOGY (BHU) VARANASI Varanasi - 221005, Uttar Pradesh, India

DEPARTMENT/ CENTRE: Department of Electronics Engineering, Indian Institute of Technology (BHU) Varanasi, Varanasi - 221005, Uttar Pradesh, India

TENDER DOCUMENT FOR

Supply, Installation and Commissioning of Rack Server with 15 Thin Client having Dual Processors including Dual GPU Card/Co-Processor and other Accessories

CRITICAL DATA SHEET						
Name of Organization	Indian Institute of Technology (BHU) Varanasi					
Tender	Open					
Type/ Form of Contract (Work/ Supply/	Supply					
Auction/ Service/ Buy/ Empanelment/ Sell)	Suppry					
Date of Issue/Publishing Original Tender	05/06/2025 (06:00 PM)					
Document Download Start Date	05/06/2025 (06:00 PM)					
Pre-Bid Meeting Date*						
(*Queries, if any, to be discussed, must be						
emailed to <u>mthottappan.ece@iitbhu.ac.in</u> ,	NA					
before the date of Pre-Bid meeting for						
consideration.)						
Corrigendum, if any						
Last Date and Time for Uploading of Bids	26.06.2025 (04:00 PM)					
Date and Time of Opening of Technical Bids	27.06.2025 (04:00 PM)					
Tender Processing Fee	Rs. 2,360/- (For Tender Processing Fee)					
(including GST as	(Fees and EMD to be paid through RTGS/NEFT as					
applicable)	per the following details:)					
	Name of Account: Registrar, IIT(BHU)					
	Name of the Bank: State Bank of India					
	Name of Branch: IT, BHU, Varanasi					
	Account No.: 32778803937					
	IFSC: SBIN0011445					
	The proof of payment must be enclosed with					
	Technical Bid.					
EMD (Earnest Money Deposit)	Rs. 5,00,000/-					
No. of Covers (1/2/3/4)	02					
Bid Validity Days	180 Days (From last date of opening of the tender)					
Address for Communication	Dr. M. Thottappan					
	Department of Electronics Engineering					
	IIT (BHU) Varanasi Varanasi - 221005, Uttar Pradesh, India					
E-mail Address	mthottappan.ece@iitbhu.ac.in					
	minomphanice = nionulacin					

CRITICAL DATA SHEET

INDIAN INSTITUTE OF TECHNOLOGY (BHU) VARANASI Varanasi - 221005, Uttar Pradesh, India

DEPARTMENT/ CENTRE: Department of Electronics Engineering, Indian Institute of Technology (BHU) Varanasi, Varanasi - 221005, Uttar Pradesh, India

TENDER DOCUMENT FOR

Supply, Installation and Commissioning of Rack Server with 15 Thin Client having Dual Processors including Dual GPU Card/Co-Processor and other Accessories

INVITATION FOR BIDS

Online bids are invited from eligible bidders for the following:

S. No.	Tender No. and Last Date	Specifications & Quantity of the item	Earnest Money Deposit to be
			submitted
1.	Tender No.: IIT(BHU)/ECE/MT/DRDO/2025-	Supply, Installation and	
	26/Tender/164, Dated: 05.06.2025	Commissioning of Rack Server with 15	
		Thin Client having Dual Processors	
		including Dual GPU Card/Co-	Rs. 5,00,000/-
		Processor and other Accessories	
	Last Date of Bid Submission: 26.06.2025,	Detail item wise requirement and	
	(04:00 PM)	Technical Specifications as per	
		Annexure-I	

- 1. Interested eligible Bidders may obtain further information from IIT (BHU) Varanasi website: <u>www.iitbhu.ac.in/iitnotifications/purchase enquiries/</u> or from Central Public Procurement Portal (CPPP) <u>https://eprocure.gov.in/eprocure/app</u>.
- 2. Intending bidders are advised to visit IIT (BHU) website www.iitbhu.ac.in/iitnotifications/purchase_enquiries/ and CPPP website https://eprocure.gov.in/eprocure/app regularly till closing date of BID submission of tender for any corrigendum/ addendum/ amendment.
- 3. Tender Processing Fee is to be deposited electronically by RTGS/NEFT in the account of Registrar, IIT (BHU) in the Bank details mentioned above. Bidders are required to submit the scan copy of payment receipt details of Tender processing fees payment at the time of Bid Preparation.
- 4. This Tender Document contains the following:
 - 1. Instructions for Online Bid Submission
 - 2. Instruction to Bidders
 - 3. General conditions of contract (GCC)
 - 4. Special Condition of Contracts
 - 5. Checklist for Bid/Tender submission
 - 6. Declaration Certificate
 - 7. Technical specifications for the complete project (Annexure I)
 - 8. Compliance Sheet

SECTION 1: INSTRUCTION FOR ONLINE BID SUBMISSION

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>http://eprocure.gov.in/eprocure/app</u>). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: <u>http://eprocure.gov.in/eprocure/app</u>.

1. Registration

- 1. Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (<u>http://eprocure.gov.in/eprocure/app</u>) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g., Sify/ TCS/ n-Code/ e-Mudhra, etc.), with their profile.
- 5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6. Bidder then logs in to the site through the secured log-in by entering their user ID/ password and the password of the DSC/ e-Token.

2. Searching for Tender Documents

- 1. There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

3. Preparation of Bids

1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.

- 2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g., PAN card copy, annual reports, auditor certificates, etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

4. Submission of Bids

- 1. Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e., on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3. Bidder has to select the payment option as "on-line" to pay the tender processing fee as applicable and enter details of the instrument. Whenever, Tender processing fees is sought, bidders need to pay the tender processing fee on-line through RTGS.
- 4. A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- 5. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128-bit encryption technology. Data storage encryption of sensitive fields is done.
- 7. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9. Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

5. Assistance to Bidders

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.

6. General Instructions to the Bidders

- 1. The tenders will be received online through portal <u>https://eprocure.gov.in/eprocure/app</u>. In the Technical Bids, the bidders are required to upload all the documents in **.pdf format**.
- 2. Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/ e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through <u>https://eprocure.gov.in/eprocure/app</u>. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site <u>https://eprocure.gov.in/eprocure/app</u> under the link "Information about DSC".
- 3. Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app.

SECTION 2: INSTRUCTIONS TO BIDDERS

A. Introduction

1. Scope of Work

IIT (BHU) invites online bids from the manufacturers/suppliers on behalf of The Director, IIT (BHU) for supply of Equipment as per the technical specifications given in Annexure- III and as per terms and conditions of this tender document. Supplier should assure complete commissioning of the system including installation and application training for efficient utilization of Supply, Installation and Commissioning of Rack Server with 15 Thin Client having Dual Processors including Dual GPU Card/Co-Processor and other Accessories

2. Cost of Bidding

The Bidder shall bear all costs associated with the preparation and submission of its bid, and "the Purchaser", will in no case be responsible or liable for these costs, regardless of the conduct or outcome of the bidding process.

B. The Bidding Documents

3. Tender Processing Fees

The Tender Processing fees (Rs. 2,360/-) should be submitted ONLINE as per the details mentioned above. Further, the proof of payment must be uploaded with Technical Bid. The exemption will be applicable as per Govt. of India norms.

4. Content of Bidding Documents

- **4.1** The goods required, bidding procedures and contract terms are prescribed in the bidding documents. In addition to Invitation of Bids, the bidding documents include:
 - (a) Instructions for Online Bid Submission
 - (b) Instruction to Bidders (ITB)
 - (c) General Conditions of Contract (GCC)
 - (d) Special Conditions of Contract (SCC)
 - (e) Schedule of Requirements
 - (f) Tender Form (Technical Bid)
 - (g) Tender Form (Financial Bid)
- **4.2** The Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in rejection of its bid.

5. Amendment of Bidding Documents

- **5.1** At any time prior to the deadline for submission of bids, the Purchaser may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the bidding documents by amendment.
- **5.2** All prospective bidders who have received the bidding documents will be notified of the amendment in writing, which will be binding on them.
- **5.3** In order to allow prospective bidders reasonable time within which to take the amendment into account in preparing their bids, the Purchaser, at its discretion, may extend the deadline for the submission of bids.

C. Preparation of Bids

6. Language of Bid

The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Purchaser shall be written in English language.

7. Documents Comprising the Bid

7.1 Techno commercial un-priced bid and priced bid: The bids are to be submitted in two parts i.e.

Techno commercial un-priced bid and priced bid.

- (a) Techno commercial un-priced bid along with Proof of EMD as shown in invitation to bids shall be submitted through CPP Portal. If the proof of EMD submission is not received along with the technical bid, such bid will not be considered. The samples (if required) of all the items shown in the schedule of requirements of each tender should also accompany the techno commercial un-priced bid in a separate cover.
- (b) Priced bid.
- **7.2 Techno commercial un-priced bid:** The techno commercial un-priced bid prepared by the bidder shall be provided in the following Model Response Format:

Model Response Format

- (a) Standing of each Bidder Manufacturer/Dealer and past experience in supply of the material (certificates to be enclosed), proof of manufacturing Unit/Dealership along with all the documents required for proving the credentials regarding the fulfilment of essential pre-bid criteria.
- (b) List of other Govt. Departments, Public Sector units and Central Autonomous Bodies for which the bidder is supplying material or having the similar type of contracts and a certificate regarding the satisfactory performance of the contract (In the Annexure III format).
- (c) Copy of the audited balance sheet of the vendor for the previous financial year indicating the turnover in supply of the relevant materials/service.
- (d) Details of Permanent Account Number and latest income tax clearance certificate.
- (e) Details of GST No. along with a copy of certificate to be attached.
- (f) Submission of samples if required, for all items indicated in the schedule of requirements. The make of items proposed to be supplied should be indicated in the format of the schedule of requirements and submitted along with the techno commercial un-priced bid without indicating the pricing components.
- (g) Willingness to execute all orders which are placed to meet emergency requirement on priority basis. The Bidder shall note that standards for workmanship, material and equipment, and references to brand names designated by the Purchaser in the schedule of requirements are intended to be descriptive only and not restrictive. The Bidder may substitute alternative standards, brand names and/or catalogue numbers in his bid, provided that it demonstrates to the Purchaser's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.
- **7.3 Price Bid:** The price bid shall comprise the techno commercial bid along with the price component indicating the Unit prices for each and every item indicated in schedule of requirements (Annexure I).
 - (i) The prices quoted must be net per unit as shown in the Schedule and must include all charges for delivery at the designated stores i.e., F.O.R. IIT (BHU) Varanasi and should be mentioned clearly.
 - (ii) The rate must be stated for each item separately both in words and figures. If there is a discrepancy between the price quoted in word and figures the higher price quoted will be treated as final.
 - (iii) Quoted prices should be firm and inclusive of taxes/duties, freight and forwarding charges, handling charges, loading and unloading charges, and insurance charges etc. However, the prices must be reflected clearly in BoQ format by mentioning basic rate, GST, Freight charges, Any other Taxes/Duties/Levies and exemptions thereon as applicable to IITs.
 - (iv) The prices once accepted by the Institute shall remain valid till the successful execution of the order and till supplies is fully effected and accepted or 12 months from the date of acceptance of tender whichever is later. The Institute shall not entertain any increase in the rates during the period. However, in the event there is a reduction or increase in Government levy/duties/taxes.
 - (v) during the period of execution of the order, the rates shall be suitably adjusted with effect from the date notifying the said reduction or increase in the Government levy/taxes/duty, if any.

8. Bid Prices

- **8.1** The Bidder shall indicate on the Schedule of requirements (BoQ), the unit prices of the goods it proposes to supply under the Contract and enclose it with the priced bid.
- **8.2** Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - (i) The prices quoted must be net per unit as shown in the schedule of requirements and must include all charges for delivery at the designated stores.
 - (ii) Any Indian duties, GST and other taxes which will be payable on the goods, if this Contract is awarded.
- **8.3** Prices quoted by the Bidder shall be fixed during the Bidder's performance of the Contract and not subject to variation on any account.

9. Bid Currencies

Prices shall be quoted in Indian Rupees only.

10. Period of Validity of Bids

- **10.1** Bids shall remain valid for **180** days after the date of bid opening prescribed by the Purchaser. A bid valid for a shorter period shall be rejected by the Purchaser as non-responsive.
- **10.2** In exceptional circumstances, the Purchaser may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. A Bidder granting the request will not be required nor permitted to modify the bid.
- **10.3** Bid evaluation will be based on the bid prices without taking into consideration the above modifications.

D. Submission of Bids

11. The tender has to be submitted **ONLINE** before the due date. The offers received after the due date and time will not be considered. **No manual bids will be considered**.

12. Deadline for Submission of Bids

- **12.1** Bids must be received by the Purchaser **ONLINE** not later than the time and date specified in the Invitation for Bids.
- **12.2** The Purchaser may, at his discretion, extend this deadline for submission of bids by amending the bid documents in which case all rights and obligations of the Purchaser and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

13. Late/Delayed Bids

The offers received after the due date and time will not be considered.

14. Modifications and Withdrawal of Bids

- **14.1** The Bidder may modify or withdraw its bid after the ONLINE bid's submission, as per the provision of CPP Portal.
- **14.2** No bid may be modified subsequent to the deadline for submission of bids. No documents will be accepted in support of essential pre-bid criteria after the last date of submission of bids.
- **14.3** No bid may be withdrawn in the interval between the deadline for submission of bids and the expiry of the period of bid validity specified by the Bidder on the bid form.

E. Bid Opening and Evaluation of Bids

15. Opening of Techno commercial un-priced Bids

The purchaser will open all techno commercial un-priced bids in the first instance.

16. Clarification of Bids

- **16.1** During evaluation of the bids, the purchaser may, at its discretion, ask the Bidder for clarification of its bid. The request for clarification and the response shall be in writing and no change in price or substance of the bid shall be sought, offered or permitted.
- **16.2** No Bidder shall contact the purchaser on any matter relating to its bid from the time of the bid opening to the time the contract is awarded. If the Bidder wishes to bring additional information to the notice of the Institute, it should be done in writing.
- **16.3** Any effort by a Bidder to influence the purchaser in its decisions on bid evaluation, bid comparison or contract award decisions may result in rejection of the Bidder's bid.

17. Evaluation of Techno commercial un-priced Bid

- **17.1** Prior to the detailed technical evaluation, the purchaser will determine the substantial responsiveness of each bid. A substantially responsive bid is one, which conforms to all the terms and conditions of the Bidding Documents without material deviations and meets all the essential pre-bid criteria. If any bidder does not meet the essential pre-bid criteria as laid down in the Instruction to Bidders, then his bid will be summarily rejected. No documents will be accepted in support of essential pre-bid criteria after the last date of submission of bids.
- 17.2 The purchaser will reject a bid determined as not substantially responsive.
- **17.3** The bidders may be called for discussion and may be allowed to modify their technical bids to suit the organization's requirement. The idea is to arrive at a threshold level of acceptability above which all the bidders shall be treated on par. Those whose technical specifications do not reach the threshold level of acceptability shall be rejected as technically unsuitable. The price bids of the bidders who finally emerge as technically acceptable shall be opened, evaluated and the contract awarded to the lowest evaluated bidder.
- **17.4** The bidders short-listed by the purchaser based on meeting the essential pre-bid criteria and detailed evaluation regarding satisfying the technical criteria laid down in this tender document may be called for detailed discussions with a team selected for the purpose, at a specified date, time and venue, if needed.

18. Opening of Priced Bids

- **18.1** The Purchaser will open the Priced Bids of only those bidders who meet the essential pre-bid criteria and whose techno commercial un-priced bids have been found to be substantially responsive.
- 18.2 The priced Bids of the technically qualified bidders shall be opened by the tender committee.

19. Evaluation and Comparison of priced Bids

- **19.1** Arithmetical errors will be rectified on the following basis: If there is a discrepancy between words and figures, whichever is the higher of the two shall be taken as bid price. If the Vendor does not accept the correction of errors, its bid will be rejected
- **19.2** Bidders shall state their bid price for the payment schedule outlined in the Clause 14 of General Conditions of Contract. Bids will be evaluated on the basis of this base price. Bidders are, however, permitted to state an alternative payment schedule and indicate the reduction in bid price they wish to offer for such alternative payment schedule. The purchaser may consider the alternative payment schedule offered by the selected Bidder but it may not be binding on the purchaser.
- **19.3** The purchaser, at its option may ask some more bidders to match the rates of the lowest bidder for creating parallel suppliers.
- **19.4** The currency that shall be used for bid evaluation and comparison purposes to convert all bid prices expressed in various currencies into a single currency is: Indian Rupees
- 19.5 The source of exchange rate shall be: Reserve Bank of India/Any other authentic source.

19.6 The date for the exchange rate shall be: **Last day for submission of Bids**.

20. Purchasers right to accept any bid and to reject any bid or all bids

The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of Contract, without thereby incurring any liability to the affected Bidder or bidders or any obligation to inform the affected Bidder or bidders of the grounds for the Purchaser's action.

21. Award Criteria

- a. IIT (BHU) shall award the contract to the technically qualified eligible BIDDER whose bid has been determined as the lowest evaluated commercial bid.
- b. If more than one BIDDER happens to quote the same lowest price, IIT(BHU) Varanasi reserves the right to award the contract to more than one BIDDER or any BIDDER.

22. Notification of Award

Prior to the expiration of the period validity, the purchaser will notify the successful Bidder in writing by letter or by fax, to be confirmed in writing by speed post or hand delivered letter, that its bid has been accepted.

23. Factors Affecting the Award of Supply

- **23.1** The bidder should have its own Contract support facilities. The support facilities should be fully owned and managed by the bidder.
- **23.2** Conformity with the Request for Bid/Tender required and conditions.
- **23.3** The assessment based on the response to Model Response Outline.
- **23.4** The assessment of the capability of the bidder to meet the terms and conditions.
- **23.5** The bidders must have executed similar orders, for which the bidder is quoting, for Govt./Semi-Govt./Autonomous Organizations.
- **23.6** The cost and the discount offered, if any.

24. Fall clause

- **24.1** The price quoted by the supplier should not be higher than the maximum retail price, if any, for the stores and the same shall not be higher than the price usually charged by the supplier for stores of the same nature, class or description to any other purchaser.
- **24.2** The price charged for the stores supplied under the contract by the supplier shall in no event exceed the lowest price at which the supplier sells the stores of identical description to any other person during the period till performance of all supply orders placed during the currency of the contract is completed. If at any time during the period the supplier reduces the sale price of such stores or sells such stores to any other person including his dealers at a price lower than the price chargeable under the contract, he shall forthwith notify such reduction or sale to the purchaser and the price payable under the contract for these items of stores supplied after the date of coming into force of such reduction or sale shall stand correspondingly reduced.
- **24.3** If it is discovered that the supplier has contravened the above conditions, then without prejudice to any other action which might be taken against him, it shall be lawful for the purchaser to (a) revise the price at any stage so as to bring it in conformity with sub-clause(i) above, or (b) to terminate the contract and purchase the items of stores at the risk and cost of the supplier and in that event the provisions of Clause 28 of General Conditions of Contract shall, as far as possible, be applicable or recover the loss.

SECTION 3: GENERAL CONDITION OF CONTRACTS

1. Definitions

In this Contract, the following terms shall be interpreted as indicated:

- (a) "The order" means the agreement entered between the Purchaser and the Supplier including all the attachments and appendices and all documents incorporated as per notification of award.
- (b) "The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
- (c) "The Goods" means all the items, which the Supplier is required to supply to the Purchaser under the Contract.
- (d) "Services" means services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services training and other obligations of the Supplier covered under the Contract.
- (e) "GCC" means the General Conditions of Contract contained in this section.
- (f) "The Purchaser" means the organization purchasing the Goods i.e., IIT (BHU) VARANASI.
- (g) "The Purchaser's country" is India.
- (h) "The Supplier" means the individual or firm supplying the Goods and Services under this Contract.
- (i) "Day" means calendar day.

2. Application

These General Conditions shall apply to the extent that they are not superseded by provisions in other parts of the Contract.

3. Standards

The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, to the authoritative standard appropriate to the Goods' country of origin and such standards shall be the latest issued by the concerned Institution.

4. Use of Contract Documents and Information

- **4.1** The Supplier shall not, without the Purchaser's prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample or information furnished by or on behalf of the Purchaser in connection therewith, to any person other than a person employed by the Supplier in performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- **4.2** The Supplier shall not, without the Purchaser's prior written consent, make use of any document or information except for purposes of performing the Contract.
- **4.3** Any document, other than the Contract itself, shall remain the property of the Purchaser and shall be returned (in all copies) to the Purchaser on completion of the Supplier's performance under the Contract if so, required by the Purchaser.

5. Patent Rights

The Supplier shall indemnify the Purchaser against all third-party claims of infringement of patent, trademark or industrial design rights arising from use of the Goods or any part thereof in India.

6. Submission of the Bids

- **6.1** All bids complete in all respect must be submitted online on or before the Bid Closing date and time as mentioned on Critical Data Sheet. Tenders received without Bid Securing Declaration Form as earnest money etc. shall be rejected.
- **6.2** The Tender document for this supply is available on the website of IIT (BHU) Varanasi (www.iitbhu.ac.in/iitnotifications/purchase_enquiries/) or from Central Public Procurement Portal (CPPP) https://eprocure.gov.in/eprocure/app.
- **6.3** Interested bidders may submit their bid through the Central Public Procurement Portal (CPPP) <u>https://eprocure.gov.in/eprocure/app</u>.

7. Inspections and Tests

- **7.1** The Purchaser or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Purchaser.
- **7.2** The inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery and/or at the Goods destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data shall be furnished to the inspectors at no charge to the Purchaser.
- **7.3** Any inspected or tested Goods fail to conform to the specifications, the Purchaser may reject the goods and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Purchaser.
- **7.4** The Purchaser's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival at Project Site shall in no way be limited or waived by reason of the Goods having previously been inspected, tested and passed by the Purchaser or its representative prior to the Goods shipment.
- **7.5** Nothing in GCC Clause 7 shall in any way release the Supplier from any warranty or other obligations under this Contract.

8. Consequences of rejection

If in the event the stores are rejected by the purchaser at the destination and the supplier fails to make satisfactory supplies within the stipulated period of delivery, the purchaser will be at liberty to:

- (a) Allow the supplier to resubmit the stores in replacement of those rejected, within a specified time without any extra cost to the purchaser.
- (b) Reject the material, which shall be final and binding on the contractor.
- (c) Procure the rejected materials of comparable quality from the open market/Govt. stores and the supplier shall be liable to pay the difference in price over the RC prices or get the amount adjusted from the outstanding bills of the supplier, if any.

9. Packing

- **9.1** The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
- **9.2** The packing, marking and documentation within and outside the packages shall comply strictly with such special requirements as shall be provided for in the Contract including additional requirements, in any subsequent instructions ordered by the Purchaser.

10. Delivery and Documents

- **10.1** The Supplier shall make delivery of the Goods within **45 days** from the placement of purchase order in pursuance of the notification of award. The purchase order would be placed after assessing the requirements on quarterly basis. However, the supplier shall also arrange to execute all orders on priority basis which would be placed to meet any emergent requirements.
- **10.2** In case the purchaser decides to conclude parallel rate contracts, then the requirements would be split on different firms on equitable basis as per the discretion of the purchaser.
- **10.3** The delivery of Stores shall be affected at the premises of the Institute free of all delivery charges and within the stipulated time and as may be elucidated in the confirmed order, accompanied by a delivery challan. No extension of time for delivery of Stores shall normally be accorded.

The supplier shall mail the following documents to the purchaser with a copy to the insurance company:

- 1. 3 Copies of the Supplier Invoice showing contract number, goods' description, quantity, unit price, total amount, etc.
- 2. Installation Certificate.
- 3. Insurance Certificate if applicable.
- 4. Manufacturer's/Supplier's Warranty Certificate.
- 5. Inspection Certificate issued by the nominated inspection agency, if any.
- 6. Supplier's Factory Inspection Report.
- 7. Certificate of Origin (if possible, by the beneficiary).

The above documents should be received by the Purchaser before arrival of the Goods (except where the Goods have been delivered directly to the Consignee with all documents) and, if not received, the Supplier will be responsible for any consequent expenses.

Time and Date of Delivery - Essence of the Contract: The time for and the date of delivery of the stores stipulated shall be deemed to be of the essence of the contract and delivery must be completed not later than the date(s) specified.

11. Insurance

The Goods supplied under the Contract shall be fully insured in Indian Rupees against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery. The insurance shall be obtained by the suppliers in an amount equal to 110% of the value of the goods from "warehouse to warehouse" (final destinations) on "all risks" basis including war risks and strikes.

12. Transportation

Where the Supplier is required under the Contract to transport the Goods within India defined as Project site, transport to such place of destination in India including insurance, as shall be specified in the Contract, shall be arranged by the Supplier, and the related cost shall be included in the contract Price.

13. Warranty

- **13.1** The Supplier warrants that the Goods supplied under this Contract are new, unused, of the most recent or current models and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect arising from design, materials or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in India.
- **13.2** This warranty shall remain valid for at least **36 months** (or as specified) after the Goods or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract, unless specified otherwise.
- **13.3** The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty.
- **13.4** Upon receipt of such notice, the Supplier shall with all reasonable speed, repair or replace the defective Goods or parts thereof, without any extra cost to the Purchaser.
- **13.5** If the Supplier, having been notified, fails to remedy the defect(s) within a reasonable period, the Purchaser may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.

14. Payment

- 14.1 The payment shall be made 100% payment against Supply, Installation and Commissioning and submission of satisfactory PBG @ 3%.
- **14.2** The Supplier's request(s) for payment shall be made to the Purchaser in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and the Services performed, and by documents, submitted pursuant to GCC Clause 10, and upon fulfillment of other obligations stipulated in the contract.

15. Prices

Prices charged by the Supplier for Goods delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in his bid. The bidder must mention the applicable taxes/duty and exemptions thereon, if any, as per the Government of India norms. The Institute will provide requisite certificate, if any, required by the bidder as per the applicable Govt. of India norms.

16. Change Orders

- **16.1** The Purchaser may at any time, by written order given to the Supplier, make changes within the general scope of the Contract in any one or more of the following:
 - (a) Drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser;
 - (b) The method of shipping or packing;
 - (c) The place of delivery; and/or
 - (d) The services to be provided by the Supplier.
- **16.2** If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or delivery schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this clause must be asserted within thirty (30) days from the date of the Supplier's receipt of the Purchaser's change order.

17. Contract Amendments

Subject to GCC Clause 16, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.

18. Assignment

The Supplier shall not assign, in whole or in part, its obligations to perform under the Contract, except with the Purchaser's prior written consent.

19. Subcontracts

The Supplier shall notify the Purchaser in writing of all subcontracts awarded under this Contract if not already specified in the bid. Such notification, in his original bid or later, shall not relieve the Supplier from any liability or obligation under the Contract.

20. Delays in the Supplier's Performance

- **20.1** Delivery of the Goods and performance of the Services shall be made by the Supplier in accordance with the time schedule specified by the Purchaser as per GCC clause 10.
- **20.2** If at any time during performance of the Contract, the Supplier or its sub-contractor(s) should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may, at its discretion, extend the Supplier's time for performance with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of the Contract.
- **20.3** Except as provided under GCC Clause 23, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of penalty pursuant to GCC Clause 21, unless an extension of time is agreed upon pursuant to GCC Clause 20.2 without the application of liquidated damages.

21. Penalty

Subject to GCC Clause 23, if the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Purchaser shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as penalty, a sum equivalent to1% per week and the maximum deduction is 10% of the contract price of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance. Once the maximum is reached, the Purchaser may consider termination of the Contract pursuant to GCC Clause 22.

22. Termination for Default

- **22.1** The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part:
 - (a) If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the purchase order, or within any extension thereof granted by the Purchaser pursuant to GCC Clause 20;
 - (b) If the Supplier fails to perform any other obligation(s) under the Contract;
 - (c) If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

'For the purpose of this Clause:

"Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.

"Fraudulent practice: a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition;"

22.2 In the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 22.1, the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated.

23. Force Majeure

- **23.1** Notwithstanding the provisions of GCC Clauses 20 & 21, the Supplier shall not be liable for imposition of liquidated damages or termination for default, if and to the extent that, its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- **23.2** For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- **23.3** If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

24. Termination for Insolvency

The Purchaser may at any time terminate the Contract by giving written notice to the Supplier, if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the Purchaser.

25. Termination for Convenience

- **25.1** The Purchaser, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- **25.2** The Goods that are complete and ready for shipment within 30 days after the Supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices.

26. Resolution of Disputes

- **26.1** The Purchaser and the supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.
- **26.2** If, after thirty (30) days from the commencement of such informal negotiations, the Purchaser and the Supplier have been unable to resolve amicably a Contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms as specified below. These mechanisms may include, but are not limited to, conciliation mediated by a third party, adjudication in an agreed national or international forum, and national or international arbitration.
- **26.3** In case of Dispute or difference arising between the Purchaser and a supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Arbitration and Conciliation Act, 1996 as amended from time to time.

27. Governing Language

The contract shall be written in English language. Subject to GCC Clause 28, English language version of the Contract shall govern its interpretation. All correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language.

28. Applicable Law

- **28.1** The contract shall be governed by the Law of Contract for the time being in force.
- **28.2** Irrespective of the place of delivery, the place of performance or place of payment under the contract, the contract shall be deemed to have been made at the place from which the acceptance of tender has been issued.
- **28.3** Jurisdiction of Courts: The courts of the place from where the acceptance of tender has been issued shall alone have jurisdiction to decide any dispute arising out of or in respect of this contract.
- **28.4** One-month notice will be given by either party for termination of Contract during the tenure of Contract for breach of Clause or otherwise.

29. Taxes and Duties

Suppliers shall be entirely responsible for all taxes, duties, license fees, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser.

30. Performance Security

Successful bidder has to furnish 03% of the order value as a performance security in the shape of Fixed Deposit Receipt / Bank Guarantee in favour of the Registrar, Indian Institute of Technology (BHU) Varanasi valid for a period of 60 days beyond the end of all warranty period / obligations (i.e., must valid for minimum 38 months). Fixed Deposit Receipt / Bank Guarantee should be issued from a schedule bank in India.

31. Supplier Integrity

The Supplier is responsible for and obliged to conduct all contracted activities in accordance with the Contract using state of the art methods and economic principles and exercising all means available to achieve the performance specified in the contract.

The Institute Reserves the Right to:

- 1. Increase or decrease the quantity of the item(s) as per requirement and GOI Norms only, however, provided within the ceiling of the category in which the original order was placed i.e., if it is within 2.5 Lakh category than should not exceed the 2.5 lakh limit and so on.
- 2. Reject the quotation in absence of not furnishing the documentary evidence in respect of Trade Tax Registration (G.S.T), Income Tax and Trade Tax clearance certificates together with the performance of supplies in various branches/institutions.
- **3.** Reject the quotation in the event of non-furnishing the authentic documentary evidence in respect of Testing reports / Performance report of the concerned Govt. Organization / Institutions about the

products being manufactured and marketed. The performance test of the product can be conducted at Institute level also for which charge will have to be borne by the suppliers.

- **4.** Reject the supplies already made, if not found up to the mark. Thorough checking may be adopted to test the correctness of the supply. In such an event, further action may call to conform or discard the supply.
- **5.** To reject any addition/alteration in respect of local dealerships intimated by the Principals after consideration of the case by the committee appointed by the Institute for the purpose.
- 6. Cancel this Tender at any point of time without assigning any reason thereof.
- 7. The Institute also reserves the right to reject the bid of any participated bidder.
- **8.** The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part:
 - a. If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the purchase order, or within any extension thereof granted by the Purchaser.
 - b. If the Supplier fails to perform any other obligation(s) under the Contract.
 - c. If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
- 9. To reject any or all the offers without assigning any reasons thereof.
- 10. All disputes are subject to "Varanasi Jurisdiction" only.
- **11.** The decisions of the Institute in all respect shall be final and binding on all.
- **12.** The Institute reserves the right to ask the successful bidder to produce all the original documents submitted along with the bids for verification at any point of time. During the verification of the document, if it is found that the bidder has concealed/falsified/fabricated any information, the bid and/or purchase order will be cancelled and performance security will be forfeited and action including blacklisting will be taken against the bidder as per norms of the Institute.
- 13. Please ensure that your offer is complete in all respect as no further clarifications shall be sought from you and reaches us within the last date mentioned above. The Institute shall not be responsible for any delay etc.

Dr. M. Thottappan Department of Electronics Engineering IIT (BHU) Varanasi Varanasi - 221005, Uttar Pradesh, India

SECTION 4: SPECIAL CONDITIONS OF CONTRACT

1. Essential Pre-Bid Criteria

- 1. Bidders should be the manufacturer (OEM)/authorized dealer. In case the bid is submitted by the Authorized dealer, the currently valid Authorization letter for participating in this Tender (by clearly mentioning the Reference of this Tender) issued by the OEM must be uploaded (in Annexure V format). The Letter of authorization shall remain valid during execution of supply and installation.
- 2. An undertaking from the OEM is required stating that they would facilitate the bidder on a regular basis with technology/product updates During 03 years warranty period in confirmation with this bid for the quoted items. In case the OEM withdraws its authorization from bidder, the above service will be continued to be provided by the OEM.
- 3. The bidder has to provide on an Affidavit on stamp paper that they were never been blacklisted by any IITs/NITs/Govt. R&D Organization/Govt. Offices/PSUs/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. Bodies and it must be uploaded along with the technical Bid under cover 1.
- 4. Certified Financial Statement of Bidder from a CA such as Balance Sheet and Profit & Loss account of last three financial years clearly indicating the average annual turnover regarding the supply and installation of similar type of items. The average annual financial turnover of bidder must not be less than 3 Crore during last 3 financial years.
- 5. The bidder/OEM must have delivered similar type of servers with thin clients and other accessories (Quoted model) in the last three financial years to any of the IITs/NITs/Govt. R&D Organization/Govt. Offices/PSU/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. bodies with order value of at least Rs. 50 lakhs for a single order. Copies of purchase orders, satisfactory installation certificates, names of user, their mobile number/ phone number and email id must to be uploaded. The purchaser may ask for input from user where the quoted instrument has been installed.
- 6. Manufacturer comprehensive warranty for 3 year.
- 7. Adherence to all the technical specifications is compulsory.
- 8. Certificate as per Annexure V, VI and VII on the letterhead of the company must be uploaded.
- 9. Only those bidders who will quote rates of all the items together will be considered for evaluation. Lowest bidder will be decided on overall L1 basis.
- 10. The bidder has to submit an integrity pact as per Annexure VIII, if the quoted value in financial Bid is more than Rs. 01 Crore, which is to mandatorily be executed on a Non-Judicial Stamp Paper of Rs. 100/- duly signed by the Bidder.

NOTE: THE BID OF THOSE BIDDERS WHO FAILS TO COMPLY THE ABOVE ESSENTIAL CRITERIA WILL NOT BE CONSIDERED FOR TECHNICAL EVALUATION.

2. Documents Comprising the Bid

The tender/Bid shall be submitted online in two parts: Technical Bid and Commercial Bid.

I. Technical Bid

The following documents are to be scanned and uploaded as part of the Technical Bid as per the tender document:

- (a) Scanned copy of Tender Forms (Techno Commercial Un-Priced Bid), Declaration, Bidder's Information Form, and Tender Acceptance Letter.
- (b) Scanned copy of proof for submission of Tender Document Fee/ Earnest Money Deposit/Exemption Certificate, if any etc.
- (c) Scanned copy of written confirmation authorizing the signatory of the Bid to commit the Bidder.
- (d) Scanned copy of quoted product brochure.
- (e) Scanned copy of completely filled Annexure III with supporting documents
- (f) Scanned copy of Technical Bid and essential Pre-bid Details, if any.
 - i. Scanned copy of documentary evidence establishing the Bidder's qualifications to perform the contract if its bid is accepted and the Bidder's eligibility to bid.
 - ii. Scanned copy of documentary evidence, that the Goods and Related Services to be supplied by the Bidder are of eligible origin and conform to the Bidding Documents.

(g) Scanned copy of Checklist, compliance of Essential pre-bid criteria and Technical Compliance Sheet (Annexure II) and any other document required as per the tender.

II. Commercial Bid

The commercial bid comprises of:

- (a) Scanned copy of Tender Form (Price Bid)
- (b) Price bid in the form of .xls format and to be uploaded in .xls and signed .pdf format.

The Price bid format is provided as .xls format along with this Tender Document at <u>https://eprocure.gov.in/eprocure/app</u>. Bidders are advised to download this .xls format and quote_their offer/rates in the prescribed column.

In addition to the above requirements, bids submitted by a Joint Venture, shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful bid shall be signed by all members and submitted with the bid, together with a copy of the proposed Agreement, there to.

The Bidder shall furnish in the Tender Forms information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Bid.

3. Installation & Demonstration

The supplier is required to do the installation and demonstration of the equipment within one week of the arrival of materials at the IIT (BHU) site of installation; otherwise the penalty clause will be the same as per the supply of materials.

In case of any mis-happening/damage to equipment and supplies during the carriage of supplies from the origin of equipment to the installation site, the supplier has to replace it with new equipment/supplies immediately at his own risk. Supplier will settle his claim with the insurance company as per his convenience. IIT (BHU) will not be liable to any type of losses in any form.

4. Application Specialist

The Tenderer should mention in the Techno-Commercial bid the availability and names of Application Specialist and Service Engineers in the nearest regional office.

5. Spares

The Supplier is required to provide state availability of spares for ten years, if required.

6. Training of Personnel

The supplier shall be required to undertake to provide the technical training to the personnel involved in the use of the equipment at the Institute premises, immediately after completing the installation of the equipment for a minimum period of one week at the supplier's cost.

7. User List

The bidder must provide the list of users where they have deployed similar nature of equipment's in last 10 years in prescribed format of Annexure III.

8. Manuals/Documents

One set of hard copy and one set of soft copy in English (preferred as following).

- i. Operating manual
- ii. Servicing & Maintenance manual
- iii. Spare parts list with source of supply and prices
- iv. Pre-installation requirements.

9. Services

Vendor must submit Factory Acceptance Test procedure supported with relevant printed literature and certificates.

- **10.** The Tender document should also indicate what kind of service/maintenance is required for the system. Whether this service has to be carried out by a company engineer or it can be carried by trained service personnel within India. The frequency of visit and the charges should be mentioned.
- **11.** The Tender should be enclosed with proper certifications like **Authorization Certificate** and **Proprietary Certificate** (in case of Proprietary items).
- **12.** Pre-installation site preparation/inspection requirements to be indicated and specified along with the bid.
- **13.** Bid should include FOR IIT(BHU) Varanasi prices. The Institute will provide requisite certificate, if any, required by the bidder as per the applicable Govt. of India norms.
- 14. The vendor to provide compliance statement with respect to each technical specification in the tender document duly supported by the manufacturer's literature. Any other claim will not be accepted and may lead to rejection of the bid.
- **15.** Printed literature in support of compliance to the prescribed specifications is to be submitted.
- 16. Compliance report needs to be submitted as a part of the technical bid.
- **17.** Exemption is allowed from payment of Tender processing fees as per Government of India norms against submission of currently valid certificate specifically for the item(s) proposed to be procured through this Tender.
- 18. It is mandatory for bidders to quote items having local content minimum 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017, No. P-45021/2/2017-PP (B.EII) dated 16.09.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India. (Submit duly filled Annexure VII for the same). The Annexure VII once submitted in the Technical Bid will be final. Submission of Revised Annexure VII will NOT be accepted. As per OM of DPIIT, Ministry of Commerce and Industry, Govt. of India No. P-45021/102/2019- BE-II- Part (1) (E-50310) Dated 04.03.2021, Bidders offering Imported products will fall under the category of Non-Local Suppliers. They cannot claim themselves as Class-I or Class-II Local Suppliers by claiming the services such as Transportation, Insurance, Installation, Commissioning, Training and After Sale Service Support like AMC/ CMC etc. as Local Value Addition.
- **19.** As per the Government of India Order, only "Class-I Local Suppliers" and "Class-II Local Suppliers" can participate in this tender.
- **20.** Bidder should confirm their acceptance that they comply with the provisions with report to "Guidelines for eligibility of a bidder from a country which shares a land border with India as detailed at Annexure VI. The bidder should submit Certificate for "Bidder from/ Not from Country sharing Land border with India & Registration of Bidder with Competent Authority" as per Order of DoE F.No.6/18/2019-PPD dated 23.07.2020 as mentioned. A certificate shall be submitted by bidders in the tender documents regarding their compliance with the said order. If the certificate submitted by a bidder whose bid is accepted is found to be false, this would be a ground for immediate termination and further legal action in accordance with law. Annexure VI.
- 21. Defective Equipment: If any of the equipment supplied by the Tenderer is found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the committee will have the right to reject the equipment or its part. The prices of such equipment shall be refunded by the Tenderer with 18% interest if such payments for such equipment have already been made. All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses incurred thereon shall be recovered from the supplier. Defective part in equipment, if found before installation and/or during warranty period, shall be replaced within 30 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace above item as per above terms & conditions, IIT (BHU) may consider "Banning" the supplier.

IMPORTANT NOTE

- 1. Non-compliance of tender terms, non-uploading of required documents, lack of clarity of the specifications, contradiction between bidder specifications and supporting literature etc. may lead to rejection of the bid.
- 2. In the tender, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.
- 3. If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.

SECTION 5: CHECKLIST FOR BID/TENDER UPLOADING (The following check-list must be filled in and uploaded with the bid documents)

S. No.	Particulars Techno Commercial Un-priced Bid (Cover 1)					
1	Have you uploaded the techno commercial un-priced bid form duly filled in appropriately?					
2	Have you uploaded a copy of the last three financial years audited balance sheet and P & L Account of your firm?					
3	Have you attached the details of the income tax clearance certificate, proof of manufacturing unit/ dealership letter/ general order suppliers and copy of GST registration certificate?					
4	The bidder/OEM must have delivered similar type of servers with thin clients and other accessories (Quoted model) in the last Three financial years to any of the IITs/NITs/Govt. R&D Organization/Govt. Offices/PSU/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. bodies with order value of at least Rs. 50 lakhs for a single order. Copies of purchase order, satisfactory installation certificate, names of user, their mobile number/ phone number and email id need to be uploaded. The purchaser may ask for input from user where the quoted instrument has been installed.					
5	Have you submitted DD/transferred online Tender Processing Fee asked for and EMD separately and uploaded their proof of submission?					
6	Have you enclosed the schedule of requirement indicating the make offered without indicating the pricing components along with the techno commercial un-priced bid?					
7	Have you uploaded the bids both techno commercial un-priced and priced bid separately for the tender?					
8	Have you enclosed the statement of deviations from financial terms and conditions, if any?					
9	Have you submitted the Technical Compliance Sheet?					
10	Have you attached the compliance of Essential Pre-Bid criteria?					
11	Have you attached Manufacturer's Authorization certificate for this Tender?					
12	Have you attached an Affidavit on stamp paper that bidder has never been black-listed along with the technical Bid under cover 1?					
13	Have you attached the Declaration on the letter pad of Bidder?					
14	Have you attached the signed Tender acceptance letter?					
	Price Bid (Cover 2)					
1	Have you signed and uploaded the priced bid form?					
2	Have you uploaded the schedule of requirements duly priced i.e., BOQ and its pdf version?					

NOTE: While arranging the Tender Documents, check list should be placed on TOP.

COMPLIANCE SHEET OF ESSENTIAL PRE-BID CRITERIA

Sl. No.	Essential Pre-Bid Criteria	Compliance					
1	Bidders should be the manufacturer (OEM)/authorized dealer. In case the bid is submitted by the Authorized dealer, the currently valid Authorization letter for						
	participating in this Tender (by clearly mentioning the Reference of this Tender) issued by the OEM must be uploaded (in Annexure V format). The Letter of authorization shall remain valid during execution of supply and installation.						
2	An undertaking from the OEM is required stating that they would facilitate the bidder on a regular basis with technology/product updates During 03 years warranty period in confirmation with this bid for the quoted items. In case the OEM withdraws its authorization from bidder, the above service will be continued to be provided by the OEM.						
3	The bidder has to provide on an Affidavit on stamp paper that they were never been black-listed by any IITs/NITs/Govt. R&D Organization/Govt. Offices/PSUs/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. Bodies and it must be uploaded along with the technical Bid under cover 1.						
4	Certified Financial Statement of Bidder from a CA such as Balance Sheet and Profit & Loss account of last three financial years clearly indicating the average annual turnover regarding the supply and installation of similar type of items. The average annual financial turnover of bidder must not be less than 3 Crore during last 3 financial years.						
5	The bidder/OEM must have delivered similar type of servers with thin clients and other accessories (Quoted model) in the last three financial years to any of the IITs/NITs/Govt. R&D Organization/Govt. Offices/PSU/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. bodies with order value of at least Rs. 50 lakhs for a single order. Copies of purchase orders, satisfactory installation certificates, names of user, their mobile number/ phone number and email id must to be uploaded. The purchaser may ask for input from user where the quoted instrument has been installed.						
6	Manufacturer comprehensive warranty for 3 year.						
7	Adherence to all the technical specifications is compulsory.						
8	Certificate as per Annexure V, VI and VII on the letterhead of the company must be uploaded.						
9.	Only those bidders who will quote rates of all the items together will be considered for evaluation. Lowest bidder will be decided on overall L1 basis.						
10.	The bidder has to submit an integrity pact as per Annexure VIII, if the quoted value in financial Bid is more than Rs. 01 Crore, which is to mandatorily be executed on a Non-Judicial Stamp Paper of Rs. 100/- duly signed by the Bidder.						

All documents in support of above essential pre-bid criteria shall be scanned and uploaded under cover 1.

Signature of the Authorized Person
Date:
Full Name
Place:
Company Address with Seal

<u>SECTION 6:</u> <u>DECLARATION</u> (On the letter head of the firm submitting the bid)

- 1. I, ------ Son /Daughter of Shri------ Proprietor/ Partner/ CEO /MD/ Director/ Authorized Signatory of M/s. ------ am competent to sign this declaration and execute this tender document.
- **2.** I have carefully read and understood all the terms and conditions of the tender and hereby convey my acceptance of the same.
- **3.** The information/ documents furnished along with the above application are true and authentic to the best of my knowledge and belief.
- **4.** I/ we/ am are well aware of the fact that furnishing of any false information/ fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law.
- **5.** Each page of the tender document and papers submitted by my Company is authenticated, sealed and signed, and I take full responsibility for the entire documents submitted.
- 6. This is certified that our organization has been authorized (Copy attached) by the OEM to participate in Tender. We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document. Moreover, OEM has agreed to support on regular basis with technology /product updates and extend support for the warranty.
- 7. The prices quoted in the price bids are subsidized due to academic discount given to IIT (BHU) Varanasi.
- 8. We, further specifically certify that our organization has not been Black Listed/De Listed or put to any Holiday by any Institutional Agency/Govt. Department/Public Sector Undertaking in the last three years (should be supported with an Affidavit on stamp paper)

Signature of the Authorized Person

Date: -----

Place: -----

Full Name -----

Company Address with Seal

<u>खंड-7</u>

निविदा प्रपत्र

तकनीकी सह वाणिज्यिक बिना मूल्य निविदा (Techno commercial un-priced Bid) (निविदा जमा करने वाली फर्म के पत्र शीर्ष पर)

निविदा संख्या

सेवा में,

डॉ. एम. थोट्टप्पन, इलेक्ट्रॉनिक्स इंजीनियर्रिंग विभाग भारतीय प्रौद्योगिकी संस्थान ,(काशी हिंंदू विश्वविद्यालय), वाराणसी – 221005, (उ.प्र.)

महोदय/महोदया,

- मैं/हम निविदा दस्तावेजों की जांच किए है और निविदादाताओं को दिये गए निर्देशों के अनुसार जारी किए गए परिशिष्ट सहित, निविदा दस्तावेजों में कोई आरक्षण नहीं है।
- मैं/हम पात्रता आवश्यकताओं को पूरा करते हैं और इसमें हितलाभ का कोई विरोध नहीं (no conflict of interest) है;
- 3. मैं/हम भारत में न तो निलंबित किए गए है और न ही अपात्र घोषित किए गए है;
- मैं/हम निविदा दस्तावेजों के अनुरूप और आवश्यकताओं की अनुसूची में निर्दिष्ट वितरण अनुसूचियों के अनुसार निम्नलिखित सामान की आपूर्ति करने की पेशकश करते हैं: [माल और संबंधित सेवाओं का संक्षिप्त विवरण दें];
- 6. मैं/हम आपके द्वारा जारी स्वीकृति के संचार के लिए बाध्य होंगे।
- 7. मैं/हम निविदा के आमंत्रण के साथ संलग्न प्रपत्र में निविदादाताओं को दिए गए निर्देश और अनुबंध की शर्तों को समझ लिए है और अनुसूची में उद्धृत विनिर्देशों की पूरी तरह से जांच की है और आवश्यक सामान की प्रकृति से पूरी तरह अवगत हूं/हैं और मेरे / हमारा प्रस्ताव विनिर्देशों और आवश्यकताओं के अनुसार समय से माल की आपूर्ति करना है।
- कुलसचिव, आईआईटी (बीएचयू) वाराणसी के पूर्वोक्त खाते में निविदा प्रसंस्करण शुल्क के रूप में रुपये के भुगतान का प्रमाण
- 9. इस निविदा का हिस्सा बनने के लिए निम्नलिखित को जोड़ा गया है।
 - (क) आवश्यकताओं की अनुसूची, केवल विधिवत हस्ताक्षरित और मुद्रांकित को उद्धृत करते हुए । (कीमत बताए बिना)
 - (ख) आयकर निकासी प्रमाण पत्र।
 - (ग) पिछले लेखापरीक्षित बैलेंस शीट (last audited balance sheet) की प्रति।

- (घ) वैध जीएसटी पंजीकरण प्रमाण पत्र की प्रति।
- (ङ) आईआईटी/एनआईटी/सरकारी कार्यालय/पीएसयू/विश्वविद्यालय/स्वायत्त निकाय में विगत पांच वर्षों के दौरान निष्पादित समान प्रासंगिक प्रमुख खरीद आदेशों की प्रति।
- (च) निर्माण इकाई का प्रमाण, डीलरशिप प्रमाण पत्र / सामान्य आदेश आपूर्तिकर्ता ।
- (छ) वित्तीय नियमों और शर्तों से विचलन का विवरण, यदि कोई हो ।
- (ज) कोई अन्य संलग्नक। (कृपया विवरण दें)
- 10. हम प्राथमिकता के आधार पर आकस्मिक आवश्यकताओं को पूरा करने के लिए रखे गए सभी आदेशों को निष्पादित करने का वचन देते हैं।
- 11. प्रमाणित किया जाता है कि निविदा जमा करने वालाः
 - (क) एक एकल स्वामित्व वाली फर्म और निविदा दस्तावेज पर हस्ताक्षर करने वाला व्यक्ति एकमात्र मालिक /एकल स्वामित्व का कानूनी प्रतिनिधि है,

या

(ख) एक साझेदारी फर्म, और निविदा दस्तावेज पर हस्ताक्षर करने वाला व्यक्ति फर्म का भागीदार है और उसके पास साझेदारी समझौते के आधार पर/सामान्य मुख्तारनामा के आधार पर साझेदारी के व्यवसाय से संबंधित मध्यस्थता विवादों को संदर्भित करने का अधिकार है।

या

(ग) एक कंपनी और दस्तावेज़ पर हस्ताक्षर करने वाला व्यक्ति विधिक प्रतिनिधि है।

(नोट: जो लागू न हो उसे हटा दें। सभी सुधार⁄विलोपन अनिवार्य रूप से निविदा दस्तावेज पर हस्ताक्षर करने के लिए अधिकृत व्यक्ति द्वारा प्रमाणित होने चाहिए)।

- 12. हम एतद्वारा यह वचन देते हैं कि, प्राप्तिकी औपचारिक अधिसूचना तक, यह निविदा, आपकी लिखित स्वीकृति के साथ, हमारे बीच एक बाध्यकारी अनुबंध का गठन करेगी ।
- 13. यदि हमारी निविदा स्वीकार कर ली जाती है, तो हम निविदा दस्तावेजों के अनुसार प्रदर्शन सुरक्षा प्राप्त करने के लिए प्रतिबद्ध हैं;
- 14. हम एक निविदादाता के रूप में या एक उपठेकेदार के रूप में, इस निविदा प्रक्रिया में प्रस्तुत वैकल्पिक बोलियों के अलावा एक से अधिक बोली में भाग नहीं ले रहे हैं;
- 15. हम एतद्वारा प्रमाणित करते हैं कि हमने यह सुनिश्चित करने के लिए कदम उठाए हैं कि हमारे लिए या हमारी ओर से कार्य करने वाला कोई भी व्यक्ति किसी भी प्रकार की धोखाधड़ी और भ्रष्टाचार में लिप्त नहीं होगा।

निविदादाता का नाम*..... निविदादाता की ओर से बोली पर हस्ताक्षर करने के लिए विधिवत प्राधिकृत व्यक्ति का नाम**.....

निविदा पर हस्ताक्षर करने वाले व्यक्ति का शीर्षक

ऊपर नामित व्यक्ति के हस्ताक्षर

तिथि हस्ताक्षरितदिनदिन

* संयुक्त उद्यम द्वारा प्रस्तुत निविदा के मामले में संयुक्त उद्यम का नाम निविदादाता के रूप में निर्दिष्ट करें ** निविदा पर हस्ताक्षर करने वाले व्यक्ति के पास निविदा अनुसूचियों के साथ संलग्न करने के लिए निविदादाता द्वारा दिए गए मुख्तारनामा होंगे । भवदीय,

(निविदादाता के हस्ताक्षर) दिनांक व दिन _____ निविदादाता के हस्ताक्षर _____ संलग्नक का विवरण _____ पूरा पताः _____ टेलीफोन नंबर _____ मोबाइल नंबरः _____

फैक्सनंबरः_____ ई-मेलः_____

कंपनी की मुहर

निविदा प्रपत्र

(मूल्य बिड)

(निविदा दस्तावेज़ जमा करने वाली फर्म के पत्र शीर्ष पर)

सेवा में,

डॉ. एम. थोट्टप्पन,
इलेक्ट्रॉनिक्स इंजीनियरिंग विभाग
भारतीय प्रौद्योगिकी संस्थान ,(काशी हिंदू विश्वविद्यालय),
वाराणसी – 221005, (उ.प्र.)
संदर्भः निविदा संख्या
महोदय/महोदया,

निविदा दस्तावेजों की जांच करने और उसके लिए तकनीकी वाणिज्यिक अमूल्य निविदा प्रस्तुत करने के बाद, हम, अधोहस्ताक्षरी, एतद्वारा आवश्यकताओं की अनुसूची के अनुसार और उक्त निविदा दस्तावेजों के अनुरूप वस्तुओं और सेवाओं की आपूर्ति के लिए मूल्य निविदा प्रस्तुत करते हैं।

- हम एतद्वारा आवश्यकता की संलग्न अनुसूची में उल्लिखित कीमतों और दरों पर वस्तुओं/सेवाओं की आपूर्ति करने की पेशकश करते हैं।
- हम एतद्वारा वचन देते हैं कि, हमारी निविदा की स्वीकृति की स्थिति में, वस्तुओं/सेवाओं की आपूर्ति आवश्यकता की अनुसूची में निर्धारित के अनुसार की जाएगी और हम सभी आकस्मिक सेवाओं का प्रदर्शन करेंगे ।
- 3. उद्धृत कीमतों में सभी शुल्क नेट सीआईपी नई दिल्ली/ फॉर आईआईटी (बीएचयू) वाराणसी (Net CIP New Delhi/FOR IIT (BHU), Varanasi) के लिए शामिल हैं और इसका स्पष्ट रूप से उल्लेख किया जाना चाहिए। हम आपके द्वारा अपेक्षित पूरी वित्तीय निविदा इसके साथ संलग्न करते हैं। यह भी शामिल है:
 - а. मूल्य अनुसूची (बिल ऑफ क्वांटिटी-воо)।
 - b. वित्तीय नियमों और शर्तों से विचलन का विवरण।
- हम निविदा दस्तावेजों को खोलने के लिए निर्धारित तिथि से 180 दिनों की अवधि के लिए हमारे प्रस्ताव का पालन करने के लिए सहमत हैं और हम उस समय के भीतर स्वीकृति हेतु बाध्य रहेंगे।
- 5. हमने निविदा दस्तावेज के नियमों और शर्तों को ध्यान से पढ़ और समझ लिए है और हम इन नियमों और शर्तों के अनुसार आपूर्ति करने का वचन देते हैं। वित्तीय विचलन केवल वे हैं जिनका उल्लेख वित्तीय नियमों और शर्तों से विचलन के विवरण में किया गया है।
- 6. हमने निविदा प्रक्रिया या अनुबंध के निष्पादन के संबंध में निम्नलिखित कमीशन, ग्रेच्युटी या शुल्क का भुगतान किया है, या भुगतान करेंगे: [प्रत्येक प्राप्तकर्ता का पूरा नाम, उसका पूरा पता, कारण जिसके लिए प्रत्येक कमीशन या ग्रेच्युटी का भुगतान किया गया था और ऐसे प्रत्येक कमीशन या उपदान की राशि और मुद्रा]

प्राप्तकर्ता का नाम	पता	कारण	राशि

(यदि कोई भुगतान नहीं किया गया है या भुगतान किया जाना है, तो "कोई नहीं" इंगित करें।)

- 7. हम समझते हैं कि यह निविदा, आपकी लिखित स्वीकृति के साथ, जो आपके निर्णय की अधिसूचना में शामिल है, हमारे बीच एक बाध्यकारी अनुबंध का गठन करेगी, जब तक कि एक औपचारिक अनुबंध तैयार और निष्पादित नहीं किया जाता है; तथा
- हम समझते हैं कि आप न्यूनतम मूल्यांकित निविदा या आपको प्राप्त होने वाली किसी अन्य निविदा को स्वीकार करने के लिए बाध्य नहीं हैं।

प्रमाणित किया जाता है कि निविदा देने वाला है:

एक एकल स्वामित्व वाली फर्म और निविदा दस्तावेज पर हस्ताक्षर करने वाला व्यक्ति एकमात्र मालिक / कानूनी प्रतिनिधि है,

या

एक साझेदारी फर्म, और निविदा दस्तावेज पर हस्ताक्षर करने वाला व्यक्ति फर्म का भागीदार है और उसके पास साझेदारी समझौते के आधार पर/सामान्य मुख्तारनामा के आधार पर साझेदारी के व्यवसाय से संबंधित मध्यस्थता विवादों को संदर्भित करने का अधिकार है,

या

एक कंपनी और निविदा दस्तावेज पर हस्ताक्षर करने वाला व्यक्ति कानूनी प्रतिनिधि है। *(नोट: जो लागू न हो उसे हटा दें। सभी सुधार/विलोपन को अनिवार्य रूप से निविदा दस्तावेज पर हस्ताक्षर करने के लिए अधिकृत व्यक्ति द्वारा विधिवत रूप से सत्यापित किया जाना चाहिए*)

ह	म एतद्वा	रा यह वच	न देते हैं कि,	निर्णय की	औपचारिक	अधिसूचना	तक, यह	निविदा अ	आपकी वि	लेखित र	वीकृति
के	, साथ, ह	मारे बीच	एक बाध्यका	री अनुबंध	का गठन क	रेगी ।					
~		0		-							

दिनांक व दिन	
निविदादाता के हस्ताक्षर	
संलग्नक का विवरण	
पूरा पताः	
टेलीफोन नंबर	
मोबाइल नंबरः	
फैक्स नंबर:	
ई-मेल:	
कंपनी की मुहर	

SECTION 7 TENDER FORM

(<u>Techno commercial un-priced Bid</u>) (On the letter head of the firm submitting the bid)

Tender No.

To, Dr. M. Thottappan Department of Electronics Engineering Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India

Dear Sir,

- 1. I/We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders;
- 2. I/We meet the eligibility requirements and have no conflict of interest;
- 3. I/We have not been suspended nor declared ineligible in India;
- 4. I/We offer to supply in conformity with the Bidding Documents and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods: *[insert a brief description of the Goods and Related Services]*
- 5. I/We offer to supply the items as listed in the schedule to this tender hereto/portion thereof as you may specify in the acceptance of Tender at the price given in the said Schedule and agree to hold this offer open for a period of days from the date of opening of the tender.
- 6. I/we shall be bound by a communication of acceptance issued by you.
- 7. I/We have understood the Instruction to bidders and Conditions of Contract in the form as enclosed with the invitation to the tender and have thoroughly examined the specifications quoted in the Schedule hereto and am/are fully aware of the nature of the goods required and my/our offer is to supply the goods strictly in accordance with the specifications and requirements.
- 8. A proof of payment of Rs.....only) as Tender Processing Fee in the aforementioned account of Registrar, IIT (BHU).
- 9. The following have been added to form part of this tender.
 - (a) Schedule of requirements, quoting the make only duly signed and stamped. (without indicating price)
 - (b) Income Tax clearance certificate.
 - (c) Copy of last audited balance sheet.
 - (d) Copy of Valid GST registration certificate.
 - (e) Copy of similar relevant major purchase orders executed during last three years in IITs/NITs/Govt. R&D Organization/Govt. Offices/PSU/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. bodies.
 - (f) Proof of manufacturing Unit, dealership certificate/general order suppliers.
 - (g) Statement of deviations from financial terms & conditions, if any.
 - (h) Any other enclosure. (Please give details)
- 10. We undertake to execute all orders which have been placed to meet emergent requirements on priority basis.

- 11. Certified that the bidder is:
 - (a) A sole proprietorship firm and the person signing the bid document is the sole proprietor/constituted attorney of the sole proprietor,

Or

(a) A partnership firm, and the person signing the bid document is a partner of the firm and he has authority to refer to arbitration disputes concerning the business of the partnership by virtue of the partnership agreement/by virtue of general power of attorney.

Or

(b) A company and the person signing the document is the constituted attorney.

(NOTE: Delete whatever is not applicable. All corrections/deletions should invariable be duly attested by the person authorized to sign the bid document).

- 12. We do hereby undertake that, until a formal notification of award, this bid, together with your written acceptance thereof shall constitute a binding contract between us.
- 13. If our bid is accepted, we commit to obtain a performance security in accordance with the Bidding Documents.
- 14. We are not participating, as a Bidder or as a subcontractor, in more than one bid in this bidding process, other than alternative bids submitted.
- 15. We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in any type of fraud and corruption.

Name of the Bidder*

Name of the person duly authorized to sign the Bid on behalf of the Bidder**

Title of the person signing the Bid

Signature of the person named above

Date signed day of

* In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder ** Person signing the Bid shall have the power of attorney given by the Bidder to be attached with the Bid Schedules.

Yours faithfully,

(Signature of bidder) Dated this day of Address: Telephone No.: FAX E-mail

Company seal

TENDER FORM

(*Priced Bid*) (*On the letter head of the firm submitting the bid*)

Tender No.

To, Dr. M. Thottappan Department of Electronics Engineering Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India

Dear Sir,

Having examined the bidding documents and having submitted the techno commercial unpriced bid for the same, we, the undersigned, hereby submit the priced bid for supply of goods and services as per the schedule of requirements and in conformity with the said bidding documents.

- 1. We hereby offer to supply the Goods/Services at the prices and rates mentioned in the enclosed schedule of requirement.
- 2. We do hereby undertake that, in the event of acceptance of our bid, the supply of Goods/Services shall be made as stipulated in the schedule of requirement and that we shall perform all the incidental services.
- 3. The prices quoted are inclusive of all charges net F.O.R IIT (BHU) Varanasi. We enclose herewith the complete Price Bid as required by you. This includes:
 - (a) Price Schedule (Bill of Quantity BOQ) in .pdf format and .xls format
 - (b) Statement of deviations from financial terms and conditions, if any.
- 4. We agree to abide by our offer for a period of 90 days from the date fixed for opening of the bid documents and that we shall remain bound by a communication of acceptance within that time.
- 5. We have carefully read and understood the terms and conditions of the bid document and we do hereby undertake to supply as per these terms and conditions. The Financial Deviations are only those mentioned in the statement of deviations from financial terms and conditions.
- 6. We have paid, or will pay the following commissions, gratuities, or fees with respect to the bidding process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none."

- 7. We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed; and
- 8. We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.

Certified that the bidder is:

A sole proprietorship firm and the person signing the bid document is the sole proprietor/ constituted attorney of sole proprietor,

Or

A partnership firm, and the person signing the bid document is a partner of the firm and he has authority to refer to arbitration disputes concerning the business of the partnership by virtue of the partnership agreement/by virtue of general power of attorney,

Or

A company and the person signing the bid document is the constituted attorney.

(NOTE: Delete whatever is not applicable. All corrections/deletions should invariably be duly attested by the person authorized to sign the bid document.)

We do hereby undertake that, until a formal notification of award, this bid, together with your written acceptance thereof, shall constitute a binding contract between us.

Dated this day of
Signature of Bidder
Details of enclosures
Full Address:
Telephone No
Mobile No
Fax No
E-mail:

Company Seal

BIDDER INFORMATION FORM

Date: ADVT. No.:

1. Bidder's Name:
2. In case of JV, legal name of each member: [insert legal name of each member in JV]
3. Bidder's actual or intended country of registration:
4. Bidder's year of registration:
5. Bidder's Address in country of registration:
6. Bidder's Authorized Representative Information
Name:
Address:
Telephone/Fax:
Email:
Address:
7. Attached are copies of original documents of [check the box(es) of the attached original documents]
\Box Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above.
□ In case of JV, letter of intent to form JV or JV agreement.
 In case of Government-owned enterprise or institution, documents establishing: Legal and financial autonomy
 Operation under commercial law Establishing that the Bidder is not dependent agency of the Purchaser
Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

TENDER ACCEPTANCE LETTER (To be given on Company Letter Head)

	Date:
To,	
Dr. M. Thottappan	
Department of Electronics Engineering	
Indian Institute of Technology (BHU) Varanasi	
Varanasi-221005, Uttar Pradesh, India	
Sub: Acceptance of Terms & Conditions of Tender.	
Tender Reference No	
Name of Tender/ Work:	

Dear Sir,

- 2. I/We hereby certify that I/We have read the entire terms and conditions of the tender documents from Page No. to (including all documents like section(s), schedules(s) etc.), which form part of the contract agreement and I/we shall abide hereby by the terms/conditions/ clauses contained therein.
- 3. The corrigendum(s) issued from time to time by your department/ organization too have also been taken into consideration, while submitting this acceptance letter.
- 4. I/We hereby unconditionally accept the tender conditions of above-mentioned tender document(s)/ corrigendum(s) in its totality/entirety.
- 5. In case any provisions of this tender are found violated, then your department/ organization shall without prejudice to any other right or remedy be at liberty to reject this tender.

Yours faithfully,

(Signature of the Bidder, with Official Seal)

FORMAT FOR PERFORMANCE BANK GUARANTEE (PBG)/ PERFORMANCE SECURITY

(To be typed on non-judicial stamp paper of the value of Indian Rupees of One Hundred)

[To Be Established Through Any of the Nationalized Commercial Banks (Whether situated at Varanasi or Outstation) with A Clause to Enforce the Same on Their Local Branch at Varanasi]

To, The Registrar Indian Institute of Technology (BHU) Varanasi Varanasi – 221005, Uttar Pradesh, India

LETTER OF GUARANTEE

WHEREAS Indian Institute of Technology (BHU), Varanasi (Buyer) has invited tender vide Tender No..... dated..... for purchase of AND requires WHEREAS the said tender document that eligible successful bidder (seller)..... wishing to supply the equipment / machinery, etc. in response thereto shall establish an irrevocable Performance Bank Guarantee in favour of "The Registrar, Indian Institute of Technology (BHU) Varanasi" in the form of Bank Guarantee for Rs. (3% of the contract value) and the Performance Bank Guarantee shall remain valid for a period of 60 (sixty) days beyond the date of completion of all contractual obligations of the seller, including warranty obligations from the date of issue of Performance Bank Guarantee and the eligible successful bidder (the seller) shall submit the same within 14 (Fourteen) days from the date of Award of Contract.

This Bank further agrees that the decision of Indian Institute of Technology (BHU) Varanasi (Buyer) as to whether the said bidder (Seller) has committed a breach of any of the conditions referred in tender document / Award of Contract shall be final and binding.

2. This Bank Guarantee shall be valid up to (date) and

Yours truly,

Signature and seal of the guarantor:

Name of Bank:

Address:

Date:

SECTION 8

Rack Server with 15 Thin Client having Dual Processors including Dual GPU Card/Co-Processor and other Accessories

Item Wise Requirement

S. No.	Item Description	Quantity
01.	GPU Server with Dual GPU	01
02.	Secondary Server with 512 GB RAM	01
03.	Thin Clients	15
04.	10 KVA Online UPS System with 60 minutes Battery Backup	02
05.	24 Port Giga 10/100/1000 MBPS Layer 2 UTP Switch With 4 port SFP	01
06.	CAT6 LAN I/O Network Keystone Jack + Gang Box + Single Port Face	17
	Plate	
07.	24 Port CAT 6 Jack Panel	01
08.	UTP CAT 6 Cable of 01-meter Length	17
09.	UTP CAT 6 Cable of 03-meter Length	17
10.	Cat6 UTP LAN Cabler Roll of 305 meters	02
11.	Laying of UTP Cable On wall with Casing Patti	200 meters
12.	Room Infrastructure, Air conditioning & Installation charges:	
12 (a)	2.0 Ton Split Air Conditioner with stabilizer	02
12 (b)	Computer Table (Size: 2' Width x 2' Length x 2.5' height) with	16
	Lockable Wheels & with keyboard tray	
12 (c)	Installation & Configuration Charges of the setup	01

Detailed Technical Specifications:

01. <u>GPU Server with Dual GPU</u>

Component	Description/Technical Specification
Form Factor	Max. 2U rack mounted with sliding rails
Configured CPU	Two number of Intel Xeon Gold 6430 Processor @ 2.1G, 32Cores, 64Thread, 60 M Cache,
CPU Benchmark	 Minimum required CPU spec rating with: SPECrate of base fp of 627 and above and SPECrate of peak fp of 655 and above SPECrate of base Integer of 507 and above and SPECrate of peak Integer of 520 and above
Chipset	Intel® C741 series chipset
Memory slots	32 DDR5 DIMM slots, supports RDIMM 8 TB max, speeds up to 4800 MT/s Supports registered ECC DDR5 DIMMs only
Memory configured	Should be configured with 1 TB RAM scalable to 8TB
Disks supported	Up to 8 x 2.5-inch SAS/SATA/NVMe (HDD/SSD) max 122.88 TB
RAID Controller	Embedded / PCIe based x16 RAID controller with 8GB Flash backed write cache, supporting RAID 0, 1, 5, 6, 10, 50, 60.
Disks configured	2 nos of 480GB SSD SATA Read Intensive drives and 4 nos of 3.84TB SSD vSAS Mixed Use 12Gbps drives
I/O slots	Up to eight PCIe slots (Support PCIe Gen 5 or Gen 4)
GPU Support	Up to 2 x 350 W DW and 6 x 75 W SW
GPU populated	two number of 48GB L40s GPU

Contification - 1	Conomical Huyerty Convent TC
Certification and	Canonical Ubuntu Server LTS Migrosoft Windows Server with Human V
compliances	Microsoft Windows Server with Hyper-V
	• Red Hat Enterprise Linux
	SUSE Linux Enterprise Server
D C 1	• VMware ESXi
Power Supply	Two redundant 2400 W Platinum 100–240 VAC or 240 HVDC, hot swap
	redundant power supplies
Network Card	one number of dual ports 01 G network card & One number of dual 10 G
	Optical card along with 10g SFP Ports
Management	Support for integration with Microsoft System Center, VMware vCenter,
integration	BMC Software
Power &	Real-time power meter, graphing, thresholds, alerts& capping with
temperature	historical power counters.
	Temperature monitoring & graphing
Pre-failure alert	Should provide predictive failure monitoring & proactive alerts of actual or
	impending component failure for fan, power supply, memory, CPU, RAID,
	NIC, HDD
Configuration &	Real-time out-of-band hardware performance monitoring & alerting
management	• Agent-free monitoring, driver updates & configuration, power monitoring
8	& capping, RAID management, external storage management, monitoring
	of FC, HBA & CNA & system health
	• Out-of-band hardware & firmware inventory
	• Zero-touch auto configuration to auto deploy a baseline server
	configuration profile
Management	Automated hardware configuration and Operating System deployment to
(continued)	multiple servers
(continued)	• Zero-touch repository manager and self-updating firmware system
	• Virtual IO management / stateless computing.
	Should have storage space earmarked to be used as a repository for
	firmware, drivers and software components. The components can be
	organized to rollback/patch faulty firmware.
	• Remote server management software should be from the same server OEM
	and should provide Support for Telemetry Streaming for log analysis •
	Virtual IO management / stateless computing
	• Support for Redfish API for simple and secure management of scalable
	platform hardware
	• Server management software should support upto 8000 devices in a single
	instance
Power &	"Real-time power meter, graphing, thresholds, alerts & power capping with
	historical power reporting at individual server and group level.
Temperature	Temperature monitoring & reporting at individual server and group level.
Management	Support for multi-vector cooling."
	Hardware (Silicon) root of trust; cryptographically signed firmware updates;
G	system drift detection; System Lockdown; Secure OS & BIOS recovery;
Server Security	secure erase; CC-TCG certified; NIST SP 800-147B "BIOS Protection
	Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL
	Certification; Multi-factor authentication etc
LCD panel	Optional LCD bezel or security bezel
	Should display system ID, status information and system error error code
	followed by descriptive text. LCD background should light up in different
	colours during normal system operation & error conditions.
HTML5 support	HTML5 support for virtual console & virtual media without using Java or
	ActiveX plugins

Server security	 Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: Cryptographically signed firmware Data at Rest Encryption (SEDs with local or external key mgmt) Secure Boot Secure Erase Secured Component Verification (Hardware integrity check)
	 Silicon Root of Trust System Lockdown TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Should provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server
Intrusion alert	firmware Intrusion alert in case chassis cover being opened
OS	 Windows Server 2022 OS Edition Red Hat Enterprise Linux 8.6 & 9.0 SUSE Linux Enterprise Server 15 SP4 Ubuntu 22.04
Warranty	03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.
Manufacturer's Authorisation Certificate	Bidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in case of MAF verification

02. Secondary Server with 512 GB RAM

Component	Description/Technical Specification
Form Factor	Max. 2U rack mounted with sliding rails
Configured CPU	Two number of Intel Xeon Gold 6430 Processor @ 2.1G, 32Cores, 64Thread,
	60 M Cache,
CPU Benchmark	Minimum required CPU spec rating with:
	• SPECrate of base fp of 627 and above and SPECrate of peak fp of 655
	and above
	• SPECrate of base Integer of 507 and above and SPECrate of peak Integer
	of 520 and above
Chipset	Intel® C741 series chipset
Memory slots	32 DDR5 DIMM slots, supports RDIMM 8 TB max, speeds up to 4800 MT/s
	Supports registered ECC DDR5 DIMMs only
Memory	Should be configured with 512 GB RAM scalable to 8TB
configured	
Disks supported	Up to 8 x 2.5-inch SAS/SATA/NVMe (HDD/SSD) max 122.88 TB
RAID Controller	Embedded / PCIe based x16 RAID controller with 8GB Flash backed write
	cache, supporting RAID 0, 1, 5, 6, 10, 50, 60.
Disks	2 nos of 480GB SSD SATA Read Intensive drives and 4 nos of 3.84TB SSD
configured	vSAS Mixed Use 12Gbps drives
I/O slots	Up to eight PCIe slots (Support PCIe Gen 5 or Gen 4)
GPU Support	Up to 2 x 350 W DW and 6 x 75 W SW
GPU populated	Integrated Graphic
Certification and	Canonical Ubuntu Server LTS
compliances	 Microsoft Windows Server with Hyper-V
	Red Hat Enterprise Linux
	SUSE Linux Enterprise Server
	• VMware ESXi

Power Supply	Two redundant 2400 W Platinum 100-240 VAC or 240 HVDC, hot swap
	redundant power supplies
Network Card	one number of dual ports 01 G network card & One number of dual 10 G Optical card along with 10g SFP Ports
Management integration	Support for integration with Microsoft System Center, VMware vCenter, BMC Software
Power &	Real-time power meter, graphing, thresholds, alerts& capping with
temperature	historical power counters. Temperature monitoring & graphing
Pre-failure alert	Should provide predictive failure monitoring & proactive alerts of actual or impending component failure for fan, power supply, memory, CPU, RAID, NIC, HDD
Configuration & management	 Real-time out-of-band hardware performance monitoring & alerting Agent-free monitoring, driver updates & configuration, power monitoring & capping, RAID management, external storage management, monitoring of FC, HBA & CNA & system health Out-of-band hardware & firmware inventory Zero-touch auto configuration to auto deploy a baseline server configuration profile
Management (continued)	 Automated hardware configuration and Operating System deployment to multiple servers Zero-touch repository manager and self-updating firmware system Virtual IO management / stateless computing. Should have storage space earmarked to be used as a repository for firmware, drivers and software components. The components can be organized to rollback/patch faulty firmware. Remote server management software should be from the same server OEM and should provide Support for Telemetry Streaming for log analysis • Virtual IO management / stateless computing Support for Redfish API for simple and secure management of scalable platform hardware Server management software should support upto 8000 devices in a single instance
Power & Temperature Management	"Real-time power meter, graphing, thresholds, alerts & power capping with historical power reporting at individual server and group level. Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling."
Server Security	Hardware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection; System Lockdown; Secure OS & BIOS recovery; secure erase; CC-TCG certified; NIST SP 800-147B "BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc
LCD panel HTML5 support	Optional LCD bezel or security bezel Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. HTML5 support for virtual console & virtual media without using Java or
	ActiveX plugins
Server security	 Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: Cryptographically signed firmware Data at Rest Encryption (SEDs with local or external key mgmt) Secure Boot Secure Erase Secured Component Verification (Hardware integrity check) Silicon Root of Trust

	 System Lockdown TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ
	Configuration upgrades should be only with cryptographically signed firmware and software
	Should provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmware
Intrusion alert	Intrusion alert in case chassis cover being opened
OS	Windows Server 2022 OS Edition
	• Red Hat Enterprise Linux 8.6 & 9.0
	SUSE Linux Enterprise Server 15 SP4
	• Ubuntu 22.04
Warranty	03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.
Manufacturer's	Bidder must submit bid specific MAF (Manufacturer's Authorisation
Authorisation	Certificate) with contact no. & email id of the MAF signing authority, in case
Certificate	of MAF verification

03. Thin Clients

Parameter	Description/Technical Specifications
Make & Model	
Processor	Intel Pentium processor N6005 with minimum 2.0 GHz up to turbo 3.30 GHz, Quad Core processor or Higher. The Processors should not be mentioned in end-of-life declaration by OEM as on bid calling date.
Memory	1 x 16GB DDR4 2933 MHz or higher
Storage	256 GB PCIe NVMe M.2 SSD
Graphics	Intel Integrated UHD Graphics
Interfaces	6 USB ports with minimum 2 USB 3.2 Gen 2 ports, 1 Universal audio jack, 2 DisplayPort 1.4, 1 RJ45 Ethernet port
Slots	2 M.2 2230 slot for Wi-Fi and SSD
Monitor	19.5" IPS with TCO 8 & with VGA & HDMI Ports & aspect ratio of 16:10 (Must be of same OEM)
Keyboard & Mouse	OEM USB Std. Keyboard & Optical Mouse (Must be of same OEM)
Security	Discrete TPM 2.0, 1 Kensington security-cable slot, 1 Padlock ring
OS	Windows 10 IoT Enterprise OS or higher version
Certifications	ISO 9001:2008, ISO 14001, ISO 27001: 2013 Certification, BIS, EPEAT registered in India, UL, FCC, CE, ROHS, Energy Star, Ubuntu Linux Certified, MIL STD 810 G/H (Min. 10 Test passed)
Form Factor	Thin Clients with Internal Speakers less than 1.2 liters
Power	OEM Power supply with 65 W AC Adapter
Accessories	With required connecting cables should be supplied
Warranty	3 Years Comprehensive onsite Warranty from the date of installation incl. embedded OS
Manufacturer's	Bidder must submit bid specific MAF (Manufacturer's Authorization
Authorization Certificate	Certificate) with contact no. & email id of the MAF signing authority, in case of MAF verification

04. 10 KVA On line UPS with 60 minutes Battery Backup

Parameter	Description/Technical Specifications
Capacity (in kVA / kW)	10 kVA / 10 KW 1-Phase Input / 1-Phase Output
DSP Based System	DSP based control/ advanced technology ON Line UPS
Wide Input voltage Range	Wide Input voltage range from (100 ~ 280VAC)
Operational Configuration	Parallel Configuration with Separate Battery Bank

E-11- D-t-1 D-mar	$\Gamma_{\rm e}$ 11- $\sigma_{\rm e}$ (1-V/A (1-W)) from $\sigma_{\rm e}$ (1-V/A (1-W))		
Fully Rated Power			
(kVA=kW) N+X Upto 4 Systems	N+X Parallel.Redundant Configuration upto 4 units.		
PFC & Inverter Based	UPS should have topology for both PFC (power factor		
	correction) & inverter-based technology.		
Technology Nominal Voltage / Frequency	200/208/220/230/240 VAC / 40 to 70 Hz		
Nominal Voltage Range	200/208/220/230/240 VAC / 40 to 70 Hz 200/208 (de-rating to 90%): 100VAC~280 VAC		
Nominal Voltage Range	220/230/240: 100Vac~280 VAC		
Input Power Factor	> 0.99(full load)		
Input Protection	Should be provided at the input of the UPS suitable for the full		
	rated capacity of the UPS.		
O/P voltage / Frequency	200/208/220/230/240 VAC / 50/60Hz ±0.05 Hz		
Output Voltage Distortion			
(THDu)	< 3% for linear load.		
Inverter Overload capacity	<105%for Continuous, <105~<125for 2Min, <125~<150for		
	30Sec		
Measurements (On LCD)	Input: Voltage & Frequency, Bypass: Voltage & Frequency,		
	Output: Voltage, frequency, Kilowatt & kVA, Battery:		
	Remaining time & Battery Level Indicator, Load Percentage &		
	Load Level Indicator, Ambient temperature.		
Fault Indication (On LCD)	Abnormal I/P,I/P Fuse blown, Rectifier Abnormal, BUS start		
	abnormal, Battery start abnormal, BUS start abnormal in battery		
	mode, +BUS voltage too high & low, -BUS voltage too high		
	& low, Inverter O/P voltage abnormal, Overload shutdown,		
	Charge voltage too high, Damaged Batteries, Battery missing, Battery voltage to low & Over temperature Protection.		
	Battery voltage to low & Over temperature Protection.		
Setable data through (LCD)	Inverter Voltage, Inverter Frequency, Frequency converter,		
	ECO Mode, Overload alarm, Buzzer, Charging current, Battery		
	Capacity, Battery String & Parallel ID		
Audible Alarms	Replace Battery, Overload warning & shutdown, High-Temp,		
	Low-Battery, High Temp warning & shutdown		
Battery Bank Voltage / VAH	Minimum 240 VDC / 10080 VAH/ 12 Volt SMF Battery /		
/ Backup	Exide/ Quanta / 60 Minutes on Full Load		
Serial Communication RS232	RS232 Port should be provided as standard in the UPS and there		
Port / USB Port	should be provision for USB port also in the UPS.		
SNMP provision	Monitors and controls the status of the UPS via a network		
Salf Diagragia	system.		
Self-Diagnosis	UPS should be capable to carry out self-test of Rectifier /		
Manufacturer	Charger /Battery & Inverter module during start-up QMS: As per ISO 9001: 2008		
	EMS: As per ISO 9001: 2008 EMS: As per ISO 14001: 2004		
	OSHAS: As per ISO 18001: 2007		
	TL: 9000 & NABL Accredited lab in India		
Manufacturer's Authorisation	Bidder must submit bid specific MAF (Manufacturer's		
Certificate	Authorisation Certificate)		

05. 24 Port Gigabit Switch with 10 G Copper Module

S. No.	Description/Technical Specifications
1	The Switch should have 24 10/100/1000Base-T ports + 2 10GBase-T ports + 2 10G
	SFP+ ports, ManagedSwitch. Min. 2 10G SM fiber module should be populated.
	RJ-45 console port for accessing the command line interface (CLI) of this switch for
	configuration, management, and monitoring, RJ-45 port for out-of-band management
	to configure the switch without being connected to the network, USB Port for
	connecting a USB storage device.
	Non-Blocking architecture. Switch should be Certificates FCC/CE/UL/BIS/MTCTE or
	Equivalent Indian Certificate for EMI and Safety Compliance.
	The Switch should have Operation Temperature \bullet 0 to 50 °C (32 to 122 °F) or higher

The Swi	tch should support for Physical stacking up to 8 units per stack with dedicated
Stacking	Ports and support long-distance stacking over fiber and Support up to 40 Gbp
stacking	bandwidth.
The Swi	tch should support mechanism ERPS to prevent loop formation in Ethernet rin
and enab	bles ring to converge in less than 50 ms from node or link failure
The Swi	tch should have L3 Features i.e. Static routing, IPv6 Neighbour Discover
(ND), V	/RRP v2, OSPFv2/v3, PBR (Policy-based Route), Route Redistribution
RIPv1/v	2/ng, IP Helper.
The Swi	tch should support VLAN, 802.1Q, VLAN mirroring, Double VLAN (Q-in
Q), Priva	ate VLAN, 802.3x, RSPAN.
The Swi	tch should support Security features, 802.1X authentication, Port security
Radius &	& TACACS+ authentication & accounting, DAD, DAI, DoS attack prevention
SSH, Gu	est VLAN, Time-based ACL, IPAccess List, MAC Access List.
The Sw	itch should support Multicast features, Multicast VLAN, IGMP& ML
Snoopin	g, Flow mirroring, IGMP & MLD Snooping Querier, Per-VLAN IGMP a
MLD Sn	looping.
	tch should support Quality of Service (QoS) features, Three Color Marke
Class of	Service (CoS), Bandwidth control, WRED.
	tch should support Management features, CLI, SNMP, Dual configuration
Multiple	images, RMON, LLDP/LLDP-MED, sFlow, DHCP/BOOTP Clien
IPv4/IPv	6 Syslog server, Debug command, 802.3ah Ethernet Link OAM, 802.1a
Connect	ivity Fault, Y.1731 OAM, Dying Gasp, Cable Diagnostics and Embeddee
External	6 kV surge protection on all Gigabit Ethernet ports and on all GE RJ-45 acces
ports	
	hould be supplied with the all necessary components like Power supply, Power
cord, Al	I Fan Module, Console Cable, Rack-mount kit, Installation Guide, etc. an
necessar	y software image file to fulfil all above mention feature set from day 1.

S. No.	Particular of Items
06.	CAT6 LAN I/O Network Keystone Jack + Gang Box + Single Port Face Plate
07.	24 Port CAT 6 Jack Panel
08.	UTP CAT 6 Cable of 1 meter Length
09.	UTP CAT 6 Cable of 3 meter Length
10.	Cat6 UTP LAN Cabler Roll of 305 meter
11.	Laying of UTP Cable On wall with Casing Patti

12 (a) Two Ton Split AC

Description/Technical Specifications

Capacity: - 2.0 Ton Split type

Energy Star Rating: 3 Star or better,

Power Source Corded Electric, Copper Condenser Coil: The copper pipes and tubes for condensers, evaporators conduct heat better, to cool faster and increase machine longevity, Installation of AC required in all respect, 2 Yrs Warranty Comprehensive with 10 Year on Compressor Compatible Stabilizers + automatic timer setting

S. No.	Particular of Items
12 (b)	Computer Table (Size: 2" Width x 2" Length x 2.5' height) with Lockable Wheels &
	with keyboard tray
12 (c)	Installation & Configuration Charges of the setup

Other Terms

- 1. Price of the facility should be quoted in Indian currency.
- 2. Price should be quoted F.O.R to IIT (BHU) Varanasi.
- 3. Custom Clearance will be the responsibility of the supplier.
- 4. Indian agency commission: Should be clearly stated in the financial bid in Indian currency.
- 5. **Penalty:** A penalty of 1% of the order value will be applied for late delivery of the goods for each week thereof subject to a maximum of 10%.

- 6. **Bank Guarantee (BG):** Successful bidder have to furnish **03%** of the order value as a performance security in the shape of Fixed Deposit Receipt / Bank Guarantee in favour of the Registrar, Indian Institute of Technology (BHU) Varanasi which will be valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including warranty obligations. Fixed Deposit Receipt / Bank Guarantee should be issued from a schedule bank in India. Bank guarantee is only applicable for the Supplier who will get the Award of Contract and will submit at the time of installation of the instrument.
- 7. Payment: The payment shall be made by 100% payment against Supply, Installation and Commissioning and submission of satisfactory PBG.
- 8. User List: Provide users for last 3 years with contact person name, address, phone, and email IDs.
- 9. Manuals/Documents: 1 set of hard copy and 1 set of soft copy in English (preferred as following).
 - i. Operating manuals
 - ii. Maintenance manual
 - iii. Servicing manual
 - iv. Programming manual
 - v. Manuals of bought out items incorporated in the system
 - vi. Details of any custom-made ICs & components & their sources
- 10. The bidder must be authorized by the respective OEM to supply, install and maintain the system. The Tender should be enclosed with proper certifications like **Authorization Certificate and Proprietary Certificate,** in case of Proprietary items.
- 11. Warranty period to be clearly mentioned and should begin from the date of installation. Annual Maintenance Contract Charges should be clearly mentioned after warranty period. Three years comprehensive warranty.
- 12. Submit Electronic copy of the technical specifications and bids.
- 13. The vendor to provide compliance statement with respect to each technical specification in the tender document duly supported by the manufacturer's literature. Any other claim will not be accepted and may lead to rejection of the bid.
- 14. Printed literature in support of compliance to the prescribed specifications is to be submitted.
- 15. Compliance report needs to be submitted as a part of the technical bid.
- 16. In case during shipment period newer versions of software/hardware is available with vendor in lieu of the existing one for which Letter of Credit was opened, then improved version should be made available without any extra cost.
- 17. Institute reserves the right to visit installation in India of similar capabilities the details with to regard to such installation should be given as a part of technical bid.
- 18. Technical evaluation by the Institute may include demonstration to verify functionalities and capabilities of the system quoted.

Note- Only those bidders who will quote rates of all the items will be consider for evaluation. Lowest bidder will be decided on overall L1 basis.

Dr. M. Thottappan Department of Electronics Engineering Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India

<u>TECHNICAL COMPLIANCE STATEMENT</u> (*To be submitted by bidder duly filled*)

01. GPU Server with Dual GPU

Component	Description/Technical Specifications	Compliance (Yes/No)
Form Factor	Max. 2U rack mounted with sliding rails	
Configured CPU CPU Benchmark	 Two number of Intel Xeon Gold 6430 Processor @ 2.1G, 32Cores, 64Thread, 60 M Cache, Minimum required CPU spec rating with: SPECrate of base fp of 627 and above and SPECrate of peak fp of 655 and above SPECrate of base Integer of 507 and above and SPECrate of peak 	
Chipset	Integer of 520 and above Intel® C741 series chipset	
Memory slots	32 DDR5 DIMM slots, supports RDIMM 8 TB max, speeds up to 4800 MT/s Supports registered ECC DDR5 DIMMs only	
Memory configured	Should be configured with 1 TB RAM scalable to 8TB	
Disks supported	Up to 8 x 2.5-inch SAS/SATA/NVMe (HDD/SSD) max 122.88 TB	
RAID Controller	Embedded / PCIe based x16 RAID controller with 8GB Flash backed write cache, supporting RAID 0, 1, 5, 6, 10, 50, 60.	
Disks configured	2 nos of 480GB SSD SATA Read Intensive drives and 4 nos of 3.84TB SSD vSAS Mixed Use 12Gbps drives	
I/O slots	Up to eight PCIe slots (Support PCIe Gen 5 or Gen 4)	
GPU Support	Up to 2 x 350 W DW and 6 x 75 W SW	
GPU populated	two number of 48GB L40s GPU	
Certification and compliances	 Canonical Ubuntu Server LTS Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi 	
Power Supply	Two redundant 2400 W Platinum 100—240 VAC or 240 HVDC, hot swap redundant power supplies	
Network Card	one number of dual ports 01 G network card & One number of dual 10 G Optical card along with 10g SFP Ports	
Management integration	Support for integration with Microsoft System Center, VMware vCenter, BMC Software	
Power & temperature	Real-time power meter, graphing, thresholds, alerts& capping with historical power counters. Temperature monitoring & graphing	
Pre-failure alert	Should provide predictive failure monitoring & proactive alerts of actual or impending component failure for fan, power supply, memory, CPU, RAID, NIC, HDD	
Configuration & management	 Real-time out-of-band hardware performance monitoring & alerting Agent-free monitoring, driver updates & configuration, power monitoring & capping, RAID management, external storage management, monitoring of FC, HBA & CNA & system health Out-of-band hardware & firmware inventory Zero-touch auto configuration to auto deploy a baseline server configuration profile 	

(continued) to multiple servers • Zero-touck repository manager and self-updating firmware system • Virtual IO management / stateless computing. • Should have storage space carmarked to be used as a repository for firmware, divers and software components. The components can be organized to rollback/patch faulty firmware. • Remote server management software should be from the same server OEM and should provide Support for Telemetry Streaming for log analysis • Virtual IO management. • Remote server management stateless computing in Support for Redfish API for simple and secure management of scalable platform hardware • Server management stateless computing in State platform hardware • Server management stateless computing with historical power reporting at individual server and group level. Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling. Hardware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection: System Lockdown; Secure OS & BIOS recovery; secure erase; CC-TCG certified; NIST SP 800-147B 'BIOS Protection Guidelines for Server; SNA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezel or security bezel Should display system D, Status information and system more remor code followed by descriptive text. LCD background should light up in different colours during normal system or corrositions. HTML5 HTML5 support for virtual console & virtual media vitubout using Java or Activ	Monogoment	• Automated hardware configuration and Onerating System dayler	
• 2.cro-loads repository manager and self-updating firmware system • Virtual IO management / stateless computing. • Should have storage space carmarked to be used as a repository for firmware, drivers and software components. The components can be organized to rollback/patch faulty firmware. • Remote server management software should be from the same server OEM and should provide support for Temetry Streaming for log analysis • Virtual IO management / stateless computing • Support for Redish API for simple and secure management of scalable platform hardware • Server management software should support up to 8000 devices in a single instance Power & Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling." Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling." Server Hardware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection: System Lockdown; Secure OS & BIOS recovery; secure erase; CC-TCG certified; NIST SP 800-1478 "BIOS Protection Guidelines for Server; CNSA, Common Critcria EAL4; TLS; SSL Certification: Multi-factor authenication etc LCD panel Optional LCD baczl or security baczl Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error coditions. HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Server Should have a cy	Management (continued)	• Automated hardware configuration and Operating System deployment to multiple servers	
• Virtual IO management / stateless computing. • Should have storage space earmarked to be used as a repository for firmware, drivers and software components. The components can be organized to rollback/patch faulty firmware. • Remote server management of stateless computing. • Support for Redfish API for simple and secure management of scalable platform hardware. • Server management software should be from the same server OEM and should provide Support for Telemetry Streaming for log analysis • Virtual IO management / stateless computing. • Support for Redfish API for simple and secure management of scalable platform hardware. • Server management software should support upto 8000 devices in a single instance • Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling." • Hardware (Silicon) root of trust; cryptographically signed firmware update; system drift detection: System to Cockdown; Secure OS & BIOS recovery; secure erase; CC-TCG certified; NIST SP 800-1478 "BIOS Protection Guidelines for Servers; CNSA; Common Criteria EL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezel or security bezel Should happe system D; Natus information and system core conditions. HTML5 HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Security Secure Boot Scoure Boot Server Should have a cyber resilie	(continued)		
firmware, drivers and software components: The components can be organized to rollback/patch faulty firmware. • Remote server management software should be from the same server OEM and should provide Support for Telemetry Streaming for log analysis • Virtual O management / stateless computing • Support for Redfish API for simple and secure management of scalable platform hardware • Server management software should support upto 8000 devices in a single instance Power & Temperature "Real-time power meter, graphing, thresholds, alerts & power capping with historical power reporting at individual server and group level. Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling." Server Hardware (Silicon) root of trust; cryptographically signed firmware updates; system diff detection; System Lockdown; Secure 05 & BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc Server Optional LCD bezel or sceurity bezel Statu different colours during normal system operation & system error error code followed by descriptive text. LCD background should light up in different colours during normal system or cyter and aviet using Java or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should provide effective protection, reliable detection & rapid recovery using: Cryptographically signed firmware Secure Boot		• Virtual IO management / stateless computing.	
organized to rollback/patch faulty firmware. Remote server management software should be from the same server OEM and should provide Support for Telemetry Streaming for log analysis - Virtual IO management / stateless computing Support for Redfish API for simple and secure management of scalable platform hardware Server management software should support upto 8000 devices in a single instance Power & Temperature Management / Early in the should a server and group level. Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling." Hardware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection: System Lockdown; Secure OS & BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezel or security bezel Should high up in different colours during normal system operation & error conditions. HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Server security Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should provide effective protoc, reliable detection & rapid recovery using: Server Should have a cyber resilient architecture for a hardened server design for protection, detection, reliable detection & rapid recovery using: Secur			
• Renote server management software should be from the same server OEM and should provide Support for Telemetry Streaming for log analysis * Virtual IO management / stateless computing • Support for Redfish API for simple and secure management of scalable platform hardware • Server management software should support upto 8000 devices in a single instance Power & Temperature Management "Real-time power meter, graphing, thresholds, alerts & power capping with historical power reporting at individual server and group level. Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling." Bradware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection; System Lockdown; Scencer OS & BIOS recovery; secure crase; CC-TCG certified; NIST SP 800-147B "BIOS Protection Guidelines for Servers; CNSA: Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. HTML5 HTML5. HTML5. Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Boot • Secure Boot • Secure Boot • Secure Boot • Secure Boot • Secure Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ • Configuration upgrades should be only with cryptographically signed firmware and software • Sho			
OEM and should provide Support for Telemetry Streaming for log analysis • Virtual IO management / stateless computing • Support for Redfish API for simple and secure management of scalable platform hardware • Server management software should support upto 8000 devices in a single instance Power & Temperature Management "Real-time power meter, graphing, thresholds, alerts & power capping with historical power reporting at individual server and group level. Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling." Hardware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection; System Lockdown; Secure OS & BIOS recovery; secure erase; CC-TCG certified; NIST SP 800-147B "BIOS Protection Guidelines for Servers; (CNS); Common Criteria EL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezzl or security bezzl Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should protect against firmware which executes before the OS boots Should protect against firmware which executes before the OS boots Should protect against firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Boot • Secure Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ • Orfiguration upgrades should be only with cryptographically signed firmware and software Struct in use and software • Secure frase • Secure Component Verification (Hardware integrity check) •			
analysis • Virtual IO management / stateless computing • Support for Redfish API for simple and secure management of scalable platform hardware • Server management software should support upto 8000 devices in a single instance Power & Temperature Management Management With historical power reporting at individual server and group level. Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling." Bardware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection. System Lockdown; Secure OS & BIOS recovery; socure crase; CC-TCG certified; INST SP 800-147B "BIOS Security bezet Studies for Servers; (NSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezel or security bezel Server Scurity bezet Should display system Dystem error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error code followed by descriptive text. LCD background should sight ava or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should protect against firmware which executes before the OS boots Should protect against firmware Ever Brase Secure Brase • Secure Component Verification (Hardware integrity check) Silicon Root of			
scalable platform hardware • Server management software should support upto 8000 devices in a single instance Power & Temperature "Real-time power meter, graphing, thresholds, alerts & power capping with historical power reporting at individual server and group level. Temperature monitoring Reporting at individual server and group level. Support for multi-vector cooling." Berver Security Hardware (Silicon) root of trus; cryptographically signed firmware updates; system drift detection; System Lockdown: Secure OS & BIOS recovery; secure crase; CC-TCG certified; NIST SP 800-147B "BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc. LCD panel Optional LCD bezel or security bezel Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection Recovery from cyber attacks Should protect against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: Cryptographically signed firmware Data at Rest Encryption (SEDs with local or external key mgmt) Secure Boot Secure Boot			
• Server management software should support upto 8000 devices in a single instance Power & Temperature Management With historical power reporting at individual server and group level. Temperature monitoring & reporting at individual server and group level. Server Server Server Server Security Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezel Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Server Should hore a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Goot • Silcon Root of Trust; • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ <			
single instance			
Power & Temperature Management "Real-time power meter, graphing, thresholds, alerts & power capping with historical power reporting at individual server and group level. Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling." Scrver Security Hardware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection; System Lockdown; Secure OS & BIOS recovery; secure crass; CC-TCG certified; NIST SP 800-147B "BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezel or security bezel Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Intrusion alert Intrusion alert in case chassis cover being opened OS • Windows Server 2022 OS Edition • Red Hat Enterprise Server 15 SP4 • Ubuntu 22.04		- · · ·	
Power & Temperature with historical power reporting at individual server and group level. Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling." Hardware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection; System Lockdown; Secure OS & BIOS recovery; secure erase; CC-TCG certified; NIST SP 800-147B "BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bzzel or security bzzel Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. HTML5 HTML5 HTML5 support for virtual console & virtual media without using Java support or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should provide effective protection, reliable detection & rapid recovery using; • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Goot • Secure Boot • Secure Goot on Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ • Ordiguidon upgrades should be only with cryptographically signed firmware and software Intru			
Temperature Management Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling." Server Security Hardware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection; System Lockdown; Secure OS & BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezel or security Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Server security Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should protect against firmware which executes before the OS boots Should protect against firmware which executes before the OS boots Should protect against firmware which executes before the OS boots Should protect against firmware which executes before the OS boots Should protect against firmware which executes before the OS boots Should protect against firmware which executes before the OS boots Should protect of a hardware integrity check) Silicon Root of Tust System Lockdown TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmw	Power &		
Management Support for multi-vector cooling." Hardware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection; System Lockdown; Secure OS & BIOS recovery; secure erase; CC-TCG certified; NIST SP 800-147B "BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezel or security bezel Should display system D, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should provide effective protection, reliable detection & rapid recovery using: Cryptographically signed firmware Data at Rest Encryption (SEDs with local or external key mgmt) Secure Boot Secure Component Verification (Hardware integrity check) Silicon Root of Trust System Lockdown TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Should provide system lockdown feature to prevent change (or "drift") in system firmware inage(s) & prevent malicious modification of server firmware	<u>^</u>		
Server Security updates; system drift detection; System Lockdown; Secure OS & BIOS recovery; secure erase; CCTCG certified; NIST SP 800-147B "BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezel or security bezel SSL Certification; Multi-factor authentication etc Optional LCD bezel or security bezel Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Bata at Rest Encryption (SEDs with local or external key mgmt) • Secure Boat • Secure Brase • Secure Brase • Secure Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software	Management		
Server Security updates; system drift detection; System Lockdown; Secure OS & BIOS recovery; secure erase; CCTCG certified; NIST SP 800-147B "BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezel or security bezel SSL Certification; Multi-factor authentication etc Optional LCD bezel or security bezel Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Bata at Rest Encryption (SEDs with local or external key mgmt) • Secure Boat • Secure Brase • Secure Brase • Secure Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software			
Seturity recovery: secure erase; CC-TCG certified; NIST SP 800-147B "BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD bezel or security bezel SLC certification; Multi-factor authentication etc or security bezel security bezel Item of the protection during normal system operation & error conditions. HTML5 mtML5.5 support for virtual console & virtual media without using Java or ActiveX plugins security secure conditions. security secure security secure against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: secure Boot secure Boot secure Boot secure Boot secure Boot secure Component Verification (Hardware integrity check) silicon Root of Trust system firmware and software Secure Configuration upgrades should be only with cryptographically signed firmware and software secure firmware and software secure firmware and software <t< td=""><td>Somer</td><td></td><td></td></t<>	Somer		
Protection Guidelines for Servers, CNSA; Common Criteria EAL, TLS; SSL Certification; Multi-factor authentication etc LCD panel Optional LCD Multi-factor authentication etc LCD panel Optional LCD Milti-factor authentication etc Intrustry Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Should provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmware Intrusion alert Intrusion alert in case chassis cover being opened OS • Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8		recovery; secure erase; CC-TCG certified; NIST SP 800-147B "BIOS	
LCD panel Optional LCD bezel or security bezel Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. text HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should protect against firmware which executes before the OS boots Should protect against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Erase • Secure Boot • Secure Gromponent Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Intrusion alert Intrusion alert in case chassis cover being opened OS • Windows Server 2022 OS Edition • Red Hat Enterprise	Security		
Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions.HTML5 supportHTML5 support for virtual console & virtual media without using Java or ActiveX pluginsServer securityShould have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: 	I CD nonal		
followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions. HTML5 support HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Boot • Secure Boot • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Should provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmware Intrusion alert Intrusion alert in case chassis cover being opened OS • Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Uburu 22.04 Warranty 03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM. Manufacturer's Bidder must submit bid specific MAF (Manufacturer's Authorisation Certifica	LCD pallel	1	
different colours during normal system operation & error conditions. HTML5 HTML5 support for virtual console & virtual media without using Java or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secured Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Intrusion alert Intrusion alert in case chassis cover being opened OS • Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUBL Linux Enterprise Server 15 SP4 • Ubuntu 22.04 • O3 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support. Post installation, 03-year product warranty should reflect in the support. Post installation, 03-year product warranty should reflect in the submot did specific MAF (Manufacturer's Authorisation			
support or ActiveX plugins Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Boot • Secure Boot • Secure Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Should provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmware Intrusion alert Intrusion alert in case chassis cover being opened OS • Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04 Warranty 03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM. Manufacturer's Bidder must submit bid specific MAF (Manufacturer's Authorisation			
Server Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Boot • Secure Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Should provide system lockdown feature to prevent change (or "driff") in system firmware image(s) & prevent malicious modification of server firmware Intrusion alert Intrusion alert in case chassis cover being opened OS • Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux 8.16 & 9.0 • SUSE Linux 8.10 & 9.0 • SUSE Linux 8.6 & 9.0 • Ubuntu 22.04 Vuranty Warranty 03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM. Manufacturer's Bidder mu			
security for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Should provide system lockdown feature to prevent change (or "driff") in system firmware image(s) & prevent malicious modification of server firmware Intrusion alert Intrusion alert in case chassis cover being opened OS • Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04 • Ubuntu 22.04 Warranty 03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM. Manufacturer's Bidder must submit bid specific MAF (Manufacturer's Authorisation	support	or ActiveX plugins	
Should protect against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and softwareIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
Should provide effective protection, reliable detection & rapid recovery using: Cryptographically signed firmwareData at Rest Encryption (SEDs with local or external key mgmt)Secure BootSecure BootSecure Component Verification (Hardware integrity check)Silicon Root of TrustSystem LockdownTPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZConfiguration upgrades should be only with cryptographically signed firmware and softwareShould provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmwareIntrusion alertIntrusion alert in case chassis cover being openedOSWindows Server 2022 OS Edition · Red Hat Enterprise Linux 8.6 & 9.0 · SUSE Linux Enterprise Server 15 SP4 · Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's Bidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in	security		
using: • Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Boot • Secure Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and softwareIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
• Cryptographically signed firmware • Data at Rest Encryption (SEDs with local or external key mgmt) • Secure Boot • Secure Erase • Secured Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and softwareIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubunt 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
Secure BootSecure EraseSecured Component Verification (Hardware integrity check)Silicon Root of TrustSystem LockdownTPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZConfiguration upgrades should be only with cryptographically signed firmware and softwareShould provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmwareIntrusion alertIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04WarrantyØ3 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in		• Cryptographically signed firmware	
• Secure Erase • Secured Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZConfiguration upgrades should be only with cryptographically signed firmware and softwareShould provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmwareIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
• Secured Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZConfiguration upgrades should be only with cryptographically signed firmware and softwareShould provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmwareIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
 Silicon Root of Trust System Lockdown TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Should provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmware Intrusion alert Intrusion alert in case chassis cover being opened OS Windows Server 2022 OS Edition Red Hat Enterprise Linux 8.6 & 9.0 SUSE Linux Enterprise Server 15 SP4 Ubuntu 22.04 Warranty Vagras On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM. Manufacturer's Bidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in 			
• System Lockdown • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZConfiguration upgrades should be only with cryptographically signed firmware and softwareShould provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmwareIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
Configuration upgrades should be only with cryptographically signed firmware and softwareShould provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmwareIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
firmware and softwareShould provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmwareIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
Should provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmwareIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
in system firmware image(s) & prevent malicious modification of server firmwareIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
firmwareIntrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
Intrusion alertIntrusion alert in case chassis cover being openedOS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
OS• Windows Server 2022 OS Edition • Red Hat Enterprise Linux 8.6 & 9.0 • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in	Intrusion alert		
 Red Hat Enterprise Linux 8.6 & 9.0 SUSE Linux Enterprise Server 15 SP4 Ubuntu 22.04 Warranty 03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM. Manufacturer's Bidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in 			
• SUSE Linux Enterprise Server 15 SP4• Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
• Ubuntu 22.04Warranty03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer'sBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.Manufacturer's AuthorisationBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in			
reflect in the support web site of the OEM.Manufacturer'sBidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in	Warranty		
Manufacturer'sBidder must submit bid specific MAF (Manufacturer's AuthorisationAuthorisationCertificate) with contact no. & email id of the MAF signing authority, in			
Authorisation Certificate) with contact no. & email id of the MAF signing authority, in	Manufacturer's		
		A	
	Certificate	case of MAF verification	

02. Secondary Server with 512 GB RAM

Component	Description/Technical Specifications	Compliance (Yes/No)
Form Factor	Max. 2U rack mounted with sliding rails	
Configured CPU	Two number of Intel Xeon Gold 6430 Processor @ 2.1G, 32Cores, 64Thread, 60 M Cache,	
CPU	Minimum required CPU spec rating with:	
Benchmark	• SPECrate of base fp of 627 and above and SPECrate of peak fp of	
	655 and above	
	• SPECrate of base Integer of 507 and above and SPECrate of peak Integer of 520 and above	
Chipset	Intel® C741 series chipset	
Memory slots	32 DDR5 DIMM slots, supports RDIMM 8 TB max, speeds up to 4800	
5	MT/s Supports registered ECC DDR5 DIMMs only	
Memory	Should be configured with 512 GB RAM scalable to 8TB	
configured		
Disks	Up to 8 x 2.5-inch SAS/SATA/NVMe (HDD/SSD) max 122.88 TB	
supported		
RAID	Embedded / PCIe based x16 RAID controller with 8GB Flash backed	
Controller	write cache, supporting RAID 0, 1, 5, 6, 10, 50, 60.	
Disks	2 nos of 480GB SSD SATA Read Intensive drives and 4 nos of 3.84TB	
configured	SSD vSAS Mixed Use 12Gbps drives	
I/O slots	Up to eight PCIe slots (Support PCIe Gen 5 or Gen 4) Up to 2 x 350 W DW and 6 x 75 W SW	
GPU Support GPU	Integrated Graphic	
populated	integrated Oraphic	
Certification	Canonical Ubuntu Server LTS	
and	Microsoft Windows Server with Hyper-V	
compliances	Red Hat Enterprise Linux	
-	SUSE Linux Enterprise Server	
	• VMware ESXi	
Power Supply	Two redundant 2400 W Platinum 100—240 VAC or 240 HVDC, hot swap redundant power supplies	
Network Card	one number of dual ports 01 G network card & One number of dual 10	
	G Optical card along with 10g SFP Ports	
Management integration	Support for integration with Microsoft System Center, VMware vCenter, BMC Software	
Power &	Real-time power meter, graphing, thresholds, alerts& capping with	
temperature	historical power counters.	
D (1	Temperature monitoring & graphing	
Pre-failure alert	Should provide predictive failure monitoring & proactive alerts of actual or impending component failure for fan, power supply, memory, CPU,	
aicit	RAID, NIC, HDD	
Configuration	• Real-time out-of-band hardware performance monitoring & alerting	
&	• Agent-free monitoring, driver updates & configuration, power	
management	monitoring & capping, RAID management, external storage	
_	management, monitoring of FC, HBA & CNA & system health	
	• Out-of-band hardware & firmware inventory	
	• Zero-touch auto configuration to auto deploy a baseline server	
	configuration profile	
Management	• Automated hardware configuration and Operating System deployment	
(continued)	to multiple serversZero-touch repository manager and self-updating firmware system	
	• Virtual IO management / stateless computing.	
	• Should have storage space earmarked to be used as a repository for	
	firmware, drivers and software components. The components can be	
	organized to rollback/patch faulty firmware.	
	• Remote server management software should be from the same server	
	OEM and should provide Support for Telemetry Streaming for log	

	 analysis • Virtual IO management / stateless computing • Support for Redfish API for simple and secure management of scalable platform hardware • Server management software should support upto 8000 devices in a single instance 	
Power & Temperature Management	"Real-time power meter, graphing, thresholds, alerts & power capping with historical power reporting at individual server and group level. Temperature monitoring & reporting at individual server and group level. Support for multi-vector cooling."	
Server Security	Hardware (Silicon) root of trust; cryptographically signed firmware updates; system drift detection; System Lockdown; Secure OS & BIOS recovery; secure erase; CC-TCG certified; NIST SP 800-147B "BIOS Protection Guidelines for Servers; CNSA; Common Criteria EAL4; TLS; SSL Certification; Multi-factor authentication etc	
LCD panel	Optional LCD bezel or security bezel Should display system ID, status information and system error error code followed by descriptive text. LCD background should light up in different colours during normal system operation & error conditions.	
HTML5 support	HTML5 support for virtual console & virtual media without using Java or ActiveX plugins	
Server security	 Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks Should protect against firmware which executes before the OS boots Should provide effective protection, reliable detection & rapid recovery using: Cryptographically signed firmware Data at Rest Encryption (SEDs with local or external key mgmt) Secure Boot Secure Erase Secured Component Verification (Hardware integrity check) Silicon Root of Trust System Lockdown TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Configuration upgrades should be only with cryptographically signed firmware and software Should provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmware 	
Intrusion alert	Intrusion alert in case chassis cover being opened	
OS	 Windows Server 2022 OS Edition Red Hat Enterprise Linux 8.6 & 9.0 SUSE Linux Enterprise Server 15 SP4 Ubuntu 22.04 	
Warranty	03 years On-site comprehensive warranty with 24x7x365 remote hardware support. Post installation, 03-year product warranty should reflect in the support web site of the OEM.	
Manufacturer's Authorisation Certificate	Bidder must submit bid specific MAF (Manufacturer's Authorisation Certificate) with contact no. & email id of the MAF signing authority, in case of MAF verification	

03. Thin Clients

Parameter	Description/Technical Specifications	Compliance (Yes/No)
Make & Model		
Processor	Intel Pentium processor N6005 with minimum 2.0 GHz up to turbo 3.30 GHz, Quad Core processor or Higher. The Processors should not be mentioned in end-of-life declaration by OEM as on bid calling date.	
Memory	1 x 16GB DDR4 2933 MHz or higher	

Storage	256 GB PCIe NVMe M.2 SSD	
Graphics	Intel Integrated UHD Graphics	
Interfaces	6 USB ports with minimum 2 USB 3.2 Gen 2 ports, 1 Universal audio jack, 2 DisplayPort 1.4, 1 RJ45 Ethernet port	
Slots	2 M.2 2230 slot for Wi-Fi and SSD	
Monitor	19.5" IPS with TCO 8 & with VGA & HDMI Ports & aspect ratio of 16:10 (Must be of same OEM)	
Keyboard & Mouse	OEM USB Std. Keyboard & Optical Mouse (Must be of same OEM)	
Security	Discrete TPM 2.0, 1 Kensington security-cable slot, 1 Padlock ring	
OS	Windows 10 IoT Enterprise OS or higher version	
Certifications	ISO 9001:2008, ISO 14001, ISO 27001: 2013 Certification, BIS, EPEAT registered in India, UL, FCC, CE, ROHS, Energy Star, Ubuntu Linux Certified, MIL STD 810 G/H (Min. 10 Test passed)	
Form Factor	Thin Clients with Internal Speakers less than 1.2 liters	
Power	OEM Power supply with 65 W AC Adapter	
Accessories	With required connecting cables should be supplied	
Warranty	3 Years Comprehensive onsite Warranty from the date of installation incl. embedded OS	
Manufacturer's	Bidder must submit bid specific MAF (Manufacturer's Authorization	
Authorization	Certificate) with contact no. & email id of the MAF signing authority,	
Certificate	in case of MAF verification	

04. 10 KVA On line UPS with 60 minutes Battery Backup

Parameter	Description/Technical Specifications	Compliance (Yes/No)
Capacity (in kVA /	10 kVA / 10 KW 1-Phase Input / 1-Phase Output	
kW)		
DSP Based	DSP based control/ advanced technology ON Line UPS	
System		
Wide Input		
voltage Range	Wide Input voltage range from (100 ~ 280VAC)	
Operational	Parallel Configuration with Separate Battery Bank	
Configuration		
Fully Rated Power (kVA=kW)	Fully rated power (kVA=kW) for maximum power	
N+X Upto 4 Systems	N+X Parallel.Redundant Configuration upto 4 units.	
PFC & Inverter	UPS should have topology for both PFC (power factor correction) &	
Based Technology	inverter-based technology.	
Nominal Voltage /	200/208/220/230/240 VAC / 40 to 70 Hz	
Frequency		
Nominal Voltage	200/208 (de-rating to 90%): 100VAC~280 VAC	
Range	220/230/240: 100Vac~280 VAC	
Input Power	> 0.99(full load)	
Factor		
Input Protection	Should be provided at the input of the UPS suitable for the full rated capacity of the UPS.	
O/P voltage /	200/208/220/230/240 VAC / 50/60Hz ±0.05 Hz	
Frequency		
Output Voltage		
Distortion (THDu)	< 3% for linear load.	
Inverter Overload	<105%for Continuous, <105~<125for 2Min, <125~<150for 30Sec	
capacity		
Measurements (On	Input: Voltage & Frequency, Bypass: Voltage & Frequency, Output:	
LCD)	Voltage, frequency, Kilowatt & kVA, Battery: Remaining time &	
	Battery Level Indicator, Load Percentage & Load Level Indicator,	
	Ambient temperature.	

Fault Indication (On LCD)	Abnormal I/P,I/P Fuse blown, Rectifier Abnormal, BUS start abnormal, Battery start abnormal, BUS start abnormal in battery mode, +BUS voltage too high & low, -BUS voltage too high & low, Inverter O/P voltage abnormal, Overload shutdown, Charge voltage too high, Damaged Batteries, Battery missing, Battery voltage to low & Over temperature Protection.	
Setable data through (LCD)	Inverter Voltage, Inverter Frequency, Frequency converter, ECO Mode, Overload alarm, Buzzer, Charging current, Battery Capacity, Battery String & Parallel ID	
Audible Alarms	Replace Battery, Overload warning & shutdown, High-Temp, Low- Battery, High Temp warning & shutdown	
Battery Bank Voltage / VAH / Backup	Minimum 240 VDC / 10080 VAH/ 12 Volt SMF Battery / Exide/ Quanta / 60 Minutes on Full Load	
Serial Communication RS232 Port / USB Port	RS232 Port should be provided as standard in the UPS and there should be provision for USB port also in the UPS.	
SNMP provision	Monitors and controls the status of the UPS via a network system.	
Self-Diagnosis	UPS should be capable to carry out self-test of Rectifier / Charger /Battery & Inverter module during start-up	
Manufacturer	QMS: As per ISO 9001: 2008 EMS: As per ISO 14001: 2004 OSHAS: As per ISO 18001: 2007 TL: 9000 & NABL Accredited lab in India	
Manufacturer's Authorisation Certificate	Bidder must submit bid specific MAF (Manufacturer's Authorisation Certificate)	

05. 24 Port Gigabit Switch with 10 G Copper Module

S. No.	Description/Technical Specifications	Compliance (Yes/No)
1	The Switch should have 24 10/100/1000Base-T ports + 2 10GBase-T ports + 2 10G SFP+ ports, ManagedSwitch. Min. 2 10G SM fiber module should be populated.	
	RJ-45 console port for accessing the command line interface (CLI) of this switch for configuration, management, and monitoring, RJ-45 port for out-of-band management to configure the switch without being connected to the network, USB Port for connecting a USB storage device.	
	Non-Blocking architecture. Switch should be Certificates FCC/CE/UL/BIS/MTCTE or Equivalent Indian Certificate for EMI and Safety Compliance.	
	The Switch should have Operation Temperature • 0 to 50 °C (32 to 122 °F) or higher	
	The Switch should support for Physical stacking up to 8 units per stack with dedicated Stacking Ports and support long-distance stacking over fiber and Support up to 40 Gbps stacking bandwidth.	
	The Switch should support mechanism ERPS to prevent loop formation in Ethernet ring and enables ring to converge in less than 50 ms from node or link failure	
	The Switch should have L3 Features i.e. Static routing, IPv6 Neighbour Discovery (ND), VRRP v2, OSPFv2/v3, PBR (Policy-based Route), Route Redistribution, RIPv1/v2/ng, IP Helper.	
	The Switch should support VLAN, 802.1Q, VLAN mirroring, Double VLAN (Q-in-Q), Private VLAN, 802.3x, RSPAN.	
	The Switch should support Security features, 802.1X authentication, Port security, Radius & TACACS+ authentication & accounting, DAD, DAI, DoS attack prevention, SSH, Guest VLAN, Time-based ACL, IPAccess List, MAC Access List.	

The Switch should support Multicast features, Multicast VLAN, IGMP& MLD	
Snooping, Flow mirroring, IGMP & MLD Snooping Querier, Per-VLAN IGMP &	
MLD Snooping.	
The Switch should support Quality of Service (QoS) features, Three Color Marker,	
Class of Service (CoS), Bandwidth control, WRED.	
The Switch should support Management features, CLI, SNMP, Dual	
configurations, Multiple images, RMON, LLDP/LLDP-MED, sFlow,	
DHCP/BOOTP Client, IPv4/IPv6 Syslog server, Debug command, 802.3ah	
Ethernet Link OAM, 802.1ag Connectivity Fault, Y.1731 OAM, Dying Gasp,	
Cable Diagnostics and Embedded/ External 6 kV surge protection on all Gigabit	
Ethernet ports and on all GE RJ-45 access ports	
Switch should be supplied with the all necessary components like Power supply,	
Power cord, All Fan Module, Console Cable, Rack-mount kit, Installation Guide,	
etc. and necessary software image file to fulfil all above mention feature set from	
day 1.	

S. No.	Particular of Items	Compliance (Yes/No)
06.	CAT6 LAN I/O Network Keystone Jack + Gang Box + Single Port Face Plate	
07.	24 Port CAT 6 Jack Panel	
08.	UTP CAT 6 Cable of 1 meter Length	
09.	UTP CAT 6 Cable of 3 meter Length	
10.	Cat6 UTP LAN Cabler Roll of 305 meter	
11.	Laying of UTP Cable On wall with Casing Patti	

<u>12 (a) Two Ton Split AC</u>

Description/Technical Specifications		
	(Yes/No)	
Capacity: - 2.0 Ton Split type		
Energy Star Rating: 3 Star or better,		
Power Source Corded Electric, Copper Condenser Coil: The copper pipes and tubes for		
condensers, evaporators conduct heat better, to cool faster and increase machine longevity,		
Installation of AC required in all respect, 2 Yrs Warranty Comprehensive with 10 Year on		
Compressor Compatible Stabilizers + automatic timer setting		

S. No.	Particular of Items	Compliance (Yes/No)
12 (b)	Computer Table (Size: 2" Width x 2" Length x 2.5' height) with Lockable	
	Wheels & with keyboard tray	
12 (c)	Installation & Configuration Charges of the setup	

Signature of the Authorized Official with Seal

SECTION 9

PREVIOUS SIMILAR ORDER EXECUTED

Please quote best minimum prices applicable for a premier Educational and Research Institution. The party must give details of purchase orders identical or similar equipment supplied to any IITs/NITs/Govt. R&D Organization/Govt. Offices/PSU/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. bodies as per below Format in last Three years (to be enclosed in Price Bid / Commercial Bid) along with the final price paid and details are mandatory.

Name of the Firm _____

Order	Order	Description	Value	Date of	Remarks	Has the	Contact
placed by	No. and	and	of	completion	indicating	Equipment	Person
(Full	Date	quantity of	Order	of delivery	reasons for late	being	along
address of		ordered		as per	delivery, if any	installed	with
Purchaser)		equipment		contract	and	satisfactorily	Telephone
					justification for	(Attach a	No.,
					price	Certificate	Fax No.
					difference of	from	and e-
					their	the	mail
					supply order &	Purchaser/	address.
					those	Consigner)	
					quoted to us		

(Kindly enclose the scan copy of aforementioned purchase orders)

Details of Technical Expert

Name of application specialist / Service Engineer who have the technical competency to handle and support the quoted product during the warranty period.

Name of the organization	Name of Contact Person	Contact No.

Place:

Date:

Signature and Seal of the Manufacturer/ Bidder

BID SUBMISSION

Online Bid Submission

The Online bids (complete in all respect) must be uploaded online in **two covers** as explained below:

	Cover - 1					
S. No.	Document	Content	File Type			
1		Technical Compliance Sheet, Bidder information form	.pdf			
2		Organization Declaration Sheet, Compliance sheets for Essential	.pdf			
		Pre-Bid Criteria				
3		Checklist, Tender Acceptance, Tender Form, Annexure I, etc.	.pdf			
4		List of organizations/clients where similar products have been	.pdf			
	Technical	supplied (in last three years) along with their contact number(s).				
	Bid					
5		Technical supporting documents in support of all claims made at	.pdf			
	Annexure I					
6	EMD and Tender fee submission proof					
7		Brochure of quoted product and other documents, if any	.pdf			
8		Other Documents, if any which are not covered above	.pdf			
		Cover - 2				
S. No.	Document	Content	File Type			
1	Duly filled and signed Tender Form (Price Bid)		.pdf			
2	Price Bid Duly signed BOQ					
3		BOQ in .xls Format	.xls/ .xlsx			

ORIGINAL EQUIPMENT MANUFACTURER (OEM) <u>Manufacturing Authorization Form (MAF)</u> <u>(On Letter Head of Manufacturer)</u>

Tender No.:

To, Dr. M. Thottappan Department of Electronics Engineering Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India

Dear Sir,

Yours Faithfully,

(Name) (Name & Seal of Manufactures)

Note:

- 1. Items of indigenous nature or quoted in INR, more than 1 authorized representative may participate in the same tender and submit their bids on behalf of their OEM/Principal/Manufacturer if the OEM permits more than one authorized bidder in such case as per their policy.
- 2. In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufacturer can also authorize only one agent/dealer.
- 3. The letter of authority should be on the letterhead of the manufacturer and should be signed by a person competent and having the power of attorney to bind the manufacturer. The same should be included by the bidder in its techno-commercial unpriced bid.

DECLARATION (To be submitted on the letterhead of Company)

To, Dr. M. Thottappan Department of Electronics Engineering Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India

We certify as under:

We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries, and solemnly certify that we fulfill all requirements in this regard and are eligible to be considered.

We certify that:

a. We are not from such a country or, if from such a country, we are registered with the Competent Authority (copy enclosed);

and

b. We shall not subcontract any work to a contractor from such countries unless such contractor is registered with the Competent Authority.

Yours faithfully,

(Signature of the Bidder, with Official Seal)

DECLARATION OF LOCAL CONTENT

(To be given on Company Letter Head for Tender Value below Rs.10 Crores)/ (To be given by Statutory Auditor/ Cost Auditor/ Cost Accountant/ CA for tender value above Rs.10 Crores)

To, Dr. M. Thottappan Department of Electronics Engineering Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India

Subject: Declaration of Local Content

Tender		Reference						No:	
Name		of			Tender/				Work:
			••••••	•••••			••••••		
 1.	Country	of	Origin	of	Goo	ds	being	(offered:
3. De	tails of	e that items offered the Location	at which				cal content Addition	is	made

4. Details of Local Content

"Local Content" means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of the imported content in the item (including all customs duties) as a proportion of the total value, in percent.

Bidders offering Imported products will fall under the category of Nonlocal Suppliers. They cannot claim themselves as Class-I or Class-II Local Suppliers by claiming the services such as Transportation, Insurance, Installation, Commissioning, Training and After Sale Service Support like AMC/ CMC etc. as Local Value Addition.

We are solely responsible for the abovementioned declaration. False declaration will be in breach of Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

Yours faithfully,

(Signature of the bidder, with Official Seal)

Note: It is mandatory for bidders to quote items having local content minimum 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017, No. P-45021/2/2017-PP (B.E-II) dated 16.09.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India.

- -

PRE CONTRACT INTEGRITY PACT

General

This pre-bid pre-contract Agreement (hereinafter called the Integrity Pact) is made on _____ day of the month of _____ 2010, between, on one hand, the President of India acting through Shri....., Designation of the officer, Ministry/Department, Government of India (hereinafter called the "BUYER", which expression shall mean and include, unless the context otherwise requires, his successors in office and assigns) of the First Part and M/s _____ represented by Shri____, Chief Executive Officer (hereinafter called the "BIDDER/Seller" which expression shall mean and include, unless the context otherwise requires, his successors and permitted assigns) of the Second Part.

WHEREAS the BUYER proposes to procure (Name of the Stores/Equipment/Item) and the BIDDER/Seller is willing to offer/has offered the stores and

WHEREAS the BIDDER is a private company/public company/Government undertaking/partnership/registered export agency, constituted in accordance with the relevant law in the matter and the BUYER is a Ministry/Department of the Government of India/PSU performing its functions on behalf of the President of India.

NOW, THEREFORE,

To avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to :-

- 1.3 All the officials of the BUYER will report to the appropriate Government office any attempted or completed breaches of the above commitments as well as any substantial suspicion of such a breach.
- 2. In case any such preceding misconduct on the part of such official(s) is reported by the BIDDER to the BUYER with full and verifiable facts and the same is prima facie found to be correct by the BUYER, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by the BUYER and such a person shall be debarred from further dealings related to the contract process. In such a case while an enquiry is being conducted by the BUYER the proceedings under the contract would not be stalled.

Commitments of BIDDERs

- 3. The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following:-
 - 3.1 The BIDDER will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BUYER, connected directly or indirectly with the bidding process, or to any person, organisation or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
 - 3.2 The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration,

- 3-

reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BUYER or otherwise in procuring the Contract or forbearing to do or having done any act in relation to the obtaining or execution of the contract or any other contract with the Government for showing or forbearing to show favour or disfavour to any person in relation to the contract or any other contract with the Government.

- 3.3* BIDDERs shall disclose the name and address of agents and representatives and Indian BIDDERs shall disclose their foreign principals or associates.
- 3.4* BIDDERs shall disclose the payments to be made by them to agents/brokers or any other intermediary, in connection with this bid/contract.
- 3.5* The BIDDER further confirms and declares to the BUYER that the BIDDER is the original manufacturer/integrator/authorised government sponsored export entity of the defence stores and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to the BUYER or any of its functionaries, whether officially or unofficially to the award of the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.
- 3.6 The BIDDER, either while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payments he has made, is committed to or intends to make to officials of the

BUYER or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.

- 3.7 The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- 3.8 The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- 3.9 The BIDDER shall not use improperly, for purposes of competition or personal gain, or pass on to others, any information provided by the BUYER as part of the business relationship, regarding plans, technical proposals and business details, including information contained in any electronic data carrier. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged.
- 3.10 The BIDDER commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.
- 3.11 The BIDDER shall not instigate or cause to instigate any third person to commit any of the actions mentioned above.
- 3.12 If the BIDDER or any employee of the BIDDER or any person acting on behalf of the BIDDER, either directly or indirectly, is a relative of any of the officers of the BUYER, or alternatively, if any relative of an officer of

-5-

the BUYER has financial interest/stake in the BIDDER's firm, the same shall be disclosed by the BIDDER at the time of filing of tender.

The term 'relative' for this purpose would be as defined in Section 6 of the Companies Act 1956.

3.13 The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of the BUYER.

4. Previous Transgression

- 4.1 The BIDDER declares that no previous transgression occurred in the last three years immediately before signing of this Integrity Pact, with any other company in any country in respect of any corrupt practices envisaged hereunder or with any Public Sector Enterprise in India or any Government Department in India that could justify BIDDER's exclusion from the tender process.
- 4.2 The BIDDER agrees that if it makes incorrect statement on this subject, BIDDER can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

5. Earnest Money (Security Deposit)

- 5.1 While submitting commercial bid, the BIDDER shall deposit an amount (to be specified in RFP) as Earnest Money/Security Deposit, with the BUYER through any of the following instruments:
 - (i) Bank Draft or a Pay Order in favour of _____
 - (ii) A confirmed guarantee by an Indian Nationalised Bank, promising payment of the guaranteed sum to the BUYER on demand within three working days without any demur whatsoever

- 6 --

and without seeking any reasons whatsoever. The demand for payment by the BUYER shall be treated as conclusive proof of payment.

- (iii) Any other mode or through any other instrument (to be specified in the RFP).
- 5.2 The Earnest Money/Security Deposit shall be valid upto a period of five years or the complete conclusion of the contractual obligations to the complete satisfaction of both the BIDDER and the BUYER, including warranty period, whichever is later.
- 5.3 In case of the successful BIDDER a clause would also be incorporated in the Article pertaining to Performance Bond in the Purchase Contract that the provisions of Sanctions for Violation shall be applicable for forfeiture of Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.
- 5.4 No interest shall be payable by the BUYER to the BIDDER on Earnest Money/Security Deposit for the period of its currency.

6. Sanctions for Violations

6.1 Any breach of the aforesaid provisions by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle the BUYER to take all or any one of the following actions, wherever required:-

 (i) To immediately call off the pre contract negotiations without assigning any reason or giving any compensation to the BIDDER.
 However, the proceedings with the other BIDDER(s) would continue.

(ii) The Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/Performance Bond (after the contract is signed) shall

-7-

stand forfeited either fully or partially, as decided by the BUYER and the BUYER shall not be required to assign any reason therefore.

(iii) To immediately cancel the contract, if already signed, without giving any compensation to the BIDDER.

(iv) To recover all sums already paid by the BUYER, and in case of an Indian BIDDER with interest thereon at 2% higher than the prevailing Prime Lending Rate of State Bank of India, while in case of a BIDDER from a country other than India with interest thereon at 2% higher than the LIBOR. If any outstanding payment is due to the BIDDER from the BUYER in connection with any other contract for any other stores, such outstanding payment could also be utilised to recover the aforesaid sum and interest.

(v) To encash the advance bank guarantee and performance bond/warranty bond, if furnished by the BIDDER, in order to recover the payments, already made by the BUYER, along with interest.

(vi) To cancel all or any other Contracts with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to the BUYER resulting from such cancellation/rescission and the BUYER shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.

(vii) To debar the BIDDER from participating in future bidding processes of the Government of India for a minimum period of five years, which may be further extended at the discretion of the BUYER.

(viii) To recover all sums paid in violation of this Pact by BIDDER(s) to any middleman or agent or broker with a view to securing the contract.

(ix) In cases where irrevocable Letters of Credit have been received in respect of any contract signed by the BUYER with the BIDDER, the same shall not be opened.

-8-

(x) Forfeiture of Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.

- 6.2 The BUYER will be entitled to take all or any of the actions mentioned at para 6.1(i) to (x) of this Pact also on the Commission by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER), of an offence as defined in Chapter IX of the Indian Penal code, 1860 or Prevention of Corruption Act, 1988 or any other statute enacted for prevention of corruption.
- 6.3 The decision of the BUYER to the effect that a breach of the provisions of this Pact has been committed by the BIDDER shall be final and conclusive on the BIDDER. However, the BIDDER can approach the Independent Monitor(s) appointed for the purposes of this Pact.

7. Fall Clause

7.1 The BIDDER undertakes that it has not supplied/is not supplying similar product/systems or subsystems at a price lower than that offered in the present bid in respect of any other Ministry/Department of the Government of India or PSU and if it is found at any stage that similar product/systems or sub systems was supplied by the BIDDER to any other Ministry/Department of the Government of India or a PSU at a lower price, then that very price, with due allowance for elapsed time, will be applicable to the present case and the difference in the cost would be refunded by the BIDDER to the BUYER, if the contract has already been concluded.

8. Independent Monitors

- 8.1 The BUYER has appointed Independent Monitors (hereinafter referred to as Monitors) for this Pact in consultation with the Central Vigilance Commission (Names and Addresses of the Monitors to be given).
- 8.2 The task of the Monitors shall be to review independently and objectively, whether and to what extent the parties comply with the obligations under this Pact.
- 8.3 The Monitors shall not be subject to instructions by the representatives of the parties and perform their functions neutrally and independently.
- 8.4 Both the parties accept that the Monitors have the right to access all the documents relating to the project/procurement, including minutes of meetings.
- 8.5 As soon as the Monitor notices, or has reason to believe, a violation of this Pact, he will so inform the Authority designated by the BUYER.
- 8.6 The BIDDER(s) accepts that the Monitor has the right to access without restriction to all Project documentation of the BUYER including that provided by the BIDDER. The BIDDER will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor shall be under contractual obligation to treat the information and documents of the BIDDER/Subcontractor(s) with confidentiality.
- 8.7 The BUYER will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such

0

meetings could have an impact on the contractual relations between the parties. The parties will offer to the Monitor the option to participate in such meetings.

8.8 The Monitor will submit a written report to the designated Authority of BUYER/Secretary in the Department/ within 8 to 10 weeks from the date of reference or intimation to him by the BUYER / BIDDER and, should the occasion arise, submit proposals for correcting problematic situations.

9. Facilitation of Investigation

In case of any allegation of violation of any provisions of this Pact or payment of commission, the BUYER or its agencies shall be entitled to examine all the documents including the Books of Accounts of the BIDDER and the BIDDER shall provide necessary information and documents in English and shall extend all possible help for the purpose of such examination.

10. Law and Place of Jurisdiction

This Pact is subject to Indian Law. The place of performance and jurisdiction is the seat of the BUYER.

11. Other Legal Actions

The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.

12. Validity

12.1 The validity of this Integrity Pact shall be from date of its signing and extend upto 5 years or the complete execution of the contract to the

-11-

satisfaction of both the BUYER and the BIDDER/Seller, including warranty period, whichever is later. In case BIDDER is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.

12.2 Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact shall remain valid. In this case, the parties will strive to come to an agreement to their original intentions.

13. The parties hereby sign this Integrity	Pact aton
BUYER	BIDDER
Name of the Officer.	CHIEF EXECUTIVE OFFICER
Designation	
Deptt./MINISTRY/PSU	
Witness	Witness
1	1
2	2

* Provisions of these clauses would need to be amended/ deleted in line with the policy of the BUYER in regard to involvement of Indian agents of foreign suppliers.

----END-----

-12 -