एक्सपेंडेबल्स

की आपूर्ति, स्थापना और कमीशनिंग के लिए

(सीपीपीपी के ई-प्रोक्योरमेंट पोर्टल के माध्यम से) ऑनलाइन बोली आमंत्रित हैं

निविदा संख्या: IIT(BHU)/PHY/RKS/QTN/25-26/189, दिनांक: 13.08.2025

जमा करने की अंतिम तिथि: 25.09.2025, (04:00 PM) निविदा खुलने की तिथि: 26.09.2025, (04:00 PM)



भौतिकी विभाग भारतीय प्रौद्योगिकी संस्थान (काशी हिंदू विश्वविद्यालय) वाराणसी–221005, उत्तर प्रदेश, भारत

ई-मेल: krakeshsingh.phy@iitbhu.ac.in

Online Bids

(Through E-Procurement Portal of CPPP)

are invited

for

Expendables

Tender No.: IIT(BHU)/PHY/RKS/QTN/25-26/189, Dated: 13.08.2025

Last Date of Submission: 25.09.2025, (04:00 PM) **Tender Opening date:** 26.09.2025, (04:00 PM)



Department of Physics Indian Institute of Technology (BHU), Varanasi - 221005, Uttar Pradesh, India

E-mail: krakeshsingh.phy@iitbhu.ac.in

भारतीय प्रौद्योगिकी संस्थान (काशी हिंदू विश्वविद्यालय), वाराणसी - 221005 विभाग/स्कूल/इकाई/केंद्र का नामः भौतिकी विभाग, भारतीय प्रौद्योगिकी संस्थान,

(काशी हिंदू विश्वविद्यालय) वाराणसी-221005, (उ.प्र.)

विज्ञापित निविदा जांच दस्तावेज (निविदा आमंत्रण सूचना)

भारतीय प्रौद्योगिकी संस्थान (का.हि.वि.), वाराणसी द्वारा निम्नलिखित वस्तुओं के निर्माताओं (या उनके 'अधिकृत' वितरक से जिसे निविदा आमंत्रण सूचना के प्रत्युत्तर में प्रस्तुत करने के लिए अधिकृत किया गया हो) से ऑनलाइन निविदा आमंत्रित किए जाते हैं:

क्रम संख्या	निविदा संख्या और अंतिम तिथि	वस्तुओं की विशिष्टता और मात्रा	जमा की जाने वाली अग्रिम धनराशि
1.	निविदा संख्या: IIT(BHU)/ PHY/RKS/QTN/25-26/189, दिनांक: 13.08.2025	एक्सपेंडेबल्स मात्रा: 01	Rs. 45,000/-
	निविदा जमा करने की अंतिम तिथि: 25.09.2025, (04:00 PM)	आइटमवार आवश्यकता का विवरण और अनुलग्नक-I के अनुसार विशिष्टताएँ	

निविदा दस्तावेज केंद्रीय सार्वजनिक खरीद पोर्टल http://eprocure.gov.in/eprocure/app से डाउनलोड किया जा सकता है। उचित निविदा का चयन करे एवं उन्हें सभी प्रासंगिक सूचनाओं से भरे और पूर्ण रूप से भरे हुए निविदा दस्तावेज को अगले पृष्ठ पर दी गई अनुसूची के अनुसार वेबसाइट http://eprocure.gov.in/eprocure/app पर ऑनलाइन जमा करें।

इच्छुक निविदादाता जिन्होंने नामांकन/पंजीकरण-खरीदारी नहीं की है, उन्हें वेबसाइट http://eprocure.gov.in/eprocure/app के माध्यम से भाग लेने से पहले नामांकन/पंजीकरण करना चाहिए। पोर्टल पर पंजीकरण निःशुल्क है। निविदादाताओं को सलाह दी जाती है कि वे 'ऑनलाइन निविदा प्रस्तुत करने के निर्देश' में दिए गए निर्देशों को पढ़ें।

कोई भी निविदा हार्ड प्रति में स्वीकार नहीं की जाएगी। सभी कोटेशन (तकनीकी और वित्तीय दोनों को ई-प्रोक्योरमेंट पोर्टल - http://eprocure.gov.in/eprocure/app पर केवल ऑनलाइन माध्यम से ही जमा किया जाना चाहिए)।

निविदा डॉ. राकेश कुमार सिंह, भौतिकी विभाग, भारतीय प्रौद्योगिकी संस्थान (काशी हिंदू विश्वविद्यालय) वाराणसी – 221005, उ.प्र. को संबोधित किया जाना चाहिए एवं निविदा दस्तावेज में उल्लिखित समय सीमा के अनुसार निविदा खुलने के दिन या उससे पहले ऑनलाइन जमा/प्रस्तुत करें।

ऑनलाइन निविदा जमा करने में हुई किसी भी देरी के लिए संस्थान जिम्मेदार नहीं होगा। संस्थान के पास किसी भी निविदा को स्वीकार या अस्वीकार करने, बिना कोई कारण बताए निविदा को रद्द करने का अधिकार सुरक्षित है। इस संबंध में किसी भी पत्राचार पर विचार नहीं किया जाएगा।

यदि किसी भी स्तर पर निविदा द्वारा आपूर्ति की गई वस्तु के विषय में गलत विवरण/जानकारी पाया जाता है तो धरोहर राशि जब्त कर लिया जाएगा।

डॉ. राकेश कुमार सिंह,
भौतिकी विभाग
भारतीय प्रौद्योगिकी संस्थान
(काशी हिंदू विश्वविद्यालय),
वाराणसी – 221005

INDIAN INSTITUTE OF TECHNOLOGY (BHU) VARANASI Varanasi - 221005, Uttar Pradesh, India

DEPARTMENT/ CENTRE: Department of Physics, Indian Institute of Technology (BHU) Varanasi, Varanasi - 221005, Uttar Pradesh, India

Advertised Tender Enquiry Documents

(NOTICE INVITING TENDER)

IIT (BHU) Varanasi invites online tender from manufacturers (or their 'authorized' dealers that they have been authorized to quote in response to this NIT) of the following items are invited:

S. No.	Tender No. and Last Date	l .	Earnest Money Deposit to be submitted
1	Tender No.: IIT(BHU)/PHY/RKS/QTN/25-26/189, Dated: 13.08.2025	Expendables Quantity: 01	Rs. 45,000/-
	Last Date of Bid Submission: 25.09.2025, (04:00 PM)	Detail item wise requirement and Technical Specifications as per Annexure-I	

Tender Documents may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app. Tenderers can access tender documents on the CPP Portal. Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

Aspiring Bidders who have not enrolled/ registered in e-procurement should enroll/ register before participating through the website http://eprocure.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

No manual bids will be accepted. All quotation (both Technical and Financial should be submitted in the e-procurement portal).

The tender should be addressed to Dr. Rakesh Kumar Singh, Department of Physics, Indian Institute of Technology (BHU) Varanasi, Varanasi - 221005, Uttar Pradesh, India and should be submitted online on or before the last Date of Submission as mentioned in critical date sheet.

The Institute shall not be responsible for any delay in submitting online Bids. The Institute reserves the right to accept or reject any bid, cancel the Tender without assigning any reason thereof. No correspondence in this regard will be entertained.

Dr. Rakesh Kumar Singh Department of Physics IIT (BHU), Varanasi Varanasi - 221005, Uttar Pradesh, India

भारतीय प्रौद्योगिकी संस्थान (काशी हिंदू विश्वविद्यालय), वाराणसी - 221005 विभाग/स्कूल/इकाई/केंद्र का नाम : भौतिकी विभाग, भारतीय प्रौद्योगिकी संस्थान (काशी हिंदू विश्वविद्यालय), वाराणसी – 221005

एक्सपेंडेबल्स की आपूर्ति, स्थापना और कमीशनिंग

महत्वपूर्ण डाटा शीट

संगठन का नाम	भारतीय प्रौद्योगिकी संस्थान (का.हि.वि.), वाराणसी
निविदा	खुली निविदा
प्रकार/अनुबंध का प्रारूप (कार्य/आपूर्ति/नीलामी/सेवा/खरीद/ इंपैनेलमेंट/ बिक्री)	आपूर्ति
मूल निविदा जारी/प्रकाशित करने की तिथि	13.08.2025 (05:00 PM)
दस्तावेज डाउनलोड प्रारंभ तिथि	10.09.2025 (05:00 PM)
निविदा-पूर्व बैठक की तिथि* (यदि कोई प्रश्न हो, जिस पर चर्चा की जानी हो, तो उसे निविदा-पूर्व बैठक की तिथि से पहले krakeshsingh.phy@iitbhu.ac.in पर ईमेल किया जाना चाहिए)	लागू नहीं
शुद्धिपत्र ,यदि कोई हो	
निविदाएं अपलोड करने की अंतिम तिथि और समय	25.09.2025 (04:00 PM)
तकनीकी निविदा खोलने की तिथि और समय	26.09.2025 (04:00 PM)
निविदा प्रसंस्करण शुल्क (जीएसटी सहित लागू)	र. 2,360/- (निविदा प्रसंस्करण शुल्क के लिए) (निविदा प्रसंस्करण शुल्क और ईएमडी, निम्नलिखित विवरण के अनुसार आरटीजीएस/एनईएफटी के माध्यम से भुगतान किया जाना है:) खाते का नाम: रिजस्ट्रार, आईआईटी (बीएचयू) बैंक का नाम: भारतीय स्टेट बैंक शाखा का नाम: आईटी, बी.एच.यू., वाराणसी खाता संख्या: 32778803937 आईएफएससी: SBIN0011445 भुगतान का प्रमाण तकनीकी बोली के साथ संलग्न होना चाहिए।
ईएमडी (अर्नेस्ट राशि जमा)	₹. 45,000/-
कवरों की संख्या (1/2)	02
निविदा वैधता दिन	180
संचार के लिए पता	डॉ. राकेश कुमार सिंह, भौतिकी विभाग भारतीय प्रौद्योगिकी संस्थान , (काशी हिंदू विश्वविद्यालय), वाराणसी – 221005
ई-मेल पता	krakeshsingh.phy@iitbhu.ac.in

INDIAN INSTITUTE OF TECHNOLOGY (BHU) VARANASI

Varanasi - 221005, Uttar Pradesh, India

DEPARTMENT/ CENTRE: Department of Physics, Indian Institute of Technology (BHU), Varanasi-221005, Uttar Pradesh, India

Expendables

CRITICAL DATA SHEET

Name of Organization	Indian Institute of Technology (BHU) Varanasi
Tender	Open
Type/ Form of Contract (Work/ Supply/	Supply
Auction/ Service/ Buy/ Empanelment/ Sell)	
Date of Issue/Publishing Original Tender	13.08.2025 (05:00 PM)
Document Download Start Date	10.09.2025 (05:00 PM)
Pre-Bid Meeting Date*	
(*Queries, if any, to be discussed, must be	
emailed to krakeshsingh.phy@iitbhu.ac.in,	NA
before the date of Pre-Bid meeting for	
consideration.)	
Corrigendum, if any	
Last Date and Time for Uploading of Bids	25.09.2025 (04:00 PM)
Date and Time of Opening of Technical Bids	26.09.2025 (04:00 PM)
Tender Processing Fee	Rs. 2,360/- (For Tender Processing Fee)
(including GST as	(Fee and EMD, To be paid through RTGS/NEFT as
applicable)	per the following details:)
	Name of Account: Registrar, IIT(BHU)
	Name of the Bank: State Bank of India
	Name of Branch: IT, BHU, Varanasi
	Account No.: 32778803937
	IFSC: SBIN0011445
	The proof of payment must be enclosed with
	Technical Bid.
EMD (Earnest Money Deposit)	Rs. 45,000 /- (For EMD,)
No. of Covers (1/2/3/4)	02
Bid Validity Days	180 Days (From last date of opening of the tender)
Address for Communication	Dr. Rakesh Kumar Singh
	Department of Physics
	IIT (BHU) Varanasi
E 14.11	Varanasi - 221005, Uttar Pradesh, India
E-mail Address	krakeshsingh.phy@iitbhu.ac.in

INDIAN INSTITUTE OF TECHNOLOGY (BHU) VARANASI

Varanasi - 221005, Uttar Pradesh, India

DEPARTMENT/ CENTRE: Department of Electronics Engineering, Indian Institute of Technology (BHU) Varanasi, Varanasi - 221005, Uttar Pradesh, India

TENDER DOCUMENT FOR Expendables

INVITATION FOR BIDS

Online bids are invited from eligible bidders for the following:

S	o. No.	Tender No. and Last Date	Specifications & Quantity of the item	Earnest Money Deposit to be submitted
	1	Tender No. : IIT(BHU)/ PHY/RKS/QTN/25-26/189, Dated: 13.08.2025	Expendables	suomitteu
		Last Date of Bid Submission: 25.09.2025, (04:00 PM)	Quantity: 01 Detail item wise requirement and Technical Specifications as per Annexure-I	Rs. 45,000/-

- 1. Interested eligible Bidders may obtain further information from IIT (BHU) Varanasi website: www.iitbhu.ac.in/iitnotifications/purchase_enquiries/ or from Central Public Procurement Portal (CPPP) https://eprocure.gov.in/eprocure/app.
- 2. Intending bidders are advised to visit IIT (BHU) website www.iitbhu.ac.in/iitnotifications/purchase_enquiries/ and CPPP website https://eprocure.gov.in/eprocure/app regularly till closing date of BID submission of tender for any corrigendum/ addendum/ amendment.
- 3. Tender Processing Fee is to be deposited electronically by RTGS/NEFT in the account of Registrar, IIT (BHU) in the Bank details mentioned above. Bidders are required to submit the scan copy of payment receipt details of Tender processing fees payment at the time of Bid Preparation.
- 4. This Tender Document contains the following:
 - 1. Instructions for Online Bid Submission
 - 2. Instruction to Bidders
 - 3. General conditions of contract (GCC)
 - 4. Special Condition of Contracts
 - 5. Checklist for Bid/Tender submission
 - 6. Declaration Certificate
 - 7. Technical specifications for the complete project (Annexure I)
 - 8. Compliance Sheet

भाग 1: ऑनलाइन निविदा प्रस्तुत करने के लिए निर्देश

व्यय विभाग के निर्देशों के अनुसार, यह निविदा दस्तावेज केंद्रीय सार्वजनिक बिक्री पोर्टल http://eprocure.gov.in/eprocure/app) पर प्रकाशित किया गया है। निविदादाताओं को वैध डिजिटल हस्ताक्षर प्रमाणपत्रों का उपयोग करके सीपीपी पोर्टल पर इलेक्ट्रॉनिक रूप से अपनी निविदा की सॉफ्ट कॉपी जमा करनी होगी। नीचे दिए गए निर्देश निविदादाताओं को सीपीपी पोर्टल पर पंजीकरण करने, आवश्यकताओं के अनुसार अपनी निविदा तैयार करने और सीपीपी पोर्टल पर अपनी निविदा ऑनलाइन जमा करने में सहायता करने के लिए हैं। अधिक जानकारी यहां से प्राप्त की जा सकती है: http://eprocure.gov.in/eprocure/app।

1. पंजीकरण

- 1. निविदादाताओं को केंद्रीय सार्वजनिक बिक्री पोर्टल (http://eprocure.gov.in/eprocure/app) के ई-प्रोक्योरमेंट मांड्यूल पर "नामांकन के लिए यहां क्लिक करें" लिंक पर क्लिक करके नामांकन करना आवश्यक है। सीपीपी पोर्टल पर नामांकन निःशुल्क है।
- 2. नामांकन प्रक्रिया के भाग के रूप में, निविदादाताओं को एक विशिष्ट उपयोगकर्ता नाम चुनना होगा तथा अपने खातों के लिए एक पासवर्ड निर्दिष्ट करना होगा।
- 3. निविदादाता को सलाह दी जाती है कि वे पंजीकरण प्रक्रिया के भाग के रूप में अपना वैध ईमेल पता और मोबाइल नंबर पंजीकृत करें। इनका उपयोग CPP पोर्टल से किसी भी संपर्क के लिए किया जाएगा।
- 4. नामांकन के समय, निविदादाताओं को अपने प्रोफाइल के साथ सीसीए इंडिया द्वारा मान्यता प्राप्त किसी भी प्रमाणन प्राधिकरण (जैसे, सिफी/टीसीएस/एन-कोड/ई-मुद्रा, आदि) द्वारा जारी वैध डिजिटल हस्ताक्षर प्रमाणपत्र (साइनिंग की यूजेज के साथ क्लास II या क्लास III प्रमाणपत्र) पंजीकृत कराना होगा।
- 5. एक निविदादाता द्वारा केवल एक वैध डीएससी पंजीकृत होना चाहिए। कृपया ध्यान दें कि निविदादाताओं को यह सुनिश्चित करने की जिम्मेदारी है कि वे अपने डीएससी को दूसरों को उधार न दें, जिससे उनका दुरुपयोग हो सकता है।
- 6. इसके बाद निविदादाता अपना यूजर आईडी/पासवर्ड तथा डीएससी/ई-टोकन का पासवर्ड दर्ज करके सुरक्षित लॉग-इन के माध्यम से साइट पर लॉग इन करता है।

2. निविदा दस्तावेजों की खोज

- 1. सीपीपी पोर्टल में कई सर्च विकल्प बनाए गए हैं, तािक निविदादाताओं को कई मापदंडों के आधार पर सिक्रय निविदाओं को खोजने में सुविधा हो। इन मापदंडों में टेंडर आईडी, संगठन का नाम, स्थान, तिथि, मूल्य आदि शािमल हो सकते हैं। निविदाओं के लिए उन्नत खोज का एक विकल्प भी है, जिसमें निविदादाता सीपीपी पोर्टल पर प्रकाशित निविदा की खोज के लिए संगठन का नाम, अनुबंध का प्रारूप, स्थान, तिथि, अन्य कीवर्ड आदि जैसे कई सर्च मापदंडों को जोड़ सकते हैं।
- 2. एक बार निविदादाताओं ने अपनी रुचि के अनुसार निविदाएं चुन लीं, तो वे आवश्यक दस्तावेज/निविदा अनुसूचियां डाउनलोड कर सकते हैं। इन निविदाओं को संबंधित 'माई टेंडर्स' फ़ोल्डर में ले जाया जा सकता है। इससे सीपीपी पोर्टल निविदादाताओं को एसएमएस/ई-मेल के माध्यम से सूचित करने में सक्षम होगा, यदि निविदा दस्तावेज में कोई सुधार जारी किया गया हो।
- 3. निविदादाता को प्रत्येक निविदा के लिए निर्दिष्ट विशिष्ट निविदा आईडी को नोट कर लेना चाहिए, ताकि यदि वे हेल्पडेस्क से कोई स्पष्टीकरण/सहायता प्राप्त करना चाहें तो वे ऐसा कर सकें।

3. निविदा की तैयारी

 निविदादाता को अपनी निविदाएँ प्रस्तुत करने से पहले निविदा दस्तावेज पर प्रकाशित किसी भी शुद्धिपत्र को ध्यान में रखना चाहिए।

- 2. कृपया निविदा विज्ञापन और निविदा दस्तावेज़ को ध्यान से पढ़ें तािक बोली के भाग के रूप में प्रस्तुत किए जाने वाले आवश्यक दस्तावेज़ों को समझ सकें। कृपया ध्यान दें कि निविदा दस्तावेज़ों को कितने लिफ़ाफ़ों में प्रस्तुत किया जाना है, दस्तावेज़ों की संख्या जिसमें प्रत्येक दस्तावेज़ का नाम और सामग्री शामिल है जिसे प्रस्तुत किया जाना है। इनमें से किसी भी विचलन के कारण बिड को अस्वीकार किया जा सकता है।
- 3. निविदादाता को पहले से ही निविदा दस्तावेज/अनुसूची में बताए अनुसार प्रस्तुत किए जाने वाले बिड दस्तावेज तैयार कर लेने चाहिए और आम तौर पर वे पीडीएफ/एक्सएलएस/आरएआर/डीडब्ल्यूएफ प्रारूप में हो सकते हैं। निविदा दस्तावेजों को 100 डीपीआई के साथ काले और सफेद विकल्प के साथ स्कैन किया जा सकता है।
- 4. हर निविदा के हिस्से के रूप में प्रस्तुत किए जाने वाले मानक दस्तावेजों के एक ही सेट को अपलोड करने में लगने वाले समय और प्रयास से बचने के लिए, निविदादाताओं को ऐसे मानक दस्तावेजों (जैसे, पैन कार्ड की प्रति, वार्षिक रिपोर्ट, ऑडिटर प्रमाणपत्र, आदि) को अपलोड करने का प्रावधान प्रदान किया गया है। निविदादाता ऐसे दस्तावेज अपलोड करने के लिए अपने पास उपलब्ध "माई स्पेस" क्षेत्र का उपयोग कर सकते हैं। निविदा जमा करते समय इन दस्तावेजों को सीधे "माई स्पेस" क्षेत्र से जमा किया जा सकता है, और उन्हें बार-बार अपलोड करने की आवश्यकता नहीं है। इससे निविदा जमा करने की प्रक्रिया के लिए आवश्यक समय में कमी आएगी।

4. निविदाएँ प्रस्तुत करना

- निविदादाता को निविदा जमा करने से पहले ही साइट पर लॉग इन करना चाहिए ताकि वह निविदा को समय पर अपलोड कर सके, यानी बिड जमा करने के समय या उससे पहले। निविदादाता किसी अन्य मुद्दे के कारण होने वाली देरी के लिए जिम्मेदार होगा।
- 2. निविदादाता को निविदा दस्तावेज में दर्शाए अनुसार आवश्यक निविदा दस्तावेजों पर एक-एक करके डिजिटल हस्ताक्षर करके अपलोड करना होगा।
- 3. निविदादाता को निविदा प्रसंस्करण शुल्क का भुगतान करने के लिए "ऑन-लाइन" भुगतान विकल्प का चयन करना होगा और उपकरण का विवरण दर्ज करना होगा। जब भी निविदा प्रसंस्करण शुल्क मांगा जाता है, तो निविदादाताओं को आरटीजीएस के माध्यम से निविदा प्रसंस्करण शुल्क का भुगतान ऑनलाइन करना होगा।
- 4. सभी निविदादाताओं द्वारा भरे जाने वाले निविदा दस्तावेज के साथ एक मानक BoQ प्रारूप प्रदान किया गया है। निविदादाताओं से अनुरोध है कि वे ध्यान दें कि उन्हें अपनी वित्तीय बीड्स अनिवार्य रूप से दिए गए प्रारूप में ही प्रस्तुत करनी चाहिए तथा कोई अन्य प्रारूप स्वीकार्य नहीं है। निविदादाताओं को BoQ फ़ाइल डाउनलोड करनी होगी, उसे खोलना होगा तथा सफ़ेद रंग की (असुरक्षित) सेल को अपने संबंधित वित्तीय उद्धरणों तथा अन्य विवरणों (जैसे निविदादाता का नाम) के साथ भरना होगा। अन्य कोई भी सेल नहीं बदला जाना चाहिए। विवरण पूर्ण हो जाने के पश्चात, निविदादाता को इसे सहेजना चाहिए तथा फ़ाइल नाम बदले बिना इसे ऑनलाइन जमा करना चाहिए। यदि निविदादाता द्वारा BoQ फ़ाइल में कोई परिवर्तन पाया जाता है, तो निविदा अस्वीकृत कर दी जाएगी।
- 5. सर्वर समय (जो निविदादाताओं के डैशबोर्ड पर प्रदर्शित होता है) को निविदादाताओं द्वारा निविदाएँ प्रस्तुत करने, निविदाएँ खोलने आदि की समय-सीमा को संदर्भित करने के लिए मानक समय माना जाएगा। निविदादाताओं को निविदा प्रस्तुत करने के दौरान इस समय का पालन करना चाहिए।
- 6. निविदादाताओं द्वारा प्रस्तुत किए जा रहे सभी दस्तावेज़ों को डेटा की गोपनीयता सुनिश्चित करने के लिए PKI एन्क्रिप्शन तकनीक का उपयोग करके एन्क्रिप्ट किया जाएगा। दर्ज किए गए डेटा को बिड खुलने के समय तक अनिधकृत व्यक्तियों द्वारा नहीं देखा जा सकता है। निविदाएँ की गोपनीयता सुरक्षित सॉकेट लेयर 128-बिट एन्क्रिप्शन तकनीक का उपयोग करके बनाए रखी जाती है। संवेदनशील क्षेत्रों का डेटा संग्रहण एन्क्रिप्शन किया जाता है।
- 7. अपलोड किए गए निविदा दस्तावेज, अधिकृत बिड खोलने वालों द्वारा निविदा खोले जाने के बाद ही पठनीय हो पाते हैं।
- 8. निविदाओं के सफल और समय पर प्रस्तुत किए जाने पर, पोर्टल एक सफल निविदा प्रस्तुतिकरण संदेश देगा और निविदा संख्या के साथ एक निविदा सारांश प्रदर्शित किया जाएगा तथा निविदा प्रस्तुत करने की तिथि और समय के साथ अन्य सभी प्रासंगिक विवरण भी प्रदर्शित किए जाएंगे।

9. कृपया सभी प्रासंगिक दस्तावेजों की स्कैन की गई पीडीएफ प्रति अनुपालन शीट की एक एकल पीडीएफ फाइल में जोड़ें।

5. निविदादाताओं को सहायता

- निविदा दस्तावेज और उसमें निहित नियमों व शर्तों से संबंधित किसी भी प्रश्न के लिए निविदा आमंत्रण प्राधिकारी या निविदा में उल्लिखित संबंधित संपर्क व्यक्ति से संपर्क किया जाना चाहिए।
- 2. ऑनलाइन निविदा प्रस्तुत करने की प्रक्रिया से संबंधित कोई भी प्रश्न या सामान्य रूप से सीपीपी पोर्टल से संबंधित प्रश्न 24x7 सीपीपी पोर्टल हेल्पडेस्क पर पूछे जा सकते हैं।

6. निविदादाताओं के लिए सामान्य निर्देश

- 1. निविदाएं https://eprocure.gov.in/eprocure/app पोर्टल के माध्यम से ऑनलाइन प्राप्त की जाएंगी। तकनीकी निविदाओं में, निविदादाताओं को सभी दस्तावेज़ .pdf प्रारूप में अपलोड करने होंगे।
- 2. कंपनी के नाम पर स्मार्ट कार्ड/ई-टोकन के रूप में वैध क्लास II/III डिजिटल हस्ताक्षर प्रमाणपत्र (DSC) का होना https://eprocure.gov.in/eprocure/app के माध्यम से पंजीकरण और बिड प्रस्तुत करने की गतिविधियों में भाग लेने के लिए एक शर्त है। डिजिटल हस्ताक्षर प्रमाणपत्र अधिकृत प्रमाणन एजेंसियों से प्राप्त किए जा सकते हैं, जिनका विवरण https://eprocure.gov.in/eprocure/app वेबसाइट पर "DSC के बारे में जानकारी" लिंक के अंतर्गत उपलब्ध है।
- 3. https://eprocure.gov.in/eprocure/app पर ई-खरीद के लिए केंद्रीय सार्वजनिक खरीद पोर्टल के माध्यम से ऑनलाइन निविदाओं के ई-प्रस्तुतिकरण के लिए निविदाकर्ताओं को दिए गए निर्देशों का पालन करें।

भाग 2: निविदादाताओं के लिए निर्देश

ए.) परिचय

1. कार्यक्षेत्र

निदेशक, आईआईटी (बीएचयू), वाराणसी की ओर से अनुलग्नक- III में दिए गए तकनीकी विनिर्देशों और इस निविदा दस्तावेज के नियमों और शर्तों के अनुसार उपकरणों की आपूर्ति के लिए निर्माताओं/आपूर्तिकर्ताओं से ऑनलाइन निविदा आमंत्रित करता है।

2. निविदा की लागत

निविदादाता को अपनी निविदा की तैयारी और प्रस्तुति से संबंधित सभी लागतों को वहन करना होगा, तथा "क्रेता" किसी भी स्थिति में इन लागतों के लिए जिम्मेदार या उत्तरदायी नहीं होगा, चाहे निविदा प्रक्रिया का संचालन या परिणाम कुछ भी हो।

बी.) निविदा दस्तावेज

निविदा प्रसंस्करण शुल्क

टेंडर प्रोसेसिंग फीस (2360/- रुपये) ऊपर बताए गए विवरण के अनुसार ऑनलाइन जमा की जानी चाहिए। इसके अलावा, भुगतान का प्रमाण तकनीकी निविदा के साथ अपलोड किया जाना चाहिए। छूट भारत सरकार के मानदंडों के अनुसार लागू होगी।

4. निविदा दस्तावेजों की सामग्री

- 4.1 निविदा दस्तावेजों में आवश्यक सामान, निविदा प्रक्रिया और अनुबंध की शर्तें निर्धारित की गई हैं। निविदा आमंत्रण के अलावा, निविदा दस्तावेजों में निम्नलिखित शामिल हैं:
 - (a) ऑनलाइन निविदा प्रस्तुत करने के निर्देश
 - (b) निविदादाताओं के लिए निर्देश (आईटीबी)
 - (c) अनुबंध की सामान्य शर्तें (जीसीसी)
 - (d) अनुबंध की विशेष शर्तें (एससीसी)
 - (e) आवश्यकताओं की अनुसूची
 - (f) निविदा प्रपत्र (तकनीकी बिड)
 - (g) निविदा प्रपत्र (वित्तीय बिड)
- 4.2 निविदादाता से बिड दस्तावेजों में सभी निर्देशों, प्रपत्रों, शर्तों और विनिर्देशों की जांच करने की अपेक्षा की जाती है। बिड दस्तावेजों द्वारा अपेक्षित सभी जानकारी प्रदान करने में विफलता या निविदा प्रस्तुत करना जो हर मामले में बिड दस्तावेजों के लिए पर्याप्त रूप से उत्तरदायी नहीं है, निविदादाता के जोखिम पर होगा और इसके परिणामस्वरूप उसकी निविदा को अस्वीकार किया जा सकता है।

5. निविदा दस्तावेजों में संशोधन

- 5.1 निविदाएँ प्रस्तुत करने की अंतिम तिथि से पहले किसी भी समय, क्रेता किसी भी कारण से, चाहे अपनी पहल पर या किसी संभावित निविदादाता द्वारा मांगे गए स्पष्टीकरण के प्रत्युत्तर में, संशोधन द्वारा बिड दस्तावेजों को संशोधित कर सकता है।
- 5.2 सभी संभावित निविदादाताओं को, जिन्होंने बिड दस्तावेज प्राप्त कर लिए हैं, लिखित रूप में संशोधन की सूचना दी जाएगी, जो उन पर बाध्यकारी होगा।
- 5.3 संभावित निविदादाताओं को अपनी बिड तैयार करने में संशोधन को ध्यान में रखने के लिए उचित समय देने के लिए, क्रेता अपने विवेक से निविदा प्रस्तुत करने की समय सीमा बढ़ा सकता है।

सी.) बिड्स की तैयारी

6. बिड की भाषा

निविदादाता द्वारा तैयार की गई बिड, तथा निविदादाता और क्रेता के बीच बिड से संबंधित आदान-प्रदान किए गए सभी पत्राचार और दस्तावेज अंग्रेजी भाषा में लिखे जाएंगे।

7. बिड से संबंधित दस्तावेज़

7.1 टेक्नो कमर्शियल बिना मूल्य वाली बिड और मूल्य वाली बिड: बिड दो भागों में प्रस्तुत की जानी हैं अर्थात टेक्नो कमर्शियल बिना मूल्य वाली बिड और मूल्य वाली बिड।

- (a) तकनीकी वाणिज्यिक बिना मूल्य वाली बिड के साथ निविदा सुरक्षित करने की घोषणा प्रपत्र (ईएमडी) जैसा कि निविदाओं के आमंत्रण में दर्शाया गया है, सीपीपी पोर्टल के माध्यम से प्रस्तुत किया जाएगा। यदि तकनीकी बिड के साथ ईएमडी के रूप में बिड सुरक्षित करने की घोषणा प्रपत्र का प्रमाण प्राप्त नहीं होता है, तो ऐसी बिड पर विचार नहीं किया जाएगा। प्रत्येक निविदा की आवश्यकताओं की अनुसूची में दर्शाए गए सभी वस्तुओं के नमूने (यदि आवश्यक हो) भी एक अलग लिफाफे में तकनीकी वाणिज्यिक बिना मूल्य वाली बिड के साथ होने चाहिए।
- (b) मूल्य बिड.
- 7.2 तकनीकी वाणिज्यिक बिना मूल्य वाली बिड: निविदादाता द्वारा तैयार की गई तकनीकी वाणिज्यिक बिना मूल्य वाली बिड निम्नलिखित मॉडल प्रतिक्रिया प्रारूप में प्रदान की जाएगी:

मॉडल प्रतिक्रिया प्रारूप

- (a) प्रत्येक निविदादाता, निर्माता/डीलर की स्थिति और सामग्री की आपूर्ति में पिछला अनुभव (प्रमाणपत्र संलग्न किया जाना है), विनिर्माण इकाई/डीलरशिप का प्रमाण तथा बिड-पूर्व आवश्यक मानदंडों की पूर्ति के संबंध में विश्वसनीयता साबित करने के लिए आवश्यक सभी दस्तावेज।
- (b) अन्य सरकारी विभागों, सार्वजनिक क्षेत्र की इकाइयों और केंद्रीय स्वायत्त निकायों की सूची जिनके लिए निविदादाता सामग्री की आपूर्ति कर रहा है या जिनके पास समान प्रकार के अनुबंध हैं और अनुबंध के संतोषजनक निष्पादन के संबंध में प्रमाण पत्र (अनुलग्नक III प्रारूप में)।
- (c) विक्रेता की पिछले वित्तीय वर्ष की लेखापरीक्षित बैलेंस शीट की प्रति, जिसमें संबंधित सामग्री/सेवा की आपूर्ति में टर्नओवर दर्शाया गया हो।
- (d) स्थायी खाता संख्या और नवीनतम आयकर निकासी प्रमाणपत्र का विवरण।
- (e) जीएसटी नंबर का विवरण तथा प्रमाण पत्र की प्रति संलग्न की जानी चाहिए।
- (f) यदि आवश्यक हो तो आवश्यकताओं की अनुसूची में दर्शाई गई सभी वस्तुओं के लिए नमूने प्रस्तुत करना। आपूर्ति की जाने वाली प्रस्तावित वस्तुओं के निर्माण को आवश्यकताओं की अनुसूची के प्रारूप में दर्शाया जाना चाहिए और मूल्य निर्धारण घटकों को दर्शाए बिना तकनीकी वाणिज्यिक मूल्य रहित बिड के साथ प्रस्तुत किया जाना चाहिए।
- (g) आपातकालीन आवश्यकताओं को पूरा करने के लिए दिए गए सभी आदेशों को प्राथमिकता के आधार पर निष्पादित करने की इच्छा। निविदादाता को ध्यान देना चाहिए कि कारीगरी, सामग्री और उपकरणों के लिए मानक, और आवश्यकताओं की अनुसूची में खरीदार द्वारा निर्दिष्ट ब्रांड नामों के संदर्भ केवल वर्णनात्मक होने चाहिए और प्रतिबंधात्मक नहीं होने चाहिए। निविदादाता अपनी बिड में वैकल्पिक मानकों, ब्रांड नामों और/या कैटलॉग नंबरों को प्रतिस्थापित कर सकता है, बशर्ते कि यह खरीदार की संतुष्टि के लिए प्रदर्शित हो कि प्रतिस्थापन तकनीकी विनिर्देशों में निर्दिष्ट लोगों के लिए पर्याप्त समानता सुनिश्चित करते हैं।
- 7.3 मूल्य बिड: मूल्य बिड में तकनीकी वाणिज्यिक बिड के साथ-साथ मूल्य घटक शामिल होगा, जिसमें आवश्यकताओं की अनुसूची (अनुबंध I) में दर्शाई गई प्रत्येक वस्तु के लिए इकाई मूल्य दर्शाया जाएगा।
 - (i) उद्धृत मूल्य प्रति इकाई शुद्ध होना चाहिए जैसा कि अनुसूची में दर्शाया गया है और इसमें निर्दिष्ट स्टोरों पर डिलीवरी के लिए सभी शुल्क शामिल होने चाहिए, अर्थात आईआईटी (बीएचयू) वाराणसी के लिए और इसका स्पष्ट उल्लेख किया जाना चाहिए।
 - (ii) प्रत्येक वस्तु के लिए दर शब्दों और अंकों में अलग-अलग बताई जानी चाहिए। यदि शब्दों और अंकों में बताई गई कीमत में कोई अंतर है तो बताई गई उच्च कीमत को अंतिम माना जाएगा।
 - (iii) उद्धृत मूल्य निश्चित होने चाहिए और उनमें कर/शुल्क, माल ढुलाई और अग्रेषण शुल्क, हैंडलिंग शुल्क, लोडिंग और अनलोडिंग शुल्क और बीमा शुल्क आदि शामिल होने चाहिए। हालांकि, कीमतों को मूल दर, जीएसटी, माल ढुलाई शुल्क, आईआईटी पर लागू अन्य करों/शुल्कों/शुल्कों और उन पर छूट का उल्लेख करके बीओक्यू प्रारूप में स्पष्ट रूप से दर्शाया जाना चाहिए।
 - (iv) संस्थान द्वारा एक बार स्वीकार की गई कीमतें ऑर्डर के सफल निष्पादन तक और आपूर्ति पूरी तरह से प्रभावी और स्वीकृत होने तक या निविदा की स्वीकृति की तारीख से 12 महीने तक जो भी बाद में हो, वैध रहेंगी। संस्थान इस अविध के दौरान दरों में किसी भी वृद्धि को स्वीकार नहीं करेगा। हालाँकि, सरकारी लेवी/शुल्क/करों में कमी या वृद्धि होने की स्थिति में।
 - (v) आदेश के निष्पादन की अवधि के दौरान, दरों को सरकारी लेवी/कर/शुल्क, यदि कोई हो, में उक्त कमी या वृद्धि को अधिसूचित करने की तारीख से उपयुक्त रूप से समायोजित किया जाएगा।

8. बिड मूल्य

- 8.1 बोलीदाता को अनुबंध के तहत आपूर्ति किए जाने वाले माल की इकाई कीमतों को आवश्यकताओं की अनुसूची (बीओक्यू) पर दर्शाना होगा तथा उसे मूल्यांकित बिड के साथ संलग्न करना होगा।
- 8.2 मूल्य अनुसूची पर दर्शाए गए मूल्यों को निम्नलिखित तरीके से अलग से दर्ज किया जाएगा:
 - (i) उद्धृत मूल्य प्रति इकाई शुद्ध होना चाहिए जैसा कि आवश्यकताओं की अनुसूची में दर्शाया गया है और इसमें निर्दिष्ट दुकानों पर डिलीवरी के लिए सभी शुल्क शामिल होने चाहिए।
 - (ii) यदि यह अनुबंध प्रदान किया जाता है तो माल पर देय कोई भी भारतीय शुल्क, जीएसटी और अन्य कर।
- 8.3 निविदादाता द्वारा उद्धृत मूल्य, निविदादाता द्वारा अनुबंध के निष्पादन के दौरान तय किए जाएंगे तथा किसी भी कारण से उनमें परिवर्तन नहीं किया जा सकेगा।

9. बिड मुद्राएँ

कीमतें केवल भारतीय रुपए में उद्धृत की जाएंगी।

- 10. निविदा की वैधता अवधि
- 10.1 निविदा 180 दिनों तक वैध रहेंगी। इससे कम अविध के लिए वैध निविदा को क्रेता द्वारा गैर-उत्तरदायी मानकर अस्वीकार कर दिया जाएगा।
- 10.2 असाधारण परिस्थितियों में, क्रेता वैधता की अविध बढ़ाने के लिए निविदादाता की सहमित मांग सकता है। अनुरोध और उस पर प्रतिक्रिया लिखित रूप में की जाएगी। अनुरोध स्वीकार करने वाले निविदादाता को निविदा में संशोधन करने की आवश्यकता नहीं होगी और नहीं उसे ऐसा करने की अनुमित होगी।
- 10.3 निविदा का मूल्यांकन उपरोक्त संशोधनों पर विचार किए बिना बिड मूल्यों पर आधारित होगा।

डी. निविदा प्रस्तुत करना

11. निविदा निर्धारित तिथि से पहले **ऑनलाइन प्रस्तुत की जानी चाहिए**। निर्धारित तिथि और समय के बाद प्राप्त प्रस्तावों पर विचार नहीं किया जाएगा। किसी भी मैनुअल बिड पर विचार नहीं किया जाएगा।

12. निविदा प्रस्तुत करने की अंतिम तिथि

- 12.1 क्रेता को निविदा आमंत्रण में निर्दिष्ट समय और तारीख से पहले **ऑनलाइन प्राप्त होनी चाहिए।**
- 12.2क्रेता अपने विवेकानुसार, निविदा दस्तावेजों में संशोधन करके निविदाएँ प्रस्तुत करने की इस समय-सीमा को बढ़ा सकता है, ऐसी स्थिति में क्रेता और निविदादाताओं के सभी अधिकार और दायित्व, जो पहले समय-सीमा के अधीन थे, तत्पश्चात विस्तारित समय-सीमा के अधीन हो जाएंगे।

13. विलम्बित/देरी से भरी निविदाएँ

निर्धारित तिथि एवं समय के बाद प्राप्त प्रस्तावों पर विचार नहीं किया जाएगा।

- 14. निविदाओं में संशोधन और वापसी
- 14.1 निविदादाता सीपीपी पोर्टल के प्रावधान के अनुसार ऑनलाइन बिड प्रस्तुत करने के बाद अपनी निविदा को संशोधित या वापस ले सकता है।
- 14.2 निविदाएँ जमा करने की अंतिम तिथि के बाद किसी भी बिड में संशोधन नहीं किया जा सकता। निविदाएँ जमा करने की अंतिम तिथि के बाद आवश्यक निविदा-पूर्व मानदंडों के समर्थन में कोई भी दस्तावेज़ स्वीकार नहीं किए जाएँगे।
- 14.3 बिड प्रस्तुत करने की अंतिम तिथि और बिड प्रपत्र पर निविदादाता द्वारा निर्दिष्ट बिड वैधता की अविध की समाप्ति के बीच के अंतराल में कोई भी निविदा वापस नहीं ली जा सकेगी।

ई. बिड खोलना और निविदा का मूल्यांकन

15. टेक्नो कमर्शियल अन-प्राइस्ड बिड्स का उद्घाटन

क्रेता सर्वप्रथम सभी तकनीकी वाणिज्यिक बिना मूल्य वाली बिड्स खोलेगा।

16. बिड्स का स्पष्टीकरण

- 16.1 बिंड्स के मूल्यांकन के दौरान, क्रेता अपने विवेक से निविदादाता से उसकी बिंड के बारे में स्पष्टीकरण मांग सकता है। स्पष्टीकरण के लिए अनुरोध और जवाब लिखित रूप में होगा और बिंड की कीमत या सार में कोई बदलाव नहीं मांगा जाएगा, पेश नहीं किया जाएगा या अनुमित नहीं दी जाएगी।
- 16.2 कोई भी निविदादाता बिड खुलने के समय से लेकर अनुबंध दिए जाने तक अपनी बिड से संबंधित किसी भी मामले पर क्रेता से संपर्क नहीं करेगा। यदि निविदादाता संस्थान के ध्यान में अतिरिक्त जानकारी लाना चाहता है, तो उसे लिखित रूप में ऐसा करना चाहिए।
- 16.3 बिड मूल्यांकन, बिड तुलना या अनुबंध पुरस्कार निर्णयों पर क्रेता को प्रभावित करने के लिए निविदादाता द्वारा किए गए किसी भी प्रयास के परिणामस्वरूप निविदादाता की बिड्स को अस्वीकार किया जा सकता है।

17. टेक्नो कमर्शियल अन-प्राइस्ड बिड का मूल्यांकन

- 17.1 विस्तृत तकनीकी मूल्यांकन से पहले, क्रेता प्रत्येक बिड की पर्याप्त प्रतिक्रियाशीलता का निर्धारण करेगा। पर्याप्त प्रतिक्रियाशील बिड वह होती है, जो बिना किसी भौतिक विचलन के बिड दस्तावेजों की सभी शर्तों और नियमों के अनुरूप होती है और सभी आवश्यक बिड-पूर्व मानदंडों को पूरा करती है। यदि कोई निविदादाताओं के लिए निर्देश में निर्धारित आवश्यक बिड-पूर्व मानदंडों को पूरा नहीं करता है, तो उसकी बिड को सरसरी तौर पर खारिज कर दिया जाएगा। निविदा को जमा करने की अंतिम तिथि के बाद आवश्यक बिड-पूर्व मानदंडों के समर्थन में कोई भी दस्तावेज स्वीकार नहीं किया जाएगा।
- 17.2 क्रेता उस बिड को अस्वीकार कर देगा जो पर्याप्त रूप से प्रतिक्रियात्मक नहीं पाई जाएगी।
- 17.3 निविदादाताओं को चर्चा के लिए बुलाया जा सकता है और संगठन की आवश्यकता के अनुरूप अपनी तकनीकी निविदाओं को संशोधित करने की अनुमित दी जा सकती है। विचार यह है कि स्वीकार्यता के एक सीमा स्तर पर पहुंचा जाए जिसके ऊपर सभी निविदादाताओं के साथ समान व्यवहार किया जाएगा। जिनके तकनीकी विनिर्देश स्वीकार्यता के सीमा स्तर तक नहीं पहुंचते हैं उन्हें तकनीकी रूप से अनुपयुक्त मानकर खारिज कर दिया जाएगा। तकनीकी रूप से स्वीकार्य होने वाले निविदादाताओं की मूल्य बिड्स को खोला जाएगा, उनका मूल्यांकन किया जाएगा और सबसे कम मूल्यांकित बिड लगाने वाले को अनुबंध दिया जाएगा।
- 17.4 आवश्यक पूर्व-बिड मानदंडों को पूरा करने और इस निविदा दस्तावेज में निर्धारित तकनीकी मानदंडों को पूरा करने के संबंध में विस्तृत मूल्यांकन के आधार पर क्रेता द्वारा सूचीबद्ध निविदादाताओं को, यदि आवश्यक हो तो, निर्दिष्ट तिथि, समय और स्थान पर, इस उद्देश्य के लिए चयनित टीम के साथ विस्तृत चर्चा के लिए बुलाया जा सकता है।

18. मूल्य बिड्स का खुलना

- 18.1क्रेता केवल उन निविदादाताओं की मूल्यांकित बिड खोलेगा जो आवश्यक बिड-पूर्व मानदंडों को पूरा करते हैं तथा जिनकी तकनीकी-वाणिज्यिक मूल्यांकित निविदा पर्याप्त रूप से प्रतिक्रियाशील पाई गई हैं।
- 18.2 तकनीकी रूप से योग्य निविदादाताओं की मूल्यांकित बिड निविदा समिति द्वारा खोली जाएंगी।

19. मूल्य निविदा का मूल्यांकन और तुलना

- 19.1 अंकगणितीय त्रुटियों को निम्नलिखित आधार पर सुधारा जाएगा: यदि शब्दों और अंकों के बीच कोई विसंगति है, तो दोनों में से जो भी अधिक होगा उसे निविदा मूल्य के रूप में लिया जाएगा। यदि विक्रेता त्रुटियों के सुधार को स्वीकार नहीं करता है, तो उसकी निविदा को अस्वीकार कर दिया जाएगा।
- 19.2 निविदादाताओं को अनुबंध की सामान्य शर्तों के भाग 14 में उल्लिखित भुगतान अनुसूची के लिए अपनी निविदा कीमत बतानी होगी। निविदाओं का मूल्यांकन इस आधार मूल्य के आधार पर किया जाएगा। हालाँकि, निविदादाताओं को वैकल्पिक भुगतान अनुसूची बताने और बिड मूल्य में उस कमी को इंगित करने की अनुमित है जो वे ऐसे वैकल्पिक भुगतान अनुसूची के लिए पेश करना चाहते हैं। क्रेता चयनित निविदादाता द्वारा प्रस्तावित वैकल्पिक भुगतान अनुसूची पर विचार कर सकता है, लेकिन यह क्रेता पर बाध्यकारी नहीं हो सकता है।
- 19.3 क्रेता, अपने विकल्प पर, समानांतर आपूर्तिकर्ता बनाने के लिए न्यूनतम निविदा लगाने वाले की दरों के बराबर दरें देने के लिए कुछ और निविदा देने वालों को कह सकता है।

- 19.4 विभिन्न मुद्राओं में व्यक्त सभी निविदा मूल्यों को एकल मुद्रा में परिवर्तित करने के लिए निविदा मूल्यांकन और तुलना प्रयोजनों के लिए उपयोग की जाने वाली मुद्रा है: भारतीय रुपया
- 19.5 विनिमय दर का स्रोत होगा: भारतीय रिजर्व बैंक/कोई अन्य प्रामाणिक स्रोत।
- 19.6 विनिमय दर की तिथि होगी: निविदा प्रस्तुत करने की अंतिम तिथि।

20. क्रेता को किसी भी निविदा को स्वीकार करने तथा किसी भी निविदा या सभी निविदा को अस्वीकार करने का अधिकार

क्रेता के पास किसी भी निविदा को स्वीकार या अस्वीकार करने, तथा निविदा प्रक्रिया को रद्द करने और अनुबंध प्रदान करने से पहले किसी भी समय सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित है, जिससे प्रभावित निविदादाता या बोलीदाताओं के प्रति कोई दायित्व उत्पन्न नहीं होगा या प्रभावित निविदादाता या निविदादाताओं को क्रेता की कार्रवाई के कारणों के बारे में सुचित करने का कोई दायित्व नहीं होगा।

21. प्रदान करने का मापदंड

- a. आईआईटी (बीएचयू) तकनीकी रूप से योग्य पात्र निविदादाता को अनुबंध प्रदान करेगा जिसकी बोली को सबसे कम मूल्यांकित वाणिज्यिक निविदा के रूप में निर्धारित किया गया है।
- b. यदि एक से अधिक निविदादाता एक ही न्यूनतम कीमत उद्धृत करते हैं, तो आईआईटी (बीएचयू) वाराणसी एक से अधिक निविदादाताओं या किसी भी निविदादाता को अनुबंध देने का अधिकार सुरक्षित रखता है।

22. प्रदान करने की अधिसूचना

वैधता अवधि की समाप्ति से पहले, क्रेता सफल निविदादाता को पत्र या फैक्स द्वारा लिखित रूप में सूचित करेगा, जिसकी पुष्टि स्पीड पोस्ट या हस्तगत पत्र द्वारा लिखित रूप में की जाएगी, कि उसकी निविदा स्वीकार कर ली गई है।

23. आपूर्ति के पुरस्कार को प्रभावित करने वाले कारक

- 23.1 निविदादाता के पास अपनी स्वयं की अनुबंध सहायता सुविधाएं होनी चाहिए। सहायता सुविधाएं पूरी तरह से निविदादाता के स्वामित्व और प्रबंधन में होनी चाहिए।
- 23.2बोली/निविदा हेतु अनुरोध एवं शर्तों के अनुरूप होना आवश्यक है।
- 23.3 मॉडल प्रतिक्रिया रूपरेखा के प्रति प्रतिक्रिया के आधार पर मूल्यांकन।
- 23.4 निविदादाता की शर्तों एवं नियमों को पूरा करने की क्षमता का मूल्यांकन।
- 23.5 निविदादाताओं ने सरकारी/अर्ध-सरकारी/स्वायत्त संगठनों के लिए समान आदेश निष्पादित किए होंगे, जिसके लिए निविदादाता निविदा दे रहा है।
- 23.6 लागत और दी जाने वाली छूट, यदि कोई हो।

24. फाल क्लाज

- 24.1आपूर्तिकर्ता द्वारा उद्धृत मूल्य, यदि कोई हो, भण्डार के लिए अधिकतम खुदरा मूल्य से अधिक नहीं होना चाहिए तथा यह मूल्य, आपूर्तिकर्ता द्वारा समान प्रकृति, वर्ग या विवरण के भण्डार के लिए किसी अन्य क्रेता से सामान्यतः ली जाने वाली कीमत से अधिक नहीं होना चाहिए।
- 24.2 आपूर्तिकर्ता द्वारा अनुबंध के अंतर्गत आपूर्ति की गई वस्तुओं के लिए ली जाने वाली कीमत किसी भी स्थिति में उस न्यूनतम कीमत से अधिक नहीं होगी जिस पर आपूर्तिकर्ता अनुबंध की अविध के दौरान दिए गए सभी आपूर्ति आदेशों का निष्पादन पूरा होने तक की अविध के दौरान किसी अन्य व्यक्ति को समान विवरण की वस्तुओं को बेचता है। यदि अविध के दौरान किसी भी समय आपूर्तिकर्ता ऐसी वस्तुओं की बिक्री कीमत कम कर देता है या ऐसी वस्तुओं को अपने डीलरों सहित किसी अन्य व्यक्ति को अनुबंध के अंतर्गत प्रभार्य कीमत से कम कीमत पर बेचता है, तो वह

ऐसी कमी या बिक्री की सूचना तुरंत क्रेता को देगा और ऐसी कमी या बिक्री के लागू होने की तिथि के बाद आपूर्ति की गई वस्तुओं की इन वस्तुओं के लिए अनुबंध के अंतर्गत देय कीमत तदनुसार कम हो जाएगी।

24.3 यदि यह पाया जाता है कि आपूर्तिकर्ता ने उपर्युक्त शर्तों का उल्लंघन किया है, तो उसके विरुद्ध की जा सकने वाली किसी भी अन्य कार्रवाई पर प्रतिकूल प्रभाव डाले बिना, क्रेता के लिए यह वैध होगा कि वह (क) किसी भी स्तर पर मूल्य को संशोधित करे ताकि उसे उप-खण्ड (i) के अनुरूप लाया जा सके, या (ख) अनुबंध को समाप्त कर दे और आपूर्तिकर्ता के जोखिम और लागत पर भंडार की वस्तुओं को खरीद ले और उस स्थिति में अनुबंध की सामान्य शर्तों के खण्ड 28 के प्रावधान, जहां तक संभव हो, लागू होंगे या नुकसान की भरपाई की जाएगी।

अनुभाग 3: अनुबंधों की सामान्य शर्तें

1. परिभाषाएं

इस अनुबंध में, निम्नलिखित शर्तों की व्याख्या इस प्रकार की जाएगी:

- (a) "आदेश" का तात्पर्य क्रेता और आपूर्तिकर्ता के बीच हुए समझौते से है, जिसमें सभी संलग्नक और परिशिष्ट तथा पुरस्कार की अधिसूचना के अनुसार सम्मिलित सभी दस्तावेज शामिल हैं।
- (b) "अनुबंध मूल्य" का तात्पर्य अनुबंध के अंतर्गत आपूर्तिकर्ता को उसके संविदात्मक दायित्वों के पूर्ण एवं उचित निष्पादन के लिए देय मूल्य से है।
- (c) "माल" से तात्पर्य उन सभी वस्तुओं से है, जिन्हें आपूर्तिकर्ता को अनुबंध के तहत क्रेता को आपूर्ति करना आवश्यक है।
- (d) "सेवाओं" का तात्पर्य माल की आपूर्ति से संबंधित सहायक सेवाओं से है, जैसे परिवहन और बीमा, तथा अनुबंध के अंतर्गत आने वाली अन्य आकस्मिक सेवाएं, प्रशिक्षण और आपूर्तिकर्ता के अन्य दायित्व।
- (e) "जीसीसी" का तात्पर्य इस खंड में निहित अनुबंध की सामान्य शर्तों से है।
- (f) "क्रेता" का तात्पर्य माल खरीदने वाले संगठन अर्थात आईआईटी (बीएचयू) वाराणसी से है।
- (g) "क्रेता का देश" भारत है।
- (h) "आपूर्तिकर्ता" का तात्पर्य इस अनुबंध के तहत वस्तुओं और सेवाओं की आपूर्ति करने वाले व्यक्ति या फर्म से है।
- (i) "दिन" का अर्थ है कैलेंडर दिवस।

2. आवेदन

ये सामान्य शर्तें उस सीमा तक लागू होंगी जब तक कि वे अनुबंध के अन्य भागों के प्रावधानों द्वारा प्रतिस्थापित न हो जाएं।

3. मानकों

इस अनुबंध के अंतर्गत आपूर्ति किए गए माल तकनीकी विनिर्देशों में उल्लिखित मानकों के अनुरूप होंगे, तथा जहां कोई लागू मानक उल्लिखित न हो, वहां माल के मूल देश के लिए उपयुक्त आधिकारिक मानक के अनुरूप होंगे तथा ऐसे मानक संबंधित संस्थान द्वारा जारी नवीनतम मानक होंगे।

4. अनुबंध दस्तावेज़ों और सूचना का उपयोग

- 4.1 आपूर्तिकर्ता, क्रेता की पूर्व लिखित सहमित के बिना, अनुबंध, या उसके किसी प्रावधान, या क्रेता द्वारा या उसके संबंध में उसकी ओर से प्रस्तुत किसी विनिर्देश, योजना, ड्राइंग, पैटर्न, नमूने या जानकारी को अनुबंध के निष्पादन में आपूर्तिकर्ता द्वारा नियोजित व्यक्ति के अलावा किसी अन्य व्यक्ति को प्रकट नहीं करेगा। ऐसे किसी भी नियोजित व्यक्ति को प्रकटीकरण गोपनीय रूप से किया जाएगा और केवल उस सीमा तक ही विस्तारित होगा जहाँ तक ऐसे निष्पादन के प्रयोजनों के लिए आवश्यक हो सकता है।
- 4.2 आपूर्तिकर्ता, क्रेता की पूर्व लिखित सहमित के बिना, अनुबंध के निष्पादन के प्रयोजनों के अलावा किसी भी दस्तावेज या सूचना का उपयोग नहीं करेगा।
- 4.3 अनुबंध के अलावा कोई भी दस्तावेज क्रेता की संपत्ति रहेगा और यदि क्रेता द्वारा ऐसा अपेक्षित हो तो अनुबंध के अंतर्गत आपूर्तिकर्ता के कार्य निष्पादन के पूरा होने पर उसे (सभी प्रतियों में) क्रेता को वापस कर दिया जाएगा

5. पेटेंट अधिकार

आपूर्तिकर्ता भारत में माल या उसके किसी भाग के उपयोग से उत्पन्न पेटेंट, ट्रेडमार्क या औद्योगिक डिजाइन अधिकारों के उल्लंघन के सभी तृतीय-पक्ष दावों के विरुद्ध क्रेता को क्षतिपूर्ति करेगा।

6. निविदा प्रस्तुत करना

- 6.1 सभी तरह से पूर्ण निविदा क्रिटिकल डेटा शीट पर उल्लिखित निविदा समापन तिथि और समय पर या उससे पहले ऑनलाइन प्रस्तुत की जानी चाहिए। अर्नेस्ट राशि आदि के रूप में निविदा सुरक्षित घोषणा पत्र के बिना प्राप्त निविदाएँ अस्वीकार कर दी जाएँगी।
- 6.2 इस आपूर्ति के लिए निविदा दस्तावेज आई. आई. टी. (बी.एच.यू.), वाराणसी की आधिकारिक वेबसाइट (www.iitbhu.ac.in/iitnotifications/purchase_enquiries) या केंद्रीय सार्वजनिक खरीद पोर्टल (सीपीपीपी) https://eprocure.gov.in/eprocure/app पर उपलब्ध है।

6.3 इच्छुक बोलीदाता केंद्रीय सार्वजनिक बिक्री पोर्टल (सीपीपीपी) https://eprocure.gov.in/eprocure/app के माध्यम से अपनी निवेदा प्रस्तुत कर सकते हैं।

7. निरीक्षण और परीक्षण

- 7.1 क्रेता या उसके प्रतिनिधि को बिना किसी अतिरिक्त लागत के अनुबंध विनिर्देशों के अनुरूपता की पुष्टि करने के लिए माल का निरीक्षण और/या परीक्षण करने का अधिकार होगा।
- 7.2 निरीक्षण और परीक्षण आपूर्तिकर्ता या उसके उपठेकेदार(ओं) के परिसर में, डिलीवरी के स्थान पर और/या माल के गंतव्य पर किए जा सकते हैं। यदि आपूर्तिकर्ता या उसके उपठेकेदार(ओं) के परिसर में किया जाता है, तो निरीक्षकों को सभी उचित सुविधाएँ और सहायता, जिसमें ड्राइंग्स और उत्पादन डेटा तक पहुँच शामिल है, खरीदार को बिना किसी शल्क के प्रदान की जाएगी।
- 7.3 यदि कोई निरीक्षण या परीक्षण किया गया माल विनिर्देशों के अनुरूप नहीं पाया जाता है, तो क्रेता उस माल को अस्वीकार कर सकता है और आपूर्तिकर्ता अस्वीकृत माल को या तो प्रतिस्थापित करेगा या विनिर्देश आवश्यकताओं को पूरा करने के लिए आवश्यक परिवर्तन क्रेता के लिए निःशुल्क करेगा।
- 7.4 परियोजना स्थल पर माल के पहुंचने के बाद माल का निरीक्षण, परीक्षण और, जहां आवश्यक हो, अस्वीकार करने का क्रेता का अधिकार किसी भी तरह से सीमित या माफ नहीं किया जाएगा, क्योंकि माल का निरीक्षण, परीक्षण और पासिंग माल शिपमेंट से पहले क्रेता या उसके प्रतिनिधि द्वारा किया जा चुका है।
- 7.5 जी.सी.सी. धारा 7 में उल्लिखित कोई भी बात आपूर्तिकर्ता को इस अनुबंध के अंतर्गत किसी भी वारंटी या अन्य दायित्वों से मृक्त नहीं करेगी।

8. अस्वीकृति के परिणाम

यदि गंतव्य स्थान पर क्रेता द्वारा सामान को अस्वीकार कर दिया जाता है और आपूर्तिकर्ता डिलीवरी की निर्धारित अवधि के भीतर संतोषजनक आपूर्ति करने में विफल रहता है, तो क्रेता को निम्नलिखित करने की स्वतंत्रता होगी:

- (a) आपूर्तिकर्ता को क्रेता को कोई अतिरिक्त लागत दिए बिना, अस्वीकृत वस्तुओं के स्थान पर निर्दिष्ट समय के भीतर पुनः वस्तुएं प्रस्तुत करने की अनुमति दी जाएगी।
- (b) सामग्री को अस्वीकार करना अंतिम होगा तथा ठेकेदार के लिए बाध्यकारी होगा।
- (c) खुले बाजार/सरकारी दुकानों से तुलनीय गुणवत्ता की अस्वीकृत सामग्री खरीदें और आपूर्तिकर्ता को आर.सी. मूल्यों पर अंतर का भुगतान करना होगा या आपूर्तिकर्ता के बकाया बिलों, यदि कोई हो, से राशि समायोजित करवानी होगी।

9. पैकिंग

- 9.1 आपूर्तिकर्ता माल की ऐसी पैकिंग प्रदान करेगा जो अनुबंध में बताए अनुसार उनके अंतिम गंतव्य तक ट्रांजिट के दौरान उनके नुकसान या गिरावट को रोकने के लिए आवश्यक है। पैकिंग पारगमन के दौरान बिना किसी सीमा के, रफ हैंडलिंग और ट्रांजिट और खुले भंडारण के दौरान अत्यधिक तापमान, साल्ट और वर्षा के संपर्क में आने के लिए पर्याप्त होगी। पैकिंग केस का आकार और वजन, जहाँ उपयुक्त हो, माल के अंतिम गंतव्य की दूरी और ट्रांजिट के सभी बिंदुओं पर भारी हैंडलिंग सुविधाओं की अनुपस्थिति को ध्यान में रखेगा।
- 9.2 पैकेजों के अंदर और बाहर पैकिंग, अंकन और दस्तावेज़ीकरण उन विशेष आवश्यकताओं का सख्ती से पालन करेगा, जो अनुबंध में प्रदान की जाएंगी, जिसमें क्रेता द्वारा आदेशित किसी भी बाद के निर्देशों में अतिरिक्त आवश्यकताएं भी शामिल हैं।

10. वितरण और दस्तावेज़

- 10.1 आपूर्तिकर्ता को पुरस्कार की अधिसूचना के अनुसरण में खरीद आदेश देने से <u>90 दिनों</u> के भीतर माल की डिलीवरी करनी होगी। तिमाही आधार पर आवश्यकताओं का आकलन करने के बाद खरीद आदेश दिया जाएगा। हालाँकि, आपूर्तिकर्ता को सभी आदेशों को प्राथमिकता के आधार पर निष्पादित करने की भी व्यवस्था करनी होगी, जो किसी भी आकस्मिक आवश्यकताओं को पूरा करने के लिए दिए जाएँगे।
- 10.2 यदि क्रेता समानांतर दर अनुबंध करने का निर्णय लेता है, तो क्रेता के विवेक के अनुसार आवश्यकताओं को न्यायसंगत आधार पर विभिन्न फर्मों में विभाजित किया जाएगा।
- 10.3 स्टोर की डिलीवरी संस्थान के परिसर में सभी डिलीवरी शुल्कों से मुक्त और निर्धारित समय के भीतर की जाएगी और जैसा कि पृष्टि किए गए आदेश में स्पष्ट किया जा सकता है, डिलीवरी चालान के साथ। स्टोर की डिलीवरी के लिए समय में कोई विस्तार सामान्य रूप से नहीं दिया जाएगा।

आपूर्तिकर्ता निम्नलिखित दस्तावेज़ क्रेता को भेजेगा तथा उसकी एक प्रति बीमा कंपनी को भी भेजेगा:

- 1. आपूर्तिकर्ता चालान की 3 प्रतियां जिसमें अनुबंध संख्या, माल का विवरण, मात्रा, इकाई मूल्य, कुल राशि आदि दर्शाई गई हो।
- 2. स्थापना प्रमाणपत्र.
- 3. यदि लागू हो तो बीमा प्रमाणपत्र।
- 4. निर्माता/आपूर्तिकर्ता का वारंटी प्रमाणपत्र।
- 5. नामित निरीक्षण एजेंसी द्वारा जारी निरीक्षण प्रमाणपत्र, यदि कोई हो।
- 6. आपूर्तिकर्ता की फैक्टरी निरीक्षण रिपोर्ट.
- 7. मूल प्रमाण पत्र (यदि संभव हो तो लाभार्थी द्वारा)।

उपरोक्त दस्तावेज क्रेता को माल के आगमन से पहले प्राप्त हो जाने चाहिए (सिवाय इसके कि जहां माल सभी दस्तावेजों के साथ सीधे प्राप्तकर्ता को वितरित कर दिया गया हो) और, यदि प्राप्त नहीं होते हैं, तो आपूर्तिकर्ता किसी भी परिणामी व्यय के लिए जिम्मेदार होगा।

डिलीवरी का समय और तारीख - अनुबंध का सार: निर्धारित किए गए सामान की डिलीवरी का समय और तारीख अनुबंध का सार मानी जाएगी और डिलीवरी निर्दिष्ट तारीख से पहले पूरी होनी चाहिए।

11. बीमा

अनुबंध के तहत आपूर्ति की गई वस्तुओं का विनिर्माण या अधिग्रहण, परिवहन, भंडारण और वितरण के दौरान होने वाली हानि या क्षित के विरुद्ध भारतीय रुपए में पूर्ण बीमा किया जाएगा। आपूर्तिकर्ताओं द्वारा युद्ध जोखिमों और हड़तालों सिहत "सभी जोखिमों" के आधार पर "वेयरहाउस टू वेयरहाउस" (अंतिम गंतव्य) तक माल के मूल्य के 110% के बराबर राशि में बीमा प्राप्त किया जाएगा।

12. परिवहन

जहां आपूर्तिकर्ता को अनुबंध के तहत भारत के भीतर परियोजना स्थल के रूप में परिभाषित माल का परिवहन करना आवश्यक है, भारत में गंतव्य के ऐसे स्थान तक परिवहन, जिसमें बीमा भी शामिल है, जैसा कि अनुबंध में निर्दिष्ट किया जाएगा, आपूर्तिकर्ता द्वारा व्यवस्थित किया जाएगा, और संबंधित लागत अनुबंध मूल्य में शामिल की जाएगी।

13. वारंटी

- 13.1 आपूर्तिकर्ता वारंटी देता है कि इस अनुबंध के तहत आपूर्ति की गई वस्तुएँ नई, अप्रयुक्त, सबसे हाल ही के या वर्तमान मॉडल की हैं और उनमें डिज़ाइन और सामग्रियों में सभी हाल ही के सुधार शामिल हैं, जब तक कि अनुबंध में अन्यथा प्रावधान न किया गया हो। आपूर्तिकर्ता आगे वारंटी देता है कि इस अनुबंध के तहत आपूर्ति की गई सभी वस्तुओं में डिज़ाइन, सामग्री या कारीगरी या आपूर्तिकर्ता के किसी भी कार्य या चूक से उत्पन्न होने वाला कोई दोष नहीं होगा जो भारत में प्रचलित परिस्थितियों में आपूर्ति की गई वस्तुओं के सामान्य उपयोग के तहत विकसित हो सकता है।
- 13.2 यह वारंटी, माल या उसके किसी भाग, जैसा भी मामला हो, के अनुबंध में दर्शाए गए अंतिम गंतव्य पर वितरित किए जाने और स्वीकार किए जाने के पश्चात कम से कम 12 महीने (या जैसा निर्दिष्ट हो) के लिए वैध रहेगी, जब तक कि अन्यथा निर्दिष्ट न किया गया हो।
- 13.3 क्रेता को इस वारंटी के अंतर्गत उत्पन्न होने वाले किसी भी दावे के बारे में आपूर्तिकर्ता को लिखित रूप में तुरन्त सूचित करना होगा।
- 13.4 ऐसी सूचना प्राप्त होने पर, आपूर्तिकर्ता, क्रेता को कोई अतिरिक्त लागत दिए बिना, उचित गति से दोषपूर्ण माल या उसके भागों की मरम्मत करेगा या उन्हें प्रतिस्थापित करेगा।
- 13.5 यदि आपूर्तिकर्ता, अधिसूचित होने के बाद भी, उचित अवधि के भीतर दोष(ओं) को दूर करने में विफल रहता है, तो क्रेता, आपूर्तिकर्ता के जोखिम और व्यय पर तथा अनुबंध के तहत आपूर्तिकर्ता के विरुद्ध क्रेता के अन्य अधिकारों पर प्रतिकूल प्रभाव डाले बिना, आवश्यक सुधारात्मक कार्रवाई कर सकता है।

14. भुगतान

- 14.1 भुगतान आपूर्ति, स्थापना और कमीशनिंग तथा 3% की दर से संतोषजनक पीबीजी प्रस्तुत करने पर 100% किया जाएगा।
- 14.2 भुगतान के लिए आपूर्तिकर्ता का अनुरोध क्रेता को लिखित रूप में किया जाएगा, जिसके साथ एक चालान भी होगा जिसमें, यथा उपयुक्त, वितरित माल और प्रदान की गई सेवाओं का विवरण होगा, तथा जी.सी.सी. धारा 10 के अनुसार प्रस्तुत किए गए दस्तावेजों के माध्यम से, तथा अनुबंध में निर्धारित अन्य दायित्वों की पूर्ति के बाद किया जाएगा।

15. कीमतें

अनुबंध के तहत वितरित माल और प्रदान की गई सेवाओं के लिए आपूर्तिकर्ता द्वारा लगाए गए मूल्य आपूर्तिकर्ता द्वारा अपनी बोली में उद्धृत मूल्यों से भिन्न नहीं होंगे। निविदादाता को भारत सरकार के मानदंडों के अनुसार लागू करों/शुल्क और उन पर छूट, यदि कोई हो, का उल्लेख करना होगा। संस्थान भारत सरकार के लागू मानदंडों के अनुसार निविदादाता द्वारा अपेक्षित प्रमाण पत्र, यदि कोई हो, प्रदान करेगा।

16. ऑर्डर बदलें

- 16.1 क्रेता किसी भी समय, आपूर्तिकर्ता को दिए गए लिखित आदेश द्वारा, अनुबंध के सामान्य दायरे में निम्नलिखित में से किसी एक या अधिक में परिवर्तन कर सकता है:
 - (a) चित्र, डिजाइन या विनिर्देश, जहां अनुबंध के तहत प्रदान किए जाने वाले सामान को विशेष रूप से क्रेता के लिए निर्मित किया जाना है;
 - (b) शिपिंग या पैकिंग की विधि:
 - (c) डिलीवरी का स्थान; और/या
 - (d) आपूर्तिकर्ता द्वारा प्रदान की जाने वाली सेवाएँ।
- 16.2 यदि ऐसा कोई परिवर्तन आपूर्तिकर्ता द्वारा अनुबंध के तहत किसी प्रावधान के निष्पादन की लागत या उसके लिए आवश्यक समय में वृद्धि या कमी का कारण बनता है, तो अनुबंध मूल्य या डिलीवरी शेड्यूल या दोनों में एक न्यायसंगत समायोजन किया जाएगा और अनुबंध को तदनुसार संशोधित किया जाएगा। इस खंड के तहत समायोजन के लिए आपूर्तिकर्ता द्वारा कोई भी दावा खरीदार के परिवर्तन आदेश की आपूर्तिकर्ता की प्राप्ति की तारीख से तीस (30) दिनों के भीतर दावा किया जाना चाहिए।

17. अनुबंध संशोधन

जी.सी.सी. धारा 16 के अधीन, अनुबंध की शर्तों में कोई परिवर्तन या संशोधन पक्षों द्वारा हस्ताक्षरित लिखित संशोधन के अलावा नहीं किया जाएगा।

18. असाइनमेंट

आपूर्तिकर्ता, क्रेता की पूर्व लिखित सहमित के बिना, अनुबंध के अंतर्गत निष्पादन हेतु अपने दायित्वों को पूर्णतः या आंशिक रूप से किसी को नहीं सौंपेगा।

19. उप-अनुबंध

आपूर्तिकर्ता को इस अनुबंध के अंतर्गत दिए गए सभी उप-अनुबंधों के बारे में क्रेता को लिखित रूप में सूचित करना होगा, यदि निविदा में पहले से ही निर्दिष्ट नहीं किया गया है। ऐसी अधिसूचना, मूल बोली में या बाद में, आपूर्तिकर्ता को अनुबंध के तहत किसी भी दायित्व या दायित्व से मुक्त नहीं करेगी।

20. आपूर्तिकर्ता के प्रदर्शन में देरी

- **20.1** माल की डिलीवरी और सेवाओं का प्रदर्शन आपूर्तिकर्ता द्वारा जी.सी.सी. खंड 10 के अनुसार क्रेता द्वारा निर्दिष्ट समय-सारिणी के अनुसार किया जाएगा।
- 20.2 यदि अनुबंध के निष्पादन के दौरान किसी भी समय आपूर्तिकर्ता या उसके उप-ठेकेदार(ओं) को माल की समय पर डिलीवरी और सेवाओं के निष्पादन में बाधा उत्पन्न करने वाली स्थितियों का सामना करना पड़ता है, तो आपूर्तिकर्ता को देरी के तथ्य, इसकी संभावित अविध और इसके कारणों के बारे में खरीदार को लिखित रूप में तुरंत सूचित करना चाहिए। आपूर्तिकर्ता की सूचना प्राप्त होने के बाद जितनी जल्दी संभव हो सके, खरीदार स्थिति का मूल्यांकन करेगा और अपने विवेक पर, परिसमाप्त क्षिति के साथ या उसके बिना प्रदर्शन के लिए आपूर्तिकर्ता के समय को बढ़ा सकता है, जिस स्थिति में अनुबंध के संशोधन द्वारा पार्टियों द्वारा विस्तार की पृष्टि की जाएगी।
- **20.3** जी.सी.सी. धारा 23 के अंतर्गत दिए गए प्रावधान को छोड़कर, आपूर्तिकर्ता द्वारा अपने वितरण दायित्वों के निष्पादन में देरी करने पर आपूर्तिकर्ता जी.सी.सी. धारा 21 के अनुसार जुर्माना लगाए जाने के लिए उत्तरदायी होगा, जब तक कि जी.सी.सी. धारा 20.2 के अनुसार निर्धारित क्षतिपूर्ति के बिना समय विस्तार पर सहमित नहीं हो जाती।

21. दंड

जीसीसी क्लॉज 23 के अधीन, यदि आपूर्तिकर्ता अनुबंध में निर्दिष्ट अविध के भीतर किसी या सभी वस्तुओं की डिलीवरी करने या सेवाएं प्रदान करने में विफल रहता है, तो क्रेता, अनुबंध के तहत अपने अन्य उपायों पर प्रतिकूल प्रभाव डाले बिना, अनुबंध मूल्य से दंड के रूप में, प्रति सप्ताह 1% के बराबर राशि काट लेगा और अधिकतम कटौती वास्तविक डिलीवरी या प्रदर्शन तक प्रत्येक सप्ताह या उसके भाग के लिए विलंबित वस्तुओं या अप्रदत्त सेवाओं की वितरित कीमत के अनुबंध मूल्य का 10% है। एक बार अधिकतम सीमा तक पहुंचने के बाद, क्रेता जीसीसी क्लॉज 22 के अनुसार अनुबंध को समाप्त करने पर विचार कर सकता है।

22. डिफाल्ट के लिए समाप्ति

- 22.1 क्रेता, अनुबंध के उल्लंघन के लिए किसी अन्य उपाय पर प्रतिकूल प्रभाव डाले बिना, आपूर्तिकर्ता को लिखित रूप में डिफाल्ट की सूचना भेजकर, अनुबंध को पूर्णतः या आंशिक रूप से समाप्त कर सकता है:
 - (a) यदि आपूर्तिकर्ता क्रय आदेश में निर्दिष्ट अवधि के भीतर या जीसीसी खंड 20 के अनुसार क्रेता द्वारा दी गई किसी भी विस्तार के भीतर किसी भी या सभी वस्तुओं को वितरित करने में विफल रहता है;
 - (b) यदि आपूर्तिकर्ता अनुबंध के तहत किसी अन्य दायित्व को पूरा करने में विफल रहता है;
 - (c) यदि क्रेता के विचार में आपूर्तिकर्ता ने अनुबंध के लिए प्रतिस्पर्धा करने या उसे निष्पादित करने में भ्रष्ट या धोखाधड़ीपूर्ण कार्य किया है।

'इस भाग के प्रयोजनार्थ:

"भ्रष्ट आचरण" का अर्थ है खरीद प्रक्रिया या अनुबंध निष्पादन में किसी सार्वजनिक अधिकारी की कार्रवाई को प्रभावित करने के लिए किसी भी मूल्यवान वस्तु की पेशकश, देना, प्राप्त करना या मांगना।

"धोखाधड़ीपूर्ण व्यवहार: उधारकर्ता के नुकसान के लिए खरीद प्रक्रिया या अनुबंध के निष्पादन को प्रभावित करने के लिए तथ्यों का गलत प्रस्तुतीकरण, और इसमें बोलीदाताओं के बीच मिलीभगत वाला व्यवहार शामिल है (बोली प्रस्तुत करने से पहले या बाद में) जो कृत्रिम रूप से गैर-प्रतिस्पर्धी स्तरों पर बोली मूल्य स्थापित करने और उधारकर्ता को मुक्त और खुली प्रतिस्पर्धी के लाभों से वंचित करने के लिए डिज़ाइन किया गया है;"

22.2 यदि क्रेता अनुबंध को पूर्णतः या आंशिक रूप से समाप्त करता है, तो जी.सी.सी. खंड 22.1 के अनुसार, क्रेता ऐसी शर्तों और ऐसे तरीके से, जैसा वह उचित समझे, ऐसी वस्तुओं या सेवाओं को खरीद सकता है जो वितरित न की गई हों, और आपूर्तिकर्ता ऐसी समान वस्तुओं या सेवाओं के लिए किसी भी अतिरिक्त लागत के लिए क्रेता के प्रति उत्तरदायी होगा। हालाँकि, आपूर्तिकर्ता अनुबंध के निष्पादन को तब तक जारी रखेगा जब तक कि अनुबंध समाप्त न हो जाए।

23. अप्रत्याशित घटना

- **23.1** जी.सी.सी. खंड 20 और 21 के प्रावधानों के बावजूद, आपूर्तिकर्ता, चूक के लिए परिसमाप्त क्षतिपूर्ति या समाप्ति के लिए उत्तरदायी नहीं होगा, यदि और उस सीमा तक, निष्पादन में उसका विलंब या अनुबंध के तहत अपने दायित्वों को पूरा करने में अन्य विफलता, अप्रत्याशित घटना का परिणाम है।
- 23.2 इस भाग के प्रयोजनों के लिए, "अप्रत्याशित घटना" का अर्थ आपूर्तिकर्ता के नियंत्रण से परे की घटना है और इसमें आपूर्तिकर्ता की गलती या लापरवाही शामिल नहीं है और इसका पूर्वानुमान नहीं लगाया जा सकता है। ऐसी घटनाओं में क्रेता द्वारा अपनी संप्रभु या संविदात्मक क्षमता में किए गए कार्य, युद्ध या क्रांति, आग, बाढ़, महामारी, क्वारेंटाइन प्रतिबंध और माल ढुलाई प्रतिबंध शामिल हो सकते हैं, लेकिन इन तक सीमित नहीं हैं।
- 23.3 यदि कोई अप्रत्याशित घटना की स्थिति उत्पन्न होती है, तो आपूर्तिकर्ता खरीदार को ऐसी स्थितियों और उसके कारणों के बारे में लिखित रूप में तुरंत सूचित करेगा। जब तक खरीदार द्वारा लिखित रूप में अन्यथा निर्देशित न किया जाए, आपूर्तिकर्ता अनुबंध के तहत अपने दायित्वों का पालन करना जारी रखेगा, जहाँ तक उचित रूप से व्यावहारिक हो, और अप्रत्याशित घटना द्वारा बाधित न किए गए प्रदर्शन के लिए सभी उचित वैकल्पिक साधनों की तलाश करेगा।

24. दिवालियापन के कारण समाप्ति

यदि आपूर्तिकर्ता दिवालिया हो जाता है या अन्यथा दिवालिया हो जाता है, तो क्रेता किसी भी समय आपूर्तिकर्ता को लिखित नोटिस देकर अनुबंध को समाप्त कर सकता है। इस स्थिति में, आपूर्तिकर्ता को कोई मुआवजा दिए बिना समाप्ति की जाएगी, बशर्ते कि ऐसी समाप्ति से क्रेता को प्राप्त किसी भी कार्रवाई या उपचार के अधिकार पर प्रतिकूल प्रभाव न पड़े या वह प्रभावित न हो।

25. सुविधा के लिए समाप्ति

25.1 केता, आपूर्तिकर्ता को लिखित नोटिस भेजकर, अपनी सुविधानुसार किसी भी समय अनुबंध को पूर्णतः या आंशिक रूप से समाप्त कर सकता है। समाप्ति के नोटिस में यह निर्दिष्ट किया जाएगा कि समाप्ति केता की सुविधा के लिए है,

अनुबंध के तहत आपूर्तिकर्ता का प्रदर्शन किस सीमा तक समाप्त किया गया है, और वह तिथि जिस पर ऐसी समाप्ति प्रभावी होगी।

25.2 आपूर्तिकर्ता द्वारा समाप्ति की सूचना प्राप्त होने के 30 दिनों के भीतर पूर्ण और शिपमेंट के लिए तैयार माल को क्रेता द्वारा अनुबंध की शर्तों और कीमतों पर स्वीकार किया जाएगा।

26. विवादों का समाधान

- 26.1 क्रेता और आपूर्तिकर्ता अनुबंध के अंतर्गत या उससे संबंधित उनके बीच उत्पन्न किसी असहमति या विवाद को प्रत्यक्ष अनौपचारिक बातचीत द्वारा सौहार्दपूर्ण ढंग से हल करने का हर संभव प्रयास करेंगे।
- 26.2 यदि, ऐसी अनौपचारिक बातचीत के शुरू होने के तीस (30) दिनों के बाद, क्रेता और आपूर्तिकर्ता किसी अनुबंध विवाद को सौहार्दपूर्ण ढंग से हल करने में असमर्थ रहे हैं, तो कोई भी पक्ष यह मांग कर सकता है कि विवाद को नीचे निर्दिष्ट औपचारिक तंत्रों के समक्ष समाधान के लिए भेजा जाए। इन तंत्रों में तीसरे पक्ष द्वारा मध्यस्थता से समझौता, किसी सहमत राष्ट्रीय या अंतर्राष्ट्रीय मंच पर निर्णय और राष्ट्रीय या अंतर्राष्ट्रीय मध्यस्थता शामिल हो सकती है, लेकिन यह इन्हीं तक सीमित नहीं है।
- 26.3 इस समझौते से उत्पन्न या इससे जुड़े किसी मामले से संबंधित क्रेता और आपूर्तिकर्ता के बीच विवाद या मतभेद की स्थिति में, ऐसे विवाद या मतभेद का निपटारा समय-समय पर संशोधित मध्यस्थता और सुलह अधिनियम, 1996 के अनुसार किया जाएगा।

27. शासकीय भाषा

अनुबंध अंग्रेजी भाषा में लिखा जाएगा। जीसीसी भाग 28 के अधीन, अनुबंध का अंग्रेजी भाषा संस्करण इसकी व्याख्या को नियंत्रित करेगा। अनुबंध से संबंधित सभी पत्राचार और अन्य दस्तावेज जो पक्षों द्वारा आदान-प्रदान किए जाते हैं, उन्हें उसी भाषा में लिखा जाएगा।

28. लागू कानून

- 28.1 अनुबंध वर्तमान में लागू अनुबंध कानून द्वारा शासित होगा।
- 28.2 अनुबंध के अंतर्गत डिलीवरी का स्थान, निष्पादन का स्थान या भुगतान का स्थान चाहे जो भी हो, अनुबंध उस स्थान पर किया गया माना जाएगा जहां से निविदा की स्वीकृति जारी की गई है।
- 28.3 न्यायालयों का क्षेत्राधिकार: जिस स्थान से निविदा की स्वीकृति जारी की गई है, वहां के न्यायालयों को ही इस अनुबंध से संबंधित या उससे उत्पन्न किसी भी विवाद पर निर्णय देने का क्षेत्राधिकार होगा।
- 28.4 किसी भी पक्ष द्वारा अनुबंध की अविध के दौरान भाग के उल्लंघन या अन्यथा के लिए अनुबंध को समाप्त करने के लिए एक महीने का नोटिस दिया जाएगा।

29. कर और शुल्क

आपूर्तिकर्ता क्रेता को अनुबंधित माल की डिलीवरी तक लगने वाले सभी करों, शुल्कों, लाइसेंस फीस, सड़क परिमट आदि के लिए पूर्ण रूप से जिम्मेदार होंगे।

30. परफॉरर्मेंस सेक्यूरिटी

सफल निविदादाता को ऑर्डर मूल्य का 03% परफॉरमैंस सेक्यूरिटी के रूप में कुलसचिव, भारतीय प्रौद्योगिकी संस्थान (का.हि.वि.) वाराणसी के पक्ष में सावधि जमा रसीद / बैंक गारंटी के रूप में प्रस्तुत करना होगा, जो सभी वारंटी अवधि / दायित्वों के अंत से 60 दिनों की अवधि के लिए वैध हो (यानी, कम से कम 14 महीने के लिए वैध होना चाहिए)। सावधि जमा रसीद / बैंक गारंटी भारत में किसी अनुसूचित बैंक से जारी की जानी चाहिए।

31. आपूर्तिकर्ता अखंडता

आपूर्तिकर्ता अनुबंध के अनुसार सभी अनुबंधित गतिविधियों का संचालन करने के लिए जिम्मेदार और बाध्य है, जिसमें अत्याधुनिक तरीकों और आर्थिक सिद्धांतों का उपयोग किया जाएगा तथा अनुबंध में निर्दिष्ट प्रदर्शन को प्राप्त करने के लिए सभी उपलब्ध साधनों का उपयोग किया जाएगा।

संस्थान निम्नलिखित अधिकार सुरक्षित रखता है:

1. आवश्यकता और भारत सरकार के मानदंडों के अनुसार वस्तुओं की मात्रा में वृद्धि या कमी की जा सकती है, तथापि, यह उस श्रेणी की अधिकतम सीमा के भीतर ही होनी चाहिए जिसमें मूल ऑर्डर दिया गया था, अर्थात यदि यह 2.5 लाख की श्रेणी के भीतर है तो 2.5 लाख की सीमा से अधिक नहीं होनी चाहिए।

- 2. विभिन्न शाखाओं/संस्थाओं में आपूर्ति के निष्पादन के साथ-साथ व्यापार कर पंजीकरण (जीएसटी), आयकर और व्यापार कर निकासी प्रमाण-पत्रों के संबंध में दस्तावेजी साक्ष्य प्रस्तुत न करने की स्थिति में दरसूची (कोटेशन) को अस्वीकार कर दिया जाएगा।
- 3. निर्मित और विपणन किए जा रहे उत्पादों के बारे में संबंधित सरकारी संगठन/संस्थाओं का परीक्षण रिपोर्ट/प्रदर्शन रिपोर्ट के संबंध में प्रामाणिक दस्तावेजी साक्ष्य प्रस्तुत न करने की स्थिति में कोटेशन को अस्वीकार कर दिया जाएगा। उत्पाद का प्रदर्शन परीक्षण संस्थान स्तर पर भी किया जा सकता है, जिसके लिए शुल्क आपूर्तिकर्ताओं को वहन करना होगा।
- 4. यदि पहले से की गई आपूर्ति मानक के अनुरूप नहीं पाई जाती है, तो उसे अस्वीकार कर दें। आपूर्ति की शुद्धता का परीक्षण करने के लिए गहन जाँच की जा सकती है। ऐसी स्थिति में, आपूर्ति को अनुरूप बनाने या उसे त्यागने के लिए आगे की कार्रवाई की जा सकती है।
- 5. संस्थान द्वारा इस प्रयोजन के लिए नियुक्त समिति द्वारा मामले पर विचार करने के बाद प्रिंसिपलों द्वारा सूचित स्थानीय डीलरशिप के संबंध में किसी भी परिवर्धन/परिवर्तन को अस्वीकार करना।
- 6. इस निविदा को किसी भी समय बिना कोई कारण बताए रद्द किया जा सकता है।
- 7. संस्थान किसी भी भाग लेने वाले निविदादाता की निविदा को अस्वीकार करने का अधिकार भी सुरक्षित रखता है।
- 8. क्रेता, अनुबंध के उल्लंघन के लिए किसी अन्य उपाय पर प्रतिकूल प्रभाव डाले बिना, आपूर्तिकर्ता को लिखित नोटिस भेजकर, अनुबंध को पूर्णतः या आंशिक रूप से समाप्त कर सकता है:
 - a. यदि आपूर्तिकर्ता क्रय आदेश में निर्दिष्ट अवधि के भीतर या क्रेता द्वारा दी गई किसी विस्तार अवधि के भीतर किसी भी या सभी वस्तुओं को वितरित करने में विफल रहता है।
 - b. यदि आपूर्तिकर्ता अनुबंध के तहत किसी अन्य दायित्व को पूरा करने में विफल रहता है।
 - c. यदि क्रेता के विचार में आपूर्तिकर्ता ने अनुबंध के लिए प्रतिस्पर्धा करने या उसे निष्पादित करने में भ्रष्ट या धोखाधड़ीपूर्ण कार्य किया है।
- 9. बिना कोई कारण बताए किसी भी या सभी प्रस्तावों को अस्वीकार करना।
- 10. सभी विवाद केवल "वाराणसी क्षेत्राधिकार" के अधीन हैं।
- 11. संस्थान के निर्णय सभी मामलों में अंतिम एवं सभी पर बाध्यकारी होंगे।
- 12. संस्थान को सफल निविदादाता से किसी भी समय सत्यापन के लिए निविदा के साथ प्रस्तुत सभी मूल दस्तावेज प्रस्तुत करने के लिए कहने का अधिकार है। दस्तावेज़ के सत्यापन के दौरान, यदि यह पाया जाता है कि निविदादाता ने कोई जानकारी छिपाई है/गलत/गढ़ी है, तो निविदा और/या बिक्री आदेश रद्द कर दिया जाएगा और परफार्मेंस सेक्यूरिटी जब्त कर ली जाएगी और संस्थान के मानदंडों के अनुसार निविदादाता के विरुद्ध ब्लैकलिस्टिंग सहित कार्रवाई की जाएगी ।
- 13. कृपया सुनिश्चित करें कि आपका प्रस्ताव सभी मामलों में पूर्ण है, क्योंकि आपसे कोई और स्पष्टीकरण नहीं मांगा जाएगा और यह ऊपर उल्लिखित अंतिम तिथि के भीतर हमारे पास पहुंच जाएगा। संस्थान किसी भी विलंब के लिए जिम्मेदार नहीं होगा

प्रधान अन्वेषक: राकेश कुमार सिंह, विभाग का नाम -भौतिकी विभाग आईआईटी (बी.एच.यू.), वाराणसी - 221005, उत्तर प्रदेश, भारत

SECTION 1: INSTRUCTION FOR ONLINE BID SUBMISSION

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (http://eprocure.gov.in/eprocure/app). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

1. Registration

- a. Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- b. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- c. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- d. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g., Sify/ TCS/ n-Code/ e-Mudhra, etc.), with their profile.
- e. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- f. Bidder then logs in to the site through the secured log-in by entering their user ID/ password and the password of the DSC/ e-Token.

2. Searching for Tender Documents

- a. There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- b. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- c. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

3. Preparation of Bids

a. Bidder should take into account any corrigendum published on the tender document before submitting their bids.

- b. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- c. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- d. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g., PAN card copy, annual reports, auditor certificates, etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

4. Submission of Bids

- a. Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e., on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- b. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- c. Bidder has to select the payment option as "on-line" to pay the tender processing fee as applicable and enter details of the instrument. Whenever, Tender processing fees is sought, bidders need to pay the tender processing fee on-line through RTGS.
- d. A standard BoQ format has been provided with the tender document to be filled by all the bidders.

Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

- e. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- f. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128-bit encryption technology. Data storage encryption of sensitive fields is done.
- g. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- h. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.

i. Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

5. Assistance to Bidders

- a. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- b. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.

6. General Instructions to the Bidders

- a. The tenders will be received online through portal https://eprocure.gov.in/eprocure/app. In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- b. Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/ e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- c. Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app.

SECTION 2: INSTRUCTIONS TO BIDDERS

A. Introduction

1. Scope of Work

IIT (BHU) invites online bids from the manufacturers/suppliers on behalf of The Director, IIT (BHU) for supply of Equipment as per the technical specifications given in Annexure- III and as per terms and conditions of this tender document. Supplier should assure complete commissioning of the system including installation and application training for efficient utilization of **Expendables.**

2. Cost of Bidding

The Bidder shall bear all costs associated with the preparation and submission of its bid, and "the Purchaser", will in no case be responsible or liable for these costs, regardless of the conduct or outcome of the bidding process.

B. The Bidding Documents

3. Tender Processing Fees

The Tender Processing fees (Rs. 2,360/-) should be submitted ONLINE as per the details mentioned above. Further, the proof of payment must be uploaded with Technical Bid. The exemption will be applicable as per Govt. of India norms.

4. Content of Bidding Documents

- **4.1** The goods required, bidding procedures and contract terms are prescribed in the bidding documents. In addition to Invitation of Bids, the bidding documents include:
 - (h) Instructions for Online Bid Submission
 - (i) Instruction to Bidders (ITB)
 - (i) General Conditions of Contract (GCC)
 - (k) Special Conditions of Contract (SCC)
 - (1) Schedule of Requirements
 - (m) Tender Form (Technical Bid)
 - (n) Tender Form (Financial Bid)
- **4.2** The Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in rejection of its bid.

5. Amendment of Bidding Documents

- **5.1** At any time prior to the deadline for submission of bids, the Purchaser may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the bidding documents by amendment.
- **5.2** All prospective bidders who have received the bidding documents will be notified of the amendment in writing, which will be binding on them.
- **5.3** In order to allow prospective bidders reasonable time within which to take the amendment into account in preparing their bids, the Purchaser, at its discretion, may extend the deadline for the submission of bids.

C. Preparation of Bids

6. Language of Bid

The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Purchaser shall be written in English language.

7. Documents Comprising the Bid

7.1 Techno commercial un-priced bid and priced bid: The bids are to be submitted in two parts i.e.

Techno commercial un-priced bid and priced bid.

- (c) Techno commercial un-priced bid along with Bid Securing Declaration Form (EMD) as shown in invitation to bids shall be submitted through CPP Portal. If the proof of Bid Securing Declaration Form as EMD is not received along with the technical bid, such bid will not be considered. The samples (if required) of all the items shown in the schedule of requirements of each tender should also accompany the techno commercial un-priced bid in a separate cover.
- (d) Priced bid.
- **7.2 Techno commercial un-priced bid:** The techno commercial un-priced bid prepared by the bidder shall be provided in the following Model Response Format:

Model Response Format

- (h) Standing of each Bidder Manufacturer/Dealer and past experience in supply of the material (certificates to be enclosed), proof of manufacturing Unit/Dealership along with all the documents required for proving the credentials regarding the fulfilment of essential pre-bid criteria.
- (i) List of other Govt. Departments, Public Sector units and Central Autonomous Bodies for which the bidder is supplying material or having the similar type of contracts and a certificate regarding the satisfactory performance of the contract (In the Annexure III format).
- (j) Copy of the audited balance sheet of the vendor for the previous financial year indicating the turnover in supply of the relevant materials/service.
- (k) Details of Permanent Account Number and latest income tax clearance certificate.
- (1) Details of GST No. along with a copy of certificate to be attached.
- (m)Submission of samples if required, for all items indicated in the schedule of requirements. The make of items proposed to be supplied should be indicated in the format of the schedule of requirements and submitted along with the techno commercial un-priced bid without indicating the pricing components.
- (n) Willingness to execute all orders which are placed to meet emergency requirement on priority basis. The Bidder shall note that standards for workmanship, material and equipment, and references to brand names designated by the Purchaser in the schedule of requirements are intended to be descriptive only and not restrictive. The Bidder may substitute alternative standards, brand names and/or catalogue numbers in his bid, provided that it demonstrates to the Purchaser's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.
- **7.3 Price Bid:** The price bid shall comprise the techno commercial bid along with the price component indicating the Unit prices for each and every item indicated in schedule of requirements (Annexure I).
 - (vi) The prices quoted must be net per unit as shown in the Schedule and must include all charges for delivery at the designated stores i.e., F.O.R. IIT (BHU) Varanasi and should be mentioned clearly.
 - (vii) The rate must be stated for each item separately both in words and figures. If there is a discrepancy between the price quoted in word and figures the higher price quoted will be treated as final.
 - (viii) Quoted prices should be firm and inclusive of taxes/duties, freight and forwarding charges, handling charges, loading and unloading charges, and insurance charges etc. However, the prices must be reflected clearly in BoQ format by mentioning basic rate, GST, Freight charges, Any other Taxes/Duties/Levies and exemptions thereon as applicable to IITs.
 - (ix) The prices once accepted by the Institute shall remain valid till the successful execution of the order and till supplies is fully effected and accepted or 12 months from the date of acceptance of tender whichever is later. The Institute shall not entertain any increase in the rates during the period. However, in the event there is a reduction or increase in Government levy/duties/taxes.
 - (x) during the period of execution of the order, the rates shall be suitably adjusted with effect from the date notifying the said reduction or increase in the Government levy/taxes/duty, if any.

8. Bid Prices

8.1 The Bidder shall indicate on the Schedule of requirements (BoQ), the unit prices of the goods it proposes to supply under the Contract and enclose it with the priced bid.

- **8.4** Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - (iii)The prices quoted must be net per unit as shown in the schedule of requirements and must include all charges for delivery at the designated stores.
 - (iv) Any Indian duties, GST and other taxes which will be payable on the goods, if this Contract is awarded.
- **8.5** Prices quoted by the Bidder shall be fixed during the Bidder's performance of the Contract and not subject to variation on any account.

9. Bid Currencies

Prices shall be quoted in Indian Rupees only.

10. Period of Validity of Bids

- **10.4** Bids shall remain valid for **180** days after the date of bid opening prescribed by the Purchaser. A bid valid for a shorter period shall be rejected by the Purchaser as non-responsive.
- **10.5** In exceptional circumstances, the Purchaser may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. A Bidder granting the request will not be required nor permitted to modify the bid.
- **10.6** Bid evaluation will be based on the bid prices without taking into consideration the above modifications.

D. Submission of Bids

11. The tender has to be submitted **ONLINE** before the due date. The offers received after the due date and time will not be considered. **No manual bids will be considered.**

12. Deadline for Submission of Bids

- **12.3** Bids must be received by the Purchaser **ONLINE** not later than the time and date specified in the Invitation for Bids.
- **12.4** The Purchaser may, at his discretion, extend this deadline for submission of bids by amending the bid documents in which case all rights and obligations of the Purchaser and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

13. Late/Delayed Bids

The offers received after the due date and time will not be considered.

14. Modifications and Withdrawal of Bids

- **14.4** The Bidder may modify or withdraw its bid after the ONLINE bid's submission, as per the provision of CPP Portal.
- **14.5** No bid may be modified subsequent to the deadline for submission of bids. No documents will be accepted in support of essential pre-bid criteria after the last date of submission of bids.
- **14.6** No bid may be withdrawn in the interval between the deadline for submission of bids and the expiry of the period of bid validity specified by the Bidder on the bid form.

E. Bid Opening and Evaluation of Bids

15. Opening of Techno commercial un-priced Bids

The purchaser will open all techno commercial un-priced bids in the first instance.

16. Clarification of Bids

16.4 During evaluation of the bids, the purchaser may, at its discretion, ask the Bidder for clarification of its bid. The request for clarification and the response shall be in writing and no change in price or substance of the bid shall be sought, offered or permitted.

- 16.5 No Bidder shall contact the purchaser on any matter relating to its bid from the time of the bid opening to the time the contract is awarded. If the Bidder wishes to bring additional information to the notice of the Institute, it should be done in writing.
- **16.6** Any effort by a Bidder to influence the purchaser in its decisions on bid evaluation, bid comparison or contract award decisions may result in rejection of the Bidder's bid.

17. Evaluation of Techno commercial un-priced Bid

- 17.5 Prior to the detailed technical evaluation, the purchaser will determine the substantial responsiveness of each bid. A substantially responsive bid is one, which conforms to all the terms and conditions of the Bidding Documents without material deviations and meets all the essential prebid criteria. If any bidder does not meet the essential pre-bid criteria as laid down in the Instruction to Bidders, then his bid will be summarily rejected. No documents will be accepted in support of essential pre-bid criteria after the last date of submission of bids.
- **17.6** The purchaser will reject a bid determined as not substantially responsive.
- 17.7 The bidders may be called for discussion and may be allowed to modify their technical bids to suit the organization's requirement. The idea is to arrive at a threshold level of acceptability above which all the bidders shall be treated on par. Those whose technical specifications do not reach the threshold level of acceptability shall be rejected as technically unsuitable. The price bids of the bidders who finally emerge as technically acceptable shall be opened, evaluated and the contract awarded to the lowest evaluated bidder.
- 17.8 The bidders short-listed by the purchaser based on meeting the essential pre-bid criteria and detailed evaluation regarding satisfying the technical criteria laid down in this tender document may be called for detailed discussions with a team selected for the purpose, at a specified date, time and venue, if needed.

18. Opening of Priced Bids

- **18.3** The Purchaser will open the Priced Bids of only those bidders who meet the essential pre-bid criteria and whose techno commercial un-priced bids have been found to be substantially responsive.
- **18.4** The priced Bids of the technically qualified bidders shall be opened by the tender committee.

19. Evaluation and Comparison of priced Bids

- 19.7 Arithmetical errors will be rectified on the following basis: If there is a discrepancy between words and figures, whichever is the higher of the two shall be taken as bid price. If the Vendor does not accept the correction of errors, its bid will be rejected
- 19.8 Bidders shall state their bid price for the payment schedule outlined in the Clause 14 of General Conditions of Contract. Bids will be evaluated on the basis of this base price. Bidders are, however, permitted to state an alternative payment schedule and indicate the reduction in bid price they wish to offer for such alternative payment schedule. The purchaser may consider the alternative payment schedule offered by the selected Bidder but it may not be binding on the purchaser.
- **19.9** The purchaser, at its option may ask some more bidders to match the rates of the lowest bidder for creating parallel suppliers.
- 19.10 The currency that shall be used for bid evaluation and comparison purposes to convert all bid prices expressed in various currencies into a single currency is: Indian Rupees
- 19.11 The source of exchange rate shall be: Reserve Bank of India/Any other authentic source.
- 19.12 The date for the exchange rate shall be: Last day for submission of Bids.
- 20. Purchasers right to accept any bid and to reject any bid or all bids

The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of Contract, without thereby incurring any liability to the affected Bidder or bidders or any obligation to inform the affected Bidder or bidders of the grounds for the Purchaser's action.

21. Award Criteria

- c. IIT (BHU) shall award the contract to the technically qualified eligible BIDDER whose bid has been determined as the lowest evaluated commercial bid.
- d. If more than one BIDDER happens to quote the same lowest price, IIT(BHU) Varanasi reserves the right to award the contract to more than one BIDDER or any BIDDER.

22. Notification of Award

Prior to the expiration of the period validity, the purchaser will notify the successful Bidder in writing by letter or by fax, to be confirmed in writing by speed post or hand delivered letter, that its bid has been accepted.

23. Factors Affecting the Award of Supply

- **23.7** The bidder should have its own Contract support facilities. The support facilities should be fully owned and managed by the bidder.
- **23.8** Conformity with the Request for Bid/Tender required and conditions.
- **23.9** The assessment based on the response to Model Response Outline.
- 23.10 The assessment of the capability of the bidder to meet the terms and conditions.
- **23.11** The bidders must have executed similar orders, for which the bidder is quoting, for Govt./Semi-Govt./Autonomous Organizations.
- 23.12 The cost and the discount offered, if any.

24. Fall clause

- **24.4** The price quoted by the supplier should not be higher than the maximum retail price, if any, for the stores and the same shall not be higher than the price usually charged by the supplier for stores of the same nature, class or description to any other purchaser.
- 24.5 The price charged for the stores supplied under the contract by the supplier shall in no event exceed the lowest price at which the supplier sells the stores of identical description to any other person during the period till performance of all supply orders placed during the currency of the contract is completed. If at any time during the period the supplier reduces the sale price of such stores or sells such stores to any other person including his dealers at a price lower than the price chargeable under the contract, he shall forthwith notify such reduction or sale to the purchaser and the price payable under the contract for these items of stores supplied after the date of coming into force of such reduction or sale shall stand correspondingly reduced.
- **24.6** If it is discovered that the supplier has contravened the above conditions, then without prejudice to any other action which might be taken against him, it shall be lawful for the purchaser to (a) revise the price at any stage so as to bring it in conformity with sub-clause(i) above, or (b) to terminate the contract and purchase the items of stores at the risk and cost of the supplier and in that event the provisions of Clause 28 of General Conditions of Contract shall, as far as possible, be applicable or recover the loss.

SECTION 3: GENERAL CONDITION OF CONTRACTS

1. Definitions

In this Contract, the following terms shall be interpreted as indicated:

- (j) "The order" means the agreement entered between the Purchaser and the Supplier including all the attachments and appendices and all documents incorporated as per notification of award.
- (k) "The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
- (l) "The Goods" means all the items, which the Supplier is required to supply to the Purchaser under the Contract.
- (m)"Services" means services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services training and other obligations of the Supplier covered under the Contract.
- (n) "GCC" means the General Conditions of Contract contained in this section.
- (o) "The Purchaser" means the organization purchasing the Goods i.e., IIT (BHU) VARANASI.
- (p) "The Purchaser's country" is India.
- (q) "The Supplier" means the individual or firm supplying the Goods and Services under this Contract.
- (r) "Day" means calendar day.

2. Application

These General Conditions shall apply to the extent that they are not superseded by provisions in other parts of the Contract.

3. Standards

The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, to the authoritative standard appropriate to the Goods' country of origin and such standards shall be the latest issued by the concerned Institution.

4. Use of Contract Documents and Information

- **4.1** The Supplier shall not, without the Purchaser's prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample or information furnished by or on behalf of the Purchaser in connection therewith, to any person other than a person employed by the Supplier in performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- **4.2** The Supplier shall not, without the Purchaser's prior written consent, make use of any document or information except for purposes of performing the Contract.
- **4.3** Any document, other than the Contract itself, shall remain the property of the Purchaser and shall be returned (in all copies) to the Purchaser on completion of the Supplier's performance under the Contract if so, required by the Purchaser.

5. Patent Rights

The Supplier shall indemnify the Purchaser against all third-party claims of infringement of patent, trademark or industrial design rights arising from use of the Goods or any part thereof in India.

6. Submission of the Bids

- **6.1** All bids complete in all respect must be submitted online on or before the Bid Closing date and time as mentioned on Critical Data Sheet. Tenders received without Bid Securing Declaration Form as earnest money etc. shall be rejected.
- **6.2** The Tender document for this supply is available on the website of IIT (BHU) Varanasi (www.iitbhu.ac.in/iitnotifications/purchase_enquiries/) or from Central Public Procurement Portal (CPPP) https://eprocure.gov.in/eprocure/app.

6.3 Interested bidders may submit their bid through the Central Public Procurement Portal (CPPP) https://eprocure.gov.in/eprocure/app.

7. Inspections and Tests

- 7.1 The Purchaser or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Purchaser.
- 7.2 The inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery and/or at the Goods destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data shall be furnished to the inspectors at no charge to the Purchaser.
- **7.3** Any inspected or tested Goods fail to conform to the specifications, the Purchaser may reject the goods and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Purchaser.
- **7.4** The Purchaser's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival at Project Site shall in no way be limited or waived by reason of the Goods having previously been inspected, tested and passed by the Purchaser or its representative prior to the Goods shipment.
- **7.5** Nothing in GCC Clause 7 shall in any way release the Supplier from any warranty or other obligations under this Contract.

8. Consequences of rejection

If in the event the stores are rejected by the purchaser at the destination and the supplier fails to make satisfactory supplies within the stipulated period of delivery, the purchaser will be at liberty to:

- (d) Allow the supplier to resubmit the stores in replacement of those rejected, within a specified time without any extra cost to the purchaser.
- (e) Reject the material, which shall be final and binding on the contractor.
- (f) Procure the rejected materials of comparable quality from the open market/Govt. stores and the supplier shall be liable to pay the difference in price over the RC prices or get the amount adjusted from the outstanding bills of the supplier, if any.

9. Packing

- **9.1** The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
- **9.2** The packing, marking and documentation within and outside the packages shall comply strictly with such special requirements as shall be provided for in the Contract including additional requirements, in any subsequent instructions ordered by the Purchaser.

10. Delivery and Documents

- 10.1 The Supplier shall make delivery of the Goods within 90 days from the placement of purchase order in pursuance of the notification of award. The purchase order would be placed after assessing the requirements on quarterly basis. However, the supplier shall also arrange to execute all orders on priority basis which would be placed to meet any emergent requirements.
- **10.2** In case the purchaser decides to conclude parallel rate contracts, then the requirements would be split on different firms on equitable basis as per the discretion of the purchaser.
- 10.3 The delivery of Stores shall be affected at the premises of the Institute free of all delivery charges and within the stipulated time and as may be elucidated in the confirmed order, accompanied by a delivery challan. No extension of time for delivery of Stores shall normally be accorded.

The supplier shall mail the following documents to the purchaser with a copy to the insurance company:

- 8. 3 Copies of the Supplier Invoice showing contract number, goods' description, quantity, unit price, total amount, etc.
- 9. Installation Certificate.
- 10. Insurance Certificate if applicable.
- 11. Manufacturer's/Supplier's Warranty Certificate.
- 12. Inspection Certificate issued by the nominated inspection agency, if any.
- 13. Supplier's Factory Inspection Report.
- 14. Certificate of Origin (if possible, by the beneficiary).

The above documents should be received by the Purchaser before arrival of the Goods (except where the Goods have been delivered directly to the Consignee with all documents) and, if not received, the Supplier will be responsible for any consequent expenses.

Time and Date of Delivery - Essence of the Contract: The time for and the date of delivery of the stores stipulated shall be deemed to be of the essence of the contract and delivery must be completed not later than the date(s) specified.

11. Insurance

The Goods supplied under the Contract shall be fully insured in Indian Rupees against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery. The insurance shall be obtained by the suppliers in an amount equal to 110% of the value of the goods from "warehouse to warehouse" (final destinations) on "all risks" basis including war risks and strikes.

12. Transportation

Where the Supplier is required under the Contract to transport the Goods within India defined as Project site, transport to such place of destination in India including insurance, as shall be specified in the Contract, shall be arranged by the Supplier, and the related cost shall be included in the contract Price.

13. Warranty

- 13.1 The Supplier warrants that the Goods supplied under this Contract are new, unused, of the most recent or current models and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect arising from design, materials or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in India.
- 13.2 This warranty shall remain valid for at least 12 months (or as specified) after the Goods or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract, unless specified otherwise.
- **13.3** The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty.
- **13.4** Upon receipt of such notice, the Supplier shall with all reasonable speed, repair or replace the defective Goods or parts thereof, without any extra cost to the Purchaser.
- 13.5 If the Supplier, having been notified, fails to remedy the defect(s) within a reasonable period, the Purchaser may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.

14. Payment

14.1 The payment shall be made 100% payment against Supply, Installation and Commissioning and submission of satisfactory PBG @ 3%.

14.2 The Supplier's request(s) for payment shall be made to the Purchaser in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and the Services performed, and by documents, submitted pursuant to GCC Clause 10, and upon fulfillment of other obligations stipulated in the contract.

15. Prices

Prices charged by the Supplier for Goods delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in his bid. The bidder must mention the applicable taxes/duty and exemptions thereon, if any, as per the Government of India norms. The Institute will provide requisite certificate, if any, required by the bidder as per the applicable Govt. of India norms.

16. Change Orders

- **16.1** The Purchaser may at any time, by written order given to the Supplier, make changes within the general scope of the Contract in any one or more of the following:
 - (e) Drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser;
 - (f) The method of shipping or packing;
 - (g) The place of delivery; and/or
 - (h) The services to be provided by the Supplier.
- 16.2 If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or delivery schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this clause must be asserted within thirty (30) days from the date of the Supplier's receipt of the Purchaser's change order.

17. Contract Amendments

Subject to GCC Clause 16, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.

18. Assignment

The Supplier shall not assign, in whole or in part, its obligations to perform under the Contract, except with the Purchaser's prior written consent.

19. Subcontracts

The Supplier shall notify the Purchaser in writing of all subcontracts awarded under this Contract if not already specified in the bid. Such notification, in his original bid or later, shall not relieve the Supplier from any liability or obligation under the Contract.

20. Delays in the Supplier's Performance

- **20.1** Delivery of the Goods and performance of the Services shall be made by the Supplier in accordance with the time schedule specified by the Purchaser as per GCC clause 10.
- 20.2 If at any time during performance of the Contract, the Supplier or its sub-contractor(s) should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may, at its discretion, extend the Supplier's time for performance with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of the Contract.
- **20.3** Except as provided under GCC Clause 23, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of penalty pursuant to GCC Clause 21, unless an extension of time is agreed upon pursuant to GCC Clause 20.2 without the application of liquidated damages.

21. Penalty

Subject to GCC Clause 23, if the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Purchaser shall, without prejudice to its other

remedies under the Contract, deduct from the Contract Price, as penalty, a sum equivalent to 1% per week and the maximum deduction is 10% of the contract price of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance. Once the maximum is reached, the Purchaser may consider termination of the Contract pursuant to GCC Clause 22.

22. Termination for Default

- **22.1** The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part:
 - (d) If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the purchase order, or within any extension thereof granted by the Purchaser pursuant to GCC Clause 20;
 - (e) If the Supplier fails to perform any other obligation(s) under the Contract;
 - (f) If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

'For the purpose of this Clause:

"Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.

"Fraudulent practice: a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition;"

22.2 In the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 22.1, the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated.

23. Force Majeure

- **23.1** Notwithstanding the provisions of GCC Clauses 20 & 21, the Supplier shall not be liable for imposition of liquidated damages or termination for default, if and to the extent that, its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- 23.2 For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 23.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

24. Termination for Insolvency

The Purchaser may at any time terminate the Contract by giving written notice to the Supplier, if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the Purchaser.

25. Termination for Convenience

- **25.1** The Purchaser, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- **25.2** The Goods that are complete and ready for shipment within 30 days after the Supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices.

26. Resolution of Disputes

- **26.1** The Purchaser and the supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.
- **26.2** If, after thirty (30) days from the commencement of such informal negotiations, the Purchaser and the Supplier have been unable to resolve amicably a Contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms as specified below. These mechanisms may include, but are not limited to, conciliation mediated by a third party, adjudication in an agreed national or international forum, and national or international arbitration.
- **26.3** In case of Dispute or difference arising between the Purchaser and a supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Arbitration and Conciliation Act, 1996 as amended from time to time.

27. Governing Language

The contract shall be written in English language. Subject to GCC Clause 28, English language version of the Contract shall govern its interpretation. All correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language.

28. Applicable Law

- **28.1** The contract shall be governed by the Law of Contract for the time being in force.
- **28.2** Irrespective of the place of delivery, the place of performance or place of payment under the contract, the contract shall be deemed to have been made at the place from which the acceptance of tender has been issued.
- **28.3** Jurisdiction of Courts: The courts of the place from where the acceptance of tender has been issued shall alone have jurisdiction to decide any dispute arising out of or in respect of this contract.
- **28.4** One-month notice will be given by either party for termination of Contract during the tenure of Contract for breach of Clause or otherwise.

29. Taxes and Duties

Suppliers shall be entirely responsible for all taxes, duties, license fees, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser.

30. Performance Security

Successful bidder has to furnish 03% of the order value as a performance security in the shape of Fixed Deposit Receipt / Bank Guarantee in favour of the Registrar, Indian Institute of Technology (BHU) Varanasi valid for a period of 60 days beyond the end of all warranty period / obligations (i.e., must valid for minimum 14 months). Fixed Deposit Receipt / Bank Guarantee should be issued from a schedule bank in India.

31. Supplier Integrity

The Supplier is responsible for and obliged to conduct all contracted activities in accordance with the Contract using state of the art methods and economic principles and exercising all means available to achieve the performance specified in the contract.

The Institute Reserves the Right to:

- 1. Increase or decrease the quantity of the item(s) as per requirement and GOI Norms only, however, provided within the ceiling of the category in which the original order was placed i.e., if it is within 2.5 Lakh category than should not exceed the 2.5 lakh limit and so on.
- 2. Reject the quotation in absence of not furnishing the documentary evidence in respect of Trade Tax Registration (G.S.T), Income Tax and Trade Tax clearance certificates together with the performance of supplies in various branches/institutions.
- **3.** Reject the quotation in the event of non-furnishing the authentic documentary evidence in respect of Testing reports / Performance report of the concerned Govt. Organization / Institutions about the products being manufactured and marketed. The performance test of the product can be conducted at Institute level also for which charge will have to be borne by the suppliers.
- **4.** Reject the supplies already made, if not found up to the mark. Thorough checking may be adopted to test the correctness of the supply. In such an event, further action may call to conform or discard the supply.
- **5.** To reject any addition/alteration in respect of local dealerships intimated by the Principals after consideration of the case by the committee appointed by the Institute for the purpose.
- **6.** Cancel this Tender at any point of time without assigning any reason thereof.
- 7. The Institute also reserves the right to reject the bid of any participated bidder.
- **8.** The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part:
 - a. If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the purchase order, or within any extension thereof granted by the Purchaser.
 - b. If the Supplier fails to perform any other obligation(s) under the Contract.
 - c. If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
- 9. To reject any or all the offers without assigning any reasons thereof.
- 10. All disputes are subject to "Varanasi Jurisdiction" only.
- 11. The decisions of the Institute in all respect shall be final and binding on all.
- 12. The Institute reserves the right to ask the successful bidder to produce all the original documents submitted along with the bids for verification at any point of time. During the verification of the document, if it is found that the bidder has concealed/falsified/fabricated any information, the bid and/or purchase order will be cancelled and performance security will be forfeited and action including blacklisting will be taken against the bidder as per norms of the Institute.
- 13. Please ensure that your offer is complete in all respect as no further clarifications shall be sought from you and reaches us within the last date mentioned above. The Institute shall not be responsible for any delay etc.

Dr. Rakesh Kumar Singh Department of Physics IIT (BHU) Varanasi Varanasi - 221005, Uttar Pradesh, India

SECTION 4: SPECIAL CONDITIONS OF CONTRACT

1. Essential Pre-Bid Criteria

- 1. Bidders should be the manufacturer (OEM)/authorized dealer. In case the bid is submitted by the Authorized dealer, the currently valid Authorization letter for participating in this Tender (by clearly mentioning the Reference of this Tender) issued by the OEM must be uploaded (in Annexure V format). The Letter of authorization shall remain valid during execution of supply and installation.
- 2. An undertaking from the OEM is required stating that they would facilitate the bidder on a regular basis with technology/product updates and extend all support for the warranty period in confirmation with this bid for the quoted items. In case the OEM withdraws its authorization from bidder, the above service will continued to be provided by the OEM.
- **3.** The bidder has to provide on their letterhead/affidavit that they were never been black-listed by any IITs/NITs/Govt. R&D Organization/Govt. Offices/PSUs/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. Bodies and it must be uploaded along with the technical Bid under cover 1.
- **4.** Certified Financial Statement of Bidder from a CA such as Balance Sheet and Profit & Loss account of last three financial years clearly indicating the annual turnover regarding the supply and installation of similar type of items. The annual financial turnover of bidder must not be less than Rs. 1 Crore per year during the last 3 financial years.
- 5. The bidder/OEM must have delivered same or similar type of equipment (PNA) and related accessories in the last three financial years to any of the IITs/NITs/Govt. R&D Organization/Govt. Offices/PSU/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. bodies with order value of at least Rs. 6 Lakh for a single order. Copies of purchase orders, satisfactory installation certificates, names of user, their mobile number/phone number and email id must to be uploaded. The purchaser may ask for input from user where the quoted instrument has been installed.
- **6.** Offered products/ model should be in production and latest datasheet/ product brochure of the same should be available on OEM's official website.
- 7. Pointwise technical compliance (along with reference pages of datasheet) should be submitted along with technical datasheet.
- **8.** OEM should have local presence in India with its own NABL/UKAS accredited calibration Laboratory and service facility in India for after sales support.
- **9.** Vendor has to confirm that no end user statement required keeping in view the warranty period of 9-12 weeks.
- **10.** Manufacturer comprehensive warranty for 01 years.
- **11.** Adherence to all the technical specifications is compulsory.
- **12.**Certificate as per Annexure V, VI, VII and VIII on the letterhead of the company must be uploaded.
- 13. Only those bidders who will quote rates of all the items together will be considered for evaluation. Lowest bidder will be decided on overall L1 basis.

NOTE: THE BID OF THOSE BIDDERS WHO FAILS TO COMPLY THE ABOVE ESSENTIAL CRITERIA WILL NOT BE CONSIDERED FOR TECHNICAL EVALUATION.

2. Documents Comprising the Bid

The tender/Bid shall be submitted online in two parts: Technical Bid and Commercial Bid.

I. Technical Bid

The following documents are to be scanned and uploaded as part of the Technical Bid as per the tender document:

- (a) Scanned copy of Tender Forms (Techno Commercial Un-Priced Bid), Declaration, Bidder's Information Form, and Tender Acceptance Letter.
- (b) Scanned copy of proof for submission of Tender Document Fee/ Earnest Money Deposit/Exemption Certificate, if any etc.

- (c) Scanned copy of written confirmation authorizing the signatory of the Bid to commit the Bidder.
- (d) Scanned copy of quoted product brochure.
- (e) Scanned copy of completely filled Annexure III with supporting documents
- (f) Scanned copy of Technical Bid and essential Pre-bid Details, if any.
 - i. Scanned copy of documentary evidence establishing the Bidder's qualifications to perform the contract if its bid is accepted and the Bidder's eligibility to bid.
 - ii. Scanned copy of documentary evidence, that the Goods and Related Services to be supplied by the Bidder are of eligible origin and conform to the Bidding Documents.
- (g) Scanned copy of Checklist, compliance of Essential pre-bid criteria and Technical Compliance Sheet (Annexure II) and any other document required as per the tender.

II. Commercial Bid

The commercial bid comprises of:

- (a) Scanned copy of Tender Form (Price Bid)
- (b) Price bid in the form of .xls format and to be uploaded in .xls and signed .pdf format.

The Price bid format is provided as .xls format along with this Tender Document at https://eprocure.gov.in/eprocure/app. Bidders are advised to download this .xls format and quote_their offer/rates in the prescribed column.

In addition to the above requirements, bids submitted by a Joint Venture, shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful bid shall be signed by all members and submitted with the bid, together with a copy of the proposed Agreement, there to.

The Bidder shall furnish in the Tender Forms information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Bid.

3. Installation & Demonstration

The supplier is required to do the installation and demonstration of the equipment within one week of the arrival of materials at the IIT (BHU) site of installation; otherwise the penalty clause will be the same as per the supply of materials.

In case of any mis-happening/damage to equipment and supplies during the carriage of supplies from the origin of equipment to the installation site, the supplier has to replace it with new equipment/supplies immediately at his own risk. Supplier will settle his claim with the insurance company as per his convenience. IIT (BHU) will not be liable to any type of losses in any form.

4. Application Specialist

The Tenderer should mention in the Techno-Commercial bid the availability and names of Application Specialist and Service Engineers in the nearest regional office.

5. Spares

The Supplier is required to provide state availability of spares for ten years, if required.

6. Training of Personnel

The supplier shall be required to undertake to provide the technical training to the personnel involved in the use of the equipment at the Institute premises, immediately after completing the installation of the equipment for a minimum period of one week at the supplier's cost.

7. User List

The bidder must provide the list of users where they have deployed similar nature of equipment's in last 10 years in prescribed format of Annexure III.

8. Manuals/Documents

One set of hard copy and one set of soft copy in English (preferred as following).

- i. Operating manual
- ii. Servicing & Maintenance manual
- iii. Spare parts list with source of supply and prices
- iv. Pre-installation requirements.

9. Services

Vendor must submit Factory Acceptance Test procedure supported with relevant printed literature and certificates.

- 10. The Tender document should also indicate what kind of service/maintenance is required for the system. Whether this service has to be carried out by a company engineer or it can be carried by trained service personnel within India. The frequency of visit and the charges should be mentioned.
- 11. The Tender should be enclosed with proper certifications like **Authorization Certificate** and **Proprietary Certificate** (in case of Proprietary items).
- 12. Pre-installation site preparation/inspection requirements to be indicated and specified along with the bid.
- **13.** Bid should include FOR IIT(BHU) Varanasi prices. The Institute will provide requisite certificate, if any, required by the bidder as per the applicable Govt. of India norms.
- 14. The vendor to provide compliance statement with respect to each technical specification in the tender document duly supported by the manufacturer's literature. Any other claim will not be accepted and may lead to rejection of the bid.
- 15. Printed literature in support of compliance to the prescribed specifications is to be submitted.
- **16.** Compliance report needs to be submitted as a part of the technical bid.
- 17. Exemption is allowed from payment of Tender processing fees as per Government of India norms against submission of currently valid certificate specifically for the item(s) proposed to be procured through this Tender.
- 18. It is mandatory for bidders to quote items having local content minimum 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017, No. P-45021/2/2017-PP (B.EII) dated 16.09.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India. (Submit duly filled Annexure VII for the same). The Annexure VII once submitted in the Technical Bid will be final. Submission of Revised Annexure VII will NOT be accepted. As per OM of DPIIT, Ministry of Commerce and Industry, Govt. of India No. P-45021/102/2019- BE-II- Part (1) (E-50310) Dated 04.03.2021, Bidders offering Imported products will fall under the category of Non-Local Suppliers. They cannot claim themselves as Class-I or Class-II Local Suppliers by claiming the services such as Transportation, Insurance, Installation, Commissioning, Training and After Sale Service Support like AMC/ CMC etc. as Local Value Addition.
- 19. As per the Government of India Order, only "Class-I Local Suppliers" and "Class-II Local Suppliers" can participate in this tender.
- 20. Bidder should confirm their acceptance that they comply with the provisions with report to "Guidelines for eligibility of a bidder from a country which shares a land border with India as detailed at Annexure VI. The bidder should submit Certificate for "Bidder from/ Not from Country sharing Land border with India & Registration of Bidder with Competent Authority" as per Order of DoE F.No.6/18/2019-PPD dated 23.07.2020 as mentioned. A certificate shall be submitted by bidders in the tender documents regarding their compliance with the said order. If the certificate submitted by

- a bidder whose bid is accepted is found to be false, this would be a ground for immediate termination and further legal action in accordance with law. Annexure VI.
- 21. Defective Equipment: If any of the equipment supplied by the Tenderer is found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the committee will have the right to reject the equipment or its part. The prices of such equipment shall be refunded by the Tenderer with 18% interest if such payments for such equipment have already been made. All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses incurred thereon shall be recovered from the supplier. Defective part in equipment, if found before installation and/or during warranty period, shall be replaced within 30 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace above item as per above terms & conditions, IIT (BHU) may consider "Banning" the supplier.

IMPORTANT NOTE

- 1. Non-compliance of tender terms, non-uploading of required documents, lack of clarity of the specifications, contradiction between bidder specifications and supporting literature etc. may lead to rejection of the bid.
- 2. In the tender, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.
- 3. If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.

SECTION 5: CHECKLIST FOR BID/TENDER UPLOADING (The following check-list must be filled in and uploaded with the bid documents)

S. No.	Particulars Techno Commercial Un-priced Bid (Cover 1)	Yes/No
1	Have you uploaded the techno commercial un-priced bid form duly filled in appropriately?	
2	Have you uploaded a copy of the last three financial years audited balance sheet and P & L Account of your firm?	
3	Have you attached the details of the income tax clearance certificate, proof of manufacturing unit/ dealership letter/ general order suppliers and copy of GST registration certificate?	
4	The bidder/OEM must have delivered similar type of same or similar type of equipment (PNA) and related accessories in the last Three financial years to any of the IITs/NITs/Govt. R&D Organization/Govt. Offices/PSU/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. bodies with order value of at least Rs. 6 Lakh for a single order. Copies of purchase order, satisfactory installation certificate, names of user, their mobile number/ phone number and email id need to be uploaded. The purchaser may ask for input from user where the quoted instrument has been installed.	
5	Have you submitted DD/transferred online Tender Processing Fee asked for and Bid Securing Declaration Form as EMD separately and uploaded their proof of submission?	
6	Have you enclosed the schedule of requirement indicating the make offered without indicating the pricing components along with the techno commercial un-priced bid?	
7	Have you uploaded the bids both techno commercial un-priced and priced bid separately for the tender?	
8	Have you enclosed the statement of deviations from financial terms and conditions, if any?	
9	Have you submitted the Technical Compliance Sheet?	
10	Have you attached the compliance of Essential Pre-Bid criteria?	
11	Have you attached Manufacturer's Authorization certificate for this Tender?	
12	Have you attached an Affidavit on stamp paper that bidder has never been black-listed along with the technical Bid under cover 1?	
13	Have you attached the Declaration on the letter pad of Bidder?	
14	Have you attached the signed Tender acceptance letter?	
	Price Bid (Cover 2)	
1	Have you signed and uploaded the priced bid form?	
2	Have you uploaded the schedule of requirements duly priced i.e., BOQ and its pdf version?	

NOTE: While arranging the Tender Documents, check list should be placed on TOP.

COMPLIANCE SHEET OF ESSENTIAL PRE-BID CRITERIA

S. No.	Essential Pre-Bid Criteria	Compliance
1	Bidders should be the manufacturer (OEM)/authorized dealer. In case the bid is	
	submitted by the Authorized dealer, the currently valid Authorization letter for	
	participating in this Tender (by clearly mentioning the Reference of this Tender)	
	issued by the OEM must be uploaded (in Annexure V format). The Letter of	
	authorization shall remain valid during execution of supply and installation.	
2	An undertaking from the OEM is required stating that they would facilitate the	
	bidder on a regular basis with technology/product updates and extend all support	
	for the warranty period in confirmation with this bid for the quoted items. In case	
	the OEM withdraws its authorization from bidder, the above service will	
	continued to be provided by the OEM.	
3	The bidder has to provide on their letterhead/affidavit that they were never been	
	black-listed by any IITs/NITs/Govt. R&D Organization/Govt.	
	Offices/PSUs/Govt. Funded Universities/Govt. Funded Autonomous	
	Bodies/Govt. Bodies and it must be uploaded along with the technical Bid under	
	cover 1.	
4	Certified Financial Statement of Bidder from a CA such as Balance Sheet and	
	Profit & Loss account of last three financial years clearly indicating the annual	
	turnover regarding the supply and installation of similar type of items. The annual	
	financial turnover of bidder must not be less than Rs. 01 Crore per year during	
5	the last 3 financial years.	
3	The bidder/OEM must have delivered same or similar type of equipment (PNA)	
	and related accessories in the last three financial years to any of the IITs/NITs/Govt. R&D Organization/Govt. Offices/PSU/Govt. Funded	
	Universities/Govt. Funded Autonomous Bodies/Govt. bodies with order value of	
	at least Rs. 6 Lakh for a single order. Copies of purchase orders, satisfactory	
	installation certificates, names of user, their mobile number/ phone number and	
	email id must to be uploaded. The purchaser may ask for input from user where	
	the quoted instrument has been installed.	
6	Offered products/ model should be in production and latest datasheet/ product	
	brochure of the same should be available on OEM's official website.	
7	Pointwise technical compliance (along with reference pages of datasheet) should	
	be submitted along with technical datasheet.	
8	OEM should have local presence in India with its own NABL/UKAS accredited	
	calibration Laboratory and service facility in India for after sales support.	
9.	Vendor has to confirm that no end user statement required keeping in view the	
	delivery period of 12 weeks.	
10.	Manufacturer comprehensive warranty for 01 year.	
11.	Adherence to all the technical specifications is compulsory.	
12.	Certificate as per Annexure V, VI, VII, and VIII on the letterhead of the company	
	must be uploaded.	
13.	Only those bidders who will quote rates of all the items together will be	
	considered for evaluation. Lowest bidder will be decided on overall L1 basis.	
All de	ocuments in support of above essential pre-bid criteria shall be scanned and uplo	adad undan

All documents in support of above essential pre-bid criteria shall be scanned and uploaded under cover 1.

Signature of the Authorized Person
Date:
Full Name
Place:
Company Address with Seal

SECTION 6: DECLARATION (On the letter head of the firm submitting the bid)

1.	I, Son /Daughter of Shri
	Authorized Signatory of M/s Proprietor/ Partner/ CEO /MD/ Director/ Authorized Signatory of M/s am competent to sign this
	declaration and execute this tender document.
2.	I have carefully read and understood all the terms and conditions of the tender and hereby convey my acceptance of the same.
3.	The information/ documents furnished along with the above application are true and authentic to the best of my knowledge and belief.
4.	I/ we/ am are well aware of the fact that furnishing of any false information/ fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law.
5.	Each page of the tender document and papers submitted by my Company is authenticated, sealed and signed, and I take full responsibility for the entire documents submitted.
6.	This is certified that our organization has been authorized (Copy attached) by the OEM to participate in Tender. We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document. Moreover, OEM has agreed to support on regular basis with technology /product updates and extend support for the warranty.
7.	The prices quoted in the price bids are subsidized due to academic discount given to IIT (BHU) Varanasi.
8.	We, further specifically certify that our organization has not been Black Listed/De Listed or put to any Holiday by any Institutional Agency/Govt. Department/Public Sector Undertaking in the last three years (should be supported with an Affidavit on stamp paper)
	Signature of the Authorized Person
Da	te: Full Name
Pla	ace:
	Company Address with Seal

<u>खंड-7</u>

निविदा प्रपत्र

तकनीकी सह वाणिज्यिक बिना मूल्य निविदा (Techno commercial un-priced Bid) (निविदा जमा करने वाली फर्म के पत्र शीर्ष पर)

निविदा संख्या
सेवा में,
डॉ. राकेश कुमार सिंह,
भौतिकी विभाग
भारतीय प्रौद्योगिकी संस्थान, (काशी हिंदू विश्वविद्यालय),
वाराणसी – 221005, (उ.प्र.)

महोदय/महोदया,

- 1. मैं/हम निविदा दस्तावेजों की जांच किए है और निविदादाताओं को दिये गए निर्देशों के अनुसार जारी किए गए परिशिष्ट सहित, निविदा दस्तावेजों में कोई आरक्षण नहीं है।
- 2. मैं/हम पात्रता आवश्यकताओं को पूरा करते हैं और इसमें हितलाभ का कोई विरोध नहीं (no conflict of interest) है;
- 3. मैं/हम भारत में न तो निलंबित किए गए है और न ही अपात्र घोषित किए गए है;
- 4. मैं/हम निविदा दस्तावेजों के अनुरूप और आवश्यकताओं की अनुसूची में निर्दिष्ट वितरण अनुसूचियों के अनुसार निम्नलिखित सामान की आपूर्ति करने की पेशकश करते हैं: [माल और संबंधित सेवाओं का संक्षिप्त विवरण दें];
- 5. मैं/हम इस निविदा के लिए अनुसूची में सूचीबद्ध वस्तुओं की आपूर्ति करने की पेशकश करते हैं, जैसा कि आप निविदा की स्वीकृति में निर्दिष्ट अनुसूची में दिए गए मूल्य पर निर्दिष्ट कर सकते हैं और इस प्रस्ताव को की अविध के लिए खुला रखने के लिए सहमत हैं। निविदा खुलने की तिथि से दिन।
- 6. मैं/हम आपके द्वारा जारी स्वीकृति के संचार के लिए बाध्य होंगे।
- 7. मैं/हम निविदा के आमंत्रण के साथ संलग्न प्रपत्र में निविदादाताओं को दिए गए निर्देश और अनुबंध की शर्तों को समझ लिए है और अनुसूची में उद्धृत विनिर्देशों की पूरी तरह से जांच की है और आवश्यक सामान की प्रकृति से पूरी तरह अवगत हूं/हैं और मेरे / हमारा प्रस्ताव विनिर्देशों और आवश्यकताओं के अनुसार समय से माल की आपूर्ति करना है।
- 8. कुलसचिव, आईआईटी (बीएचयू) वाराणसी के पूर्वोक्त खाते में निविदा प्रसंस्करण शुल्क के रूप में रुपये के भुगतान का प्रमाण
- 9. इस निविदा का हिस्सा बनने के लिए निम्नलिखित को जोड़ा गया है।

- (क) आवश्यकताओं की अनुसूची, केवल विधिवत हस्ताक्षरित और मुद्रांकित को उद्धृत करते हुए। (कीमत बताए बिना)
- (ख) आयकर निकासी प्रमाण पत्र।
- (ग) पिछले लेखापरीक्षित बैलेंस शीट (last audited balance sheet) की प्रति।
- (घ) वैध जीएसटी पंजीकरण प्रमाण पत्र की प्रति।
- (ङ) आईआईटी/एनआईटी/सरकारी कार्यालय/पीएसयू/विश्वविद्यालय/स्वायत्त निकाय में विगत पांच वर्षों के दौरान निष्पादित समान प्रासंगिक प्रमुख खरीद आदेशों की प्रति ।
- (च) निर्माण इकाई का प्रमाण, डीलरशिप प्रमाण पत्र / सामान्य आदेश आपूर्तिकर्ता ।
- (छ) वित्तीय नियमों और शर्तों से विचलन का विवरण, यदि कोई हो।
- (ज) कोई अन्य संलग्नक। (कृपया विवरण दें)
- 10. हम प्राथमिकता के आधार पर आकस्मिक आवश्यकताओं को पूरा करने के लिए रखे गए सभी आदेशों को निष्पादित करने का वचन देते हैं।
- 11. प्रमाणित किया जाता है कि निविदा जमा करने वाला:
 - (क) एक एकल स्वामित्व वाली फर्म और निविदा दस्तावेज पर हस्ताक्षर करने वाला व्यक्ति एकमात्र मालिक /एकल स्वामित्व का कानूनी प्रतिनिधि है,

या

(ख) एक साझेदारी फर्म, और निविदा दस्तावेज पर हस्ताक्षर करने वाला व्यक्ति फर्म का भागीदार है और उसके पास साझेदारी समझौते के आधार पर/सामान्य मुख्तारनामा के आधार पर साझेदारी के व्यवसाय से संबंधित मध्यस्थता विवादों को संदर्भित करने का अधिकार है।

या

(ग) एक कंपनी और दस्तावेज़ पर हस्ताक्षर करने वाला व्यक्ति विधिक प्रतिनिधि है।

(नोटः जो लागू न हो उसे हटा दें। सभी सुधार∕विलोपन अनिवार्य रूप से निविदा दस्तावेज पर हस्ताक्षर करने के लिए अधिकृत व्यक्ति द्वारा प्रमाणित होने चाहिए)।

- 12. हम एतद्वारा यह वचन देते हैं कि, प्राप्तिकी औपचारिक अधिसूचना तक, यह निविदा, आपकी लिखित स्वीकृति के साथ, हमारे बीच एक बाध्यकारी अनुबंध का गठन करेगी।
- 13. यदि हमारी निविदा स्वीकार कर ली जाती है, तो हम निविदा दस्तावेजों के अनुसार प्रदर्शन सुरक्षा प्राप्त करने के लिए प्रतिबद्ध हैं;
- 14. हम एक निविदादाता के रूप में या एक उपठेकेदार के रूप में, इस निविदा प्रक्रिया में प्रस्तुत वैकल्पिक बोलियों के अलावा एक से अधिक बोली में भाग नहीं ले रहे हैं;
- 15. हम एतद्वारा प्रमाणित करते हैं कि हमने यह सुनिश्चित करने के लिए कदम उठाए हैं कि हमारे लिए या हमारी ओर से कार्य करने वाला कोई भी व्यक्ति किसी भी प्रकार की धोखाधड़ी और भ्रष्टाचार में लिप्त नहीं होगा।

\sim			
निवदादाता	का नाम*	 	

निविदादाता की ओर से बोली पर हस्ताक्षर करने के लिए विधिवत प्राधिकृत व्यक्ति का
नाम**
निविदा पर हस्ताक्षर करने वाले व्यक्ति का शीर्षक ऊपर नामित व्यक्ति के हस्ताक्षर तिथि हस्ताक्षरितदिनदिन * संयुक्त उद्यम द्वारा प्रस्तुत निविदा के मामले में संयुक्त उद्यम का नाम निविदादाता के रूप में निर्दिष्ट करें ** निविदा पर हस्ताक्षर करने वाले व्यक्ति के पास निविदा अनुसूचियों के साथ संलग्न करने के लिए निविदादाता द्वारा दिए गए मुख्तारनामा होंगे।
ानावदादाता द्वारा ।दए गए मुख्तारनामा हाग । भवदीय,
(निविदादाता के हस्ताक्षर)
दिनांक व दिन
निविदादाता के हस्ताक्षर
संलग्नक का विवरण
पूरा पताः
टेलीफोन नंबर
मोबाइल नंबरः
फैक्सनंबरः
ई-मेल:
कंपनी की मुहर

निविदा प्रपत्र

(मूल्य बिड)

(निविदा दस्तावेज़ जमा करने वाली फर्म के पत्र शीर्ष पर)

सेवा में,		
डॉ. राकेश कुमार सिंह,		
भौतिकी विभाग		
भारतीय प्रौद्योगिकी संस्थान, (काशी हिंदू विश्ववि	वेद्यालय),	
वाराणसी – 221005, (उ.प्र.)		
संदर्भः निविदा संख्या	दिनांक:	
महोदय/महोदया,		

निविदा दस्तावेजों की जांच करने और उसके लिए तकनीकी वाणिज्यिक अमूल्य निविदा प्रस्तुत करने के बाद, हम, अधोहस्ताक्षरी, एतद्वारा आवश्यकताओं की अनुसूची के अनुसार और उक्त निविदा दस्तावेजों के अनुरूप वस्तुओं और सेवाओं की आपूर्ति के लिए मूल्य निविदा प्रस्तुत करते हैं।

- हम एतद्वारा आवश्यकता की संलग्न अनुसूची में उल्लिखित कीमतों और दरों पर वस्तुओं/सेवाओं की आपूर्ति करने की पेशकश करते हैं।
- 2. हम एतद्वारा वचन देते हैं कि, हमारी निविदा की स्वीकृति की स्थिति में, वस्तुओं/सेवाओं की आपूर्ति आवश्यकता की अनुसूची में निर्धारित के अनुसार की जाएगी और हम सभी आकस्मिक सेवाओं का प्रदर्शन करेंगे।
- 3. उद्धृत कीमतों में सभी शुल्क नेट सीआईपी नई दिल्ली/ फॉर आईआईटी (बीएचयू) वाराणसी (Net CIP New Delhi/FOR IIT (BHU) Varanasi) के लिए शामिल हैं और इसका स्पष्ट रूप से उल्लेख किया जाना चाहिए। हम आपके द्वारा अपेक्षित पूरी वित्तीय निविदा इसके साथ संलग्न करते हैं। यह भी शामिल है:
 - a. मूल्य अनुसूची (बिल ऑफ क्वांटिटी-BOQ)।
 - ь. वित्तीय नियमों और शर्तों से विचलन का विवरण।
- 4. हम निविदा दस्तावेजों को खोलने के लिए निर्धारित तिथि से 180 दिनों की अवधि के लिए हमारे प्रस्ताव का पालन करने के लिए सहमत हैं और हम उस समय के भीतर स्वीकृति हेतु बाध्य रहेंगे।
- 5. हमने निविदा दस्तावेज के नियमों और शर्तों को ध्यान से पढ़ और समझ लिए है और हम इन नियमों और शर्तों के अनुसार आपूर्ति करने का वचन देते हैं। वित्तीय विचलन केवल वे हैं जिनका उल्लेख वित्तीय नियमों और शर्तों से विचलन के विवरण में किया गया है।
- 6. हमने निविदा प्रक्रिया या अनुबंध के निष्पादन के संबंध में निम्नलिखित कमीशन, ग्रेच्युटी या शुल्क का भुगतान किया है, या भुगतान करेंगे: [प्रत्येक प्राप्तकर्ता का पूरा नाम, उसका पूरा पता, कारण जिसके लिए प्रत्येक कमीशन या ग्रेच्युटी का भुगतान किया गया था और ऐसे प्रत्येक कमीशन या उपदान की राशि और मुद्रा]

प्राप्तकर्ता का नाम	पता	कारण	राशि

(यदि कोई भुगतान नहीं किया गया है या भुगतान किया जाना है, तो "कोई नहीं" इंगित करें।)

- 7. हम समझते हैं कि यह निविदा, आपकी लिखित स्वीकृति के साथ, जो आपके निर्णय की अधिसूचना में शामिल है, हमारे बीच एक बाध्यकारी अनुबंध का गठन करेगी, जब तक कि एक औपचारिक अनुबंध तैयार और निष्पादित नहीं किया जाता है; तथा
- हम समझते हैं कि आप न्यूनतम मूल्यांकित निविदा या आपको प्राप्त होने वाली किसी अन्य निविदा को स्वीकार करने के लिए बाध्य नहीं हैं।

प्रमाणित किया जाता है कि निविदा देने वाला है: एक एकल स्वामित्व वाली फर्म और निविदा दस्तावेज पर हस्ताक्षर करने वाला व्यक्ति एकमात्र मालिक / कानुनी प्रतिनिधि है,

या

एक साझेदारी फर्म, और निविदा दस्तावेज पर हस्ताक्षर करने वाला व्यक्ति फर्म का भागीदार है और उसके पास साझेदारी समझौते के आधार पर/सामान्य मुख्तारनामा के आधार पर साझेदारी के व्यवसाय से संबंधित मध्यस्थता विवादों को संदर्भित करने का अधिकार है,

या

एक कंपनी और निविदा दस्तावेज पर हस्ताक्षर करने वाला व्यक्ति कानूनी प्रतिनिधि है। (नोट: जो लागू न हो उसे हटा दें। सभी सुधार/विलोपन को अनिवार्य रूप से निविदा दस्तावेज पर हस्ताक्षर करने के लिए अधिकृत व्यक्ति द्वारा विधिवत रूप से सत्यापित किया जाना चाहिए)

हम एतद्वारा यह वचन देते हैं कि, निर्णय की औपचारिक अधिसूचना तक, यह निविदा आपकी लिखित स्वीकृति के साथ, हमारे बीच एक बाध्यकारी अनुबंध का गठन करेगी।

दिनांक व दिन	
निविदादाता के हस्ताक्षर	
संलग्नक का विवरण	
पूरा पताः	
टेलीफोन नंबर	
मोबाइल नंबरः	
फैक्स नंबरः	
ई-मेल:	
कंपनी की महर	

SECTION 7 TENDER FORM

(Techno commercial un-priced Bid) (On the letter head of the firm submitting the bid)

To,	
Dr. Rakesh Kumar Singh	
Department of Physics	
Indian Institute of Technology (BHU) Varana	si

Varanasi-221005, Uttar Pradesh, India

Dear Sir,

- 1. I/We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders;
- 2. I/We meet the eligibility requirements and have no conflict of interest;
- 3. I/We have not been suspended nor declared ineligible in India;
- 4. I/We offer to supply in conformity with the Bidding Documents and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods: *[insert a brief description of the Goods and Related Services]*
- 6. I/we shall be bound by a communication of acceptance issued by you.
- 7. I/We have understood the Instruction to bidders and Conditions of Contract in the form as enclosed with the invitation to the tender and have thoroughly examined the specifications quoted in the Schedule hereto and am/are fully aware of the nature of the goods required and my/our offer is to supply the goods strictly in accordance with the specifications and requirements.
- 8. A proof of payment of Rs......(Rupees.....only) as Tender Processing Fee in the aforementioned account of Registrar, IIT (BHU).
- 9. The following have been added to form part of this tender.
 - (a) Schedule of requirements, quoting the make only duly signed and stamped. (without indicating price)
 - (b) Income Tax clearance certificate.
 - (c) Copy of last audited balance sheet.
 - (d) Copy of Valid GST registration certificate.
 - (e) Copy of similar relevant major purchase orders executed during last three years in IITs/NITs/Govt. R&D Organization/Govt. Offices/PSU/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. bodies.
 - (f) Proof of manufacturing Unit, dealership certificate/general order suppliers.
 - (g) Statement of deviations from financial terms & conditions, if any.
 - (h) Any other enclosure. (Please give details)
- 10. We undertake to execute all orders which have been placed to meet emergent requirements on priority basis.
- 11. Certified that the bidder is:

(a) A sole proprietorship firm and the person signing the bid document is the sole proprietor/constituted attorney of the sole proprietor,
Or
(a) A partnership firm, and the person signing the bid document is a partner of the firm and he has authority to refer to arbitration disputes concerning the business of the partnership by virtue of the partnership agreement/by virtue of general power of attorney. Or
(b) A company and the person signing the document is the constituted attorney.
(NOTE: Delete whatever is not applicable. All corrections/deletions should invariable be duly attested by the person authorized to sign the bid document).
12. We do hereby undertake that, until a formal notification of award, this bid, together with your written acceptance thereof shall constitute a binding contract between us.
13. If our bid is accepted, we commit to obtain a performance security in accordance with the Bidding Documents.
14. We are not participating, as a Bidder or as a subcontractor, in more than one bid in this bidding process, other than alternative bids submitted.
15. We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in any type of fraud and corruption.
Name of the Bidder*
Name of the person duly authorized to sign the Bid on behalf of the Bidder**
Title of the person signing the Bid
Signature of the person named above
Date signed day of
* In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder ** Person signing the Bid shall have the power of attorney given by the Bidder to be attached with the Bid Schedules.
Yours faithfully,
(Signature of hidder)

(Signature of bidder)
Dated this day of
Address:
Telephone No.:
FAX
E-mail

Company seal

^{*} Ir Sch

TENDER FORM

(Priced Bid) (On the letter head of the firm submitting the bid)

To,
Dr. Rakesh Kumar Singh
Department of Physics
Indian Institute of Technology (BHU) Varanasi
Varanasi-221005, Uttar Pradesh, India

Tender No.

Dear Sir,

Having examined the bidding documents and having submitted the techno commercial unpriced bid for the same, we, the undersigned, hereby submit the priced bid for supply of goods and services as per the schedule of requirements and in conformity with the said bidding documents.

- 1. We hereby offer to supply the Goods/Services at the prices and rates mentioned in the enclosed schedule of requirement.
- 2. We do hereby undertake that, in the event of acceptance of our bid, the supply of Goods/Services shall be made as stipulated in the schedule of requirement and that we shall perform all the incidental services.
- 3. The prices quoted are inclusive of all charges net F.O.R IIT (BHU) Varanasi. We enclose herewith the complete Price Bid as required by you. This includes:
 - (a) Price Schedule (Bill of Quantity BOQ) in .pdf format and .xls format
 - (b) Statement of deviations from financial terms and conditions, if any.
- 4. We agree to abide by our offer for a period of 90 days from the date fixed for opening of the bid documents and that we shall remain bound by a communication of acceptance within that time.
- 5. We have carefully read and understood the terms and conditions of the bid document and we do hereby undertake to supply as per these terms and conditions. The Financial Deviations are only those mentioned in the statement of deviations from financial terms and conditions.
- 6. We have paid, or will pay the following commissions, gratuities, or fees with respect to the bidding process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none."

- 7. We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed; and
- 8. We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.

Certified that the bidder is:

A sole proprietorship firm and the person signing the bid document is the sole proprietor/ constituted attorney of sole proprietor,

Or

A partnership firm, and the person signing the bid document is a partner of the firm and he has authority to refer to arbitration disputes concerning the business of the partnership by virtue of the partnership agreement/by virtue of general power of attorney,

Or

A company and the person signing the bid document is the constituted attorney.

(NOTE: Delete whatever is not applicable. All corrections/deletions should invariably be duly attested by the person authorized to sign the bid document.)

We do hereby undertake that, until a formal notification of award, this bid, together with your written acceptance thereof, shall constitute a binding contract between us.

Dated this day of
Signature of Bidder
Details of enclosures
Full Address:
Telephone No.
Mobile No.
Fax No.
E-mail:

Company Seal

BIDDER INFORMATION FORM

Date:

ADVT. No.:
1. Bidder's Name:
2. In case of JV, legal name of each member: [insert legal name of each member in JV]
3. Bidder's actual or intended country of registration:
4. Bidder's year of registration:
5. Bidder's Address in country of registration:
6. Bidder's Authorized Representative Information Name:
Address:
Telephone/Fax:
Email:
Address:
7. Attached are copies of original documents of [check the box(es) of the attached original documents] □ Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above.
☐ In case of JV, letter of intent to form JV or JV agreement.
 □ In case of Government-owned enterprise or institution, documents establishing: • Legal and financial autonomy • Operation under commercial law
Establishing that the Bidder is not dependent agency of the Purchaser
Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

TENDER ACCEPTANCE LETTER

(To be given on Company Letter Head)

_				
ı	•	4	^	
.,	7		•	Ξ

To, Dr. Rakesh Kumar Singh Department of Physics Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India

Va	aranasi-221005, Uttar Pradesh, India
Su	b: Acceptance of Terms & Conditions of Tender.
	Tender Reference No
Na	nme of Tender/ Work:
•••	
De	ear Sir,
1.	I/We have downloaded/ obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely:
2.	I/We hereby certify that I/We have read the entire terms and conditions of the tender documents from Page No
3.	The corrigendum(s) issued from time to time by your department/ organization too have also been taken into consideration, while submitting this acceptance letter.
4.	I/We hereby unconditionally accept the tender conditions of above-mentioned tender document(s)/corrigendum(s) in its totality/entirety.
5.	In case any provisions of this tender are found violated, then your department/ organization shall without prejudice to any other right or remedy be at liberty to reject this tender.

Yours faithfully,

(Signature of the Bidder, with Official Seal)

FORMAT FOR PERFORMANCE BANK GUARANTEE (PBG)/ PERFORMANCE SECURITY

(To be typed on non-judicial stamp paper of the value of Indian Rupees of One Hundred)

[To Be Established Through Any of the Nationalized Commercial Banks (Whether situated at Varanasi or Outstation) with A Clause to Enforce the Same on Their Local Branch at Varanasi]

To, The Registrar Indian Institute of Technology (BHU) Varanasi Varanasi – 221005, Uttar Pradesh, India

LETTER OF GUARANTEE

WHEREAS Indian Institute of Technology (BHU), Varanasi (Buyer) has invited tender vide Tender
No
WHEREAS the said tender document requires that eligible successful bidder
(seller) wishing to supply the equipment / machinery, etc. in response thereto shall establish an irrevocable Performance Bank Guarantee in favour of "The Registrar,
Indian Institute of Technology (BHU) Varanasi" in the form of Bank Guarantee for Rs.
(3% of the contract value) and the Performance Bank Guarantee shall remain valid for a period of 60
(sixty) days beyond the date of completion of all contractual obligations of the seller, including warranty
obligations from the date of issue of Performance Bank Guarantee and the eligible successful bidder (the
seller) shall submit the same within 14 (Fourteen) days from the date of Award of Contract.
NOW THIS BANK HEREBY GUARANTEES that in the event of the said bidder (seller) fails to
abide by any of the conditions referred to in tender document / Award of Contract / performance of the
equipment / machinery, etc. this Bank shall pay to Indian Institute of Technology (BHU), Varanasi on
demand and without protest or demur Rs
This Bank further agrees that the decision of Indian Institute of Technology (BHU) Varanasi
(Buyer) as to whether the said bidder (Seller) has committed a breach of any of the conditions referred in
tender document / Award of Contract shall be final and binding.
We,
Guarantee herein contained shall not be affected by any change in the constitution of the bidder (Seller)
and/ or Indian Institute of Technology (BHU), Varanasi (Buyer). Not with standing anything contained
herein: 1. Own liability under this Donk Cyarantae shall not ayasad Ps. (Indian)
1. Our liability under this Bank Guarantee shall not exceed Rs
2. This Bank Guarantee shall be valid up to
3. We are liable to pay the guaranteed amount or any part thereof under this bank guarantee only and only if
IIT (BHU), Varanasi serve upon us a written claim or demand on or before(date). This
Bank further agrees that the claims if any, against this Bank Guarantee shall be enforceable at our branch
office at
Yours truly,
Signature and seal of the guarantor:
N
Name of Bank:
Address:

ANNEXURE-I

Specification for Expendables

1. Band pass filter with mount (λ =532nm); unit :01

Center wavelength: 532nm Transmission: >90% FWHW Bandwidth: 4nm

Blocking Region : 200-512nm, 552-1200nm

Optical Density(abs): >5

Transmission wavefront error (RMS): $\leq \lambda/4$ Surface quality: 60-40 Scratch -Dig

Mounted thickness: 3.5mm
Outer diameter: Ø25.0mm
Clear aperture: Ø21.1mm

Angle of incident: 0°

Coating: Hard coated
Operating temperature: -40 to 90°C
Substrate: UV Fused Silica

threshold: 2J/cm²
with suitable Mount
precision kinematics
3 knobs adjuster
optics size 25mm diameter

2.Band pass filter (λ =632.8nm); unit :01

Center wavelength: 632.8nm Transmission: >90% FWHW Bandwidth: 3nm

Blocking Region : 200-619nm,647-1200nm

Optical Density(abs): >5

Transmission wavefront error (RMS): ≤158.2nm

Surface quality: 60-40 Scratch -Dig

Mounted thickness: 3.5mm Outer diameter: \emptyset 25.0mm Clear aperture: \emptyset 21.1mm Angle of incident: 0^0

Coating: Hard coated
Operating temperature: -40 to 90°C
Substrate: UV Fused Silica

Damage threshold: 2J/cm²

with suitable Mount precision kinematics 3 knobs adjuster

optics size 25mm diameter

3.Dichroic mirror (λ=760nm); unit:01

Cut-On Wavelength: 760nm

Transmission Band (Tabs>85%, Tavg>90%): 775-1600nm Reflection Band (Rabs>90%,Ravg>95%): 400-740nm

Type: Long Pass AR Coating Range: 775-1600nm

Size: $\emptyset2$ "

Clear Aperture: $\geq \emptyset45.7$ mm

Thickness: 5.0mm

Incident Angle: 45^0

surface Quality: 40-20 Scratch-Dig

Transmitted Wavefront Error: <\(\lambda\)/4 @633nm over clear

Substrate Material: UV fused silica Parallelism: <3 arcmin Damage Threshold: 0.25 J/cm² (532 nm, 10 Hz, 10 ns, Ø538 μm) 2.00 J/cm² (1064 nm, 10 Hz, 10 ns, Ø1.000 mm)

with suitable Mount

precision kinematics 3 knobs adjuster optics size 2" diameter

4.50:50 non-polarizing beam splitter 2" with mount-- (Units:02)

Wavelength Range 400-700 nm Size 50.8 x 50.8 x 50.8 mm

Shape: Cube

Material Grade: N-BK7

Coating Type: Broadband metal-dielectric non-polarizing

Coating Code: MB.1

Antireflection Coating Multilayer broadband dielectric

Transmitted beam deviation: $0^0 \pm 5$ arcmin

The angle of Incidence 0°±5°

Reflected Beam Deviation: 90° ±5 arc min

Wavefront Distortion: $< \lambda$ at 632.8 nm over the clear aperture

Surface Quality: 40-20 scratch-dig

Clear Aperture: > 80% of central dimension

With suitable beam splitter mount

Mount specification: Linear resolution:0.25 mm

Sensitivity: 4 arc sec Translation range: 06 mm

Mounting operation: horizontal and vertical

Material: aluminum

5.Bi-convex lens for Focal length 100 mm with mount- (Units:02)

Material: N-BK7 Diameter Size: 2"

Wavelength: 1050-1700 nm

Surface Quality: $\leq 40-20$ Scratch-Dig

Focal length: 100 mm Clear Aperture: >90% Surface Irregularity: ≤ λ/4 AR Coating Reflectance: < 1%

Centration: ≤ 3 arcmin

Diameter Tolerance: +0.0mm/-0.1 mm

Focal Length Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy

6.Bi-convex lens for Focal length 200 mm with mount- (Units:02)

Material: N-BK7 Diameter Size: 2"

Wavelength: 1050-1700 nm

Surface Quality: ≤ 40-20 Scratch-Dig

Focal length: 200 mm Clear Aperture: >90% Surface Irregularity: $\leq \lambda/4$ AR Coating Reflectance: < 1%

Centration: ≤ 3 arcmin

Diameter Tolerance: +0.0mm/-0.1 mm

Focal Length Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy

7.Bi-convex lens for Focal length 100 mm with mount- (Units:02)

Material: N-BK7 Diameter Size: 1/2" Wavelength: 350-700 nm Surface Quality: ≤ 40-20 Scratch-Dig

Focal length: 100 mm

Clear Aperture: >90% Surface Irregularity: $\leq \lambda/4$ AR Coating Reflectance: < 1%

Centration: ≤ 3 arcmin

Diameter Tolerance: +0.0mm/-0.1 mm

Focal Length Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy

8.Beam Displacer with mount- (Units:1)

Substrate: Grade Calcite

Wavelength Range: 350 nm-2.3 micron

Beam Separation: 2.7 mm

Length: 1.10"

Housing: 1" diameter

Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: <λ/4 Surface Quality: 40-20 Scratch-Dig

Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount

Mount specification: High Precession

360° continuous coarse rotation Vernier scale for high resolution Suitable for ontics housing diamet

Suitable for optics housing diameter 1"

Bottom-Located M4 Tapped Hole for Post Mounting

9. Single axis translation stage - (Units:6)

Straight line accuracy: 7.5 µm

Travel: ≥25mm

Resolution: ≤0.5 mm translation per revolution

Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy

10. Right Angle bracket for vertical mounting - (Units:2)

For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish

11. Aperture with housing; unit:05

Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris

Black- anodized aluminum Housing

Dual layer leaf design Mounted with housing

Post mountable

With a post of length 75 mm and diameter 12 mm

12. LED (λ =625nm) - (Unit:1)

Wavelength: 625 nm

Output Power: 630 mW (Typ.) at max current

Collimated LED for Olympus BX & IX

Max current: 1000mA Beam Diameter: 50mm Beam Area:1960 mm²

USB-Controlled LED Driver

1200 mA Max Drive Current

Forward Voltage: 8V

Slotted Base Plate for Mounting up-SERIES Modules

Min current setting resolution:1mA Min current measurement resolution:1mA Voltage measurement resolution:10mV Current setting accuracy: ±(1%+10mA)

Power supply

12 V, 4 A Regulated Power Supply with M8 Connector, 100 - 240 VAC

Connecter

4-Pin Female Mating Connector for Mounted LEDs

LED Mount

Slip Ring for SM1 Lens Tubes and C-Mount Extension Tubes, 8-32 Tap

13. LED (λ =530nm)- (Unit:1)

Wavelength: 530 nm

Output Power: 200 mW (Typ.) at max current Collimated LED for Olympus BX & IX

Max current: 1000mA Beam Diameter: 50mm Beam Area:1960 mm²

USB-Controlled LED Driver

1200 mA Max Drive Current
Min current setting resolution:1mA
Min current measurement resolution:1mA
Voltage measurement resolution:10mV
Current setting accuracy: ±(1%+10mA)

Forward Voltage: 8V

Slotted Base Plate for Mounting up-SERIES Modules

Power supply

12 V, 4 A Regulated Power Supply with M8 Connector, 100 - 240 VAC

Connecter

4-Pin Female Mating Connector for Mounted LEDs

LED Mount

Slip Ring for SM1 Lens Tubes and C-Mount Extension Tubes, 8-32 Tap

Other Terms

- 1. Price of the facility should be quoted in Indian currency.
- 2. Price should be quoted F.O.R to IIT (BHU) Varanasi.
- 3. Custom Clearance will be the responsibility of the supplier.
- 4. **Indian agency commission:** Should be clearly stated in the financial bid in Indian currency.
- 5. **Penalty:** A penalty of 1% of the order value will be applied for late delivery of the goods for each week thereof subject to a maximum of 10%.
- 6. Bank Guarantee (BG): Successful bidder have to furnish 03% of the order value as a performance security in the shape of Fixed Deposit Receipt / Bank Guarantee in favour of the Registrar, Indian Institute of Technology (BHU) Varanasi which will be valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including warranty obligations. Fixed Deposit Receipt / Bank Guarantee should be issued from a schedule bank in India. Bank guarantee is only applicable for the Supplier who will get the Award of Contract and will submit at the time of installation of the instrument.
- 7. Payment: The payment shall be made by 100% payment against Supply, Installation and Commissioning and submission of satisfactory PBG.
- 8. **User List**: Provide users for last 3 years with contact person name, address, phone, and email IDs.
- 9. Manuals/Documents: 1 set of hard copy and 1 set of soft copy in English (preferred as following).
 - i. Operating manuals
 - ii. Maintenance manual

- iii. Servicing manual
- iv. Programming manual
- v. Manuals of bought out items incorporated in the system
- vi. Details of any custom-made ICs & components & their sources
- 10. The bidder must be authorized by the respective OEM to supply, install and maintain the system. The Tender should be enclosed with proper certifications like **Authorization Certificate and Proprietary Certificate**, in case of Proprietary items.
- 11. Warranty period to be clearly mentioned and should begin from the date of installation. Annual Maintenance Contract Charges should be clearly mentioned after warranty period. Three years comprehensive warranty.
- 12. Submit Electronic copy of the technical specifications and bids.
- 13. The vendor to provide compliance statement with respect to each technical specification in the tender document duly supported by the manufacturer's literature. Any other claim will not be accepted and may lead to rejection of the bid.
- 14. Printed literature in support of compliance to the prescribed specifications is to be submitted.
- 15. Compliance report needs to be submitted as a part of the technical bid.
- 16. In case during shipment period newer versions of software/hardware is available with vendor in lieu of the existing one for which Letter of Credit was opened, then improved version should be made available without any extra cost.
- 17. Institute reserves the right to visit installation in India of similar capabilities the details with to regard to such installation should be given as a part of technical bid.
- 18. Technical evaluation by the Institute may include demonstration to verify functionalities and capabilities of the system quoted.

Note- Only those bidders who will quote rates of all the items will be consider for evaluation. Lowest bidder-will be decided on overall L1 basis.

Dr. Rakesh Kumar Singh Department of Physics Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India

TECHNICAL COMPLIANCE STATEMENT (To be submitted by bidder duly filled)

SI. No.	Specification	Whether the instrument complies with the required specification (Yes/No/ Better)	If no or better specification, then provide your comment accordingly
1.	1. Band pass filter with mount (λ=532nm); unit :01	,	
	Center wavelength: 532nm		
	Transmission: >90%		
	FWHW Bandwidth: 1nm Blocking Region: 200-521nm,543-1200nm		
	Optical Density(abs): >5		
	Transmission wavefront error (RMS): ≤ 158.2 nm		
	Surface quality: 60-40 Scratch -Dig		
	Mounted thickness: 3.5mm		
	Outer diameter: Ø25.0mm		
	Clear aperture: $\emptyset 21.1$ mm Angle of incident: 0^0		
	Angle of incident: 0^0 Coating: Hard coated		
	Operating temperature: -40 to 90°C		
	Substrate: UV Fused Silica		
	threshold: 2J/cm ²		
	with suitable Mount		
	precision kinematics		
	3 knobs adjuster		
	optics size 25mm diameter		
2.	Band pass filter with mount (λ =632.8nm); unit :01		
	Center wavelength: 632.8nm		
	Transmission: >90%		
	FWHW Bandwidth: 1nm		
	Blocking Region : 200-619nm,647-1200nm		
	Optical Density(abs): >5 Transmission wavefront error (RMS): ≤158.2nm		
	Surface quality: 60-40 Scratch -Dig		
	Mounted thickness: 3.5mm		
	Outer diameter: Ø25.0mm		
	Clear aperture: Ø21.1mm		
	Angle of incident: 0^0		
	Coating: Hard coated		
	Operating temperature : -40 to 90°C Substrate: UV Fused Silica		
	Damage threshold: 2J/cm ²		
	with suitable Mount		
	precision kinematics		
	3 knobs adjuster		
	optics size 25mm diameter		
3.	Dichroic mirror with mount (λ=760nm); unit:01		
	Cut-On Wavelength: 760nm		
	Transmission Band (Tabs>85%, Tavg>90%): 775-1600nm		
	Reflection Band (Rabs>90%,Ravg>95%): 400-740nm		
	Type: Long Pass		
	AR Coating Range: 775-1600nm Size: Ø2"		
	Size: \emptyset 2 Clear Aperture: $\ge \emptyset$ 45.7mm		
	Cical Apolitic.		

Thickness: 5.0mm 45^{0} Incident Angle: surface Quality: 40-20 Scratch-Dig Transmitted Wavefront Error: <\(\lambda\)/4 @633nm over clear UV fused silica Substrate Material: Parallelism: < 3 arcmin Damage Threshold: 0.25 J/cm² (532 nm, 10 Hz, 10 ns, Ø538 μm) 2.00 J/cm² (1064 nm, 10 Hz, 10 ns, Ø1.000 mm) with suitable Mount precision kinematics 3 knobs adjuster optics size 2" diameter 50:50 non-polarizing beam splitter 2" with mount-4. (Units:02) Wavelength Range 400-700 nm Size 50.8 x 50.8 x 50.8 mm Shape: Cube Material Grade: N-BK7 Coating Type: Broadband metal-dielectric non-polarizing Coating Code: MB.1 Antireflection Coating Multilayer broadband dielectric Transmitted beam deviation: $0^0 \pm 5$ arcmin The angle of Incidence 0°±5° Reflected Beam Deviation: 90° ±5 arc min Wavefront Distortion: $< \lambda$ at 632.8 nm over the clear aperture Surface Quality: 40-20 scratch-dig Clear Aperture: > 80% of central dimension With suitable beam splitter mount Mount specification: Linear resolution:0.25 mm Sensitivity: 4 arc sec Translation range: 06 mm Mounting operation: horizontal and vertical Material: aluminum 5. Bi-convex lens for Focal length 100 mm with mount-(Units:02) Material: N-BK7 Diameter Size: 2" Wavelength: 1050-1700 nm Surface Quality: ≤ 40-20 Scratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Irregularity: $\leq \lambda/4$ AR Coating Reflectance: < 1% Centration: ≤ 3 arcmin Diameter Tolerance: +0.0mm/-0.1 mm Focal Length Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy Bi-convex lens for Focal length 200 mm with mount-6. (Units:02) Material: N-BK7 Diameter Size: 2" Wavelength: 1050-1700 nm Surface Quality: ≤ 40-20 Scratch-Dig Focal length: 200 mm Clear Aperture: >90% Surface Irregularity: $\leq \lambda/4$

Centration: § 3 arcmin Diameter Tolerance: ±10,0mm\-0.1 mm Focal Length Tolerance: ±18 With suitable lens mount Mount material: aluminum alloy 7. Bi-convex lens for Focal length 100 mm with mount- (Units: 0.2) Material: N-BK7 Diameter Sive: 1/2" Wavelength: \$30-700 mm Surface Quality: \$40-20 Serateh-Dig Focal length: 100 mm Clear Aperture: >90% Surface Iregularity: \$2/4 AR Coating Reflectance: <1% Centration: \$3 arcmin Diameter Tolerance: ±0,0mm\-0.1 mm Focal Length: Tolerance: ±19% With witable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units: 1) Substrate: Grade Calcite Wavelength Range: 350 mm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm × 10 mm Beam Divergence: <3 a arcsec Wavefront Distortion: <2/4 Surface Quality: 40-20 Serateh-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for opties housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: ≥25mm Resolution: <3.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy Black anodized finish 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture's 22-7 minimum specture Continuous variable iris Black anodized annimum Housing			
Diameter Tolerance: 10,0mm/-0.1 mm Focal Length Tolerance: 21% With suitable lens mount Mount material: aluminum alloy 7. Bi-convex lens for Focal length 100 mm with mount- (Units:02) Material: N-BK7 Diameter Size: 1/2" Wavelength: 330-700 mm Surface Quality: ≤ 40-20 Scratch-Dig Focal length: 100 mm Clear Aperture: >00% Surface Irregularity: ≤ 3/4 AR Coating Reflectance: < 1% Centration: ≤ 3 arcmin Diameter Tolerance: 10,0mm/-0.1 mm Focal Length Tolerance: 11% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2,7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm × 10 mm Beam Divergence: < 30 arcsee Wavefront Distortion: < 4/4 Surface Quality: 40-20 Scratch-Dig Suifable Manual Rotation mount Mount specification: High Precession 360° continuous coarse cration Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M-1 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: 2.25 mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy Black anodized alminum alloy Black anodized dimish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black-anodized alminum Ilousing		AR Coating Reflectance: < 1%	
Focal Length Tolerance: 41% With suitable less mount Mount material: aluminum alloy 7. Bi-convex lens for Focal length 100 mm with mount- (Units:02) Material: N-BK7 Diameter Size: 1/2" Wavelength: 350-700 mm Surface Quality: 240-20 Seratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Irregularity: 5//4 AR Coating Reflectance: <1% Centration: 3 arcmin Diameter Tolerance: ±10% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 mm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm × 10 mm Beam Divergence: <30 arcsace Wavefront Distortion: <3/4 Surface Quality: 40-20 Seratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Floic for Post Mounting 9. Single axis translation stage - (Units:6) Straight lina excursey: 7.5 µm Travel: 225mm Resolution: 40.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy Black anodized dimish 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized dimish 11. Aperture with housing- (Units: 5) Aperture vice: 2" diameter Zero minimum aperture Continuous variable iris Black anodized dimismum flousing			
With suitable lens mount Mount material: aluminum alloy 7. Bi-convex lens for Focal length 100 mm with mount- ((Units:02) Material: N-BK7 Dimeter Size: 1/2" Wavelength: \$50-700 nm Surface Quality: \$40-20 Scratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Irregularity: \$2/4 AR Coating Reflectance: \$1\% Centration: \$3 armin Diameter Tolerance: \$1\% Vith suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: \$30 mn-2.3 micron Beam Separation: \$2.7 mm Length: \$1.0\mathrm{O}' Housing: 1" diameter Clear Aperture: \$10 mm x 10 mm Beam Divergence: \$30 arcsec Wavefront Distortion: \$4/4 Surface Quality: \$40-20 Scratch-Dig Suliable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: \$25mm Resolution: \$0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 kg Material: Aluminum alloy Black anodized alminum Housing 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black-anodized alminum Housing			
Mount material: aluminum alloy 7. Bi-convex lens for Focal length 100 mm with mount- (Units:02) Material: N-BK7 Diameter Size: 1/2" Wavelength: 350-700 mm Surface Quality: ≤ 40-20 Scratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Tregularity: ≤ 3/4 AR Coating Reflectance: < 1% Centration: ≤ 3 arcmin Diameter Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 mm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm X 10 mm Beam Divergence: < 30 arcsee Wavefront Distortion: < 3/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: Iligh Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: 225mm Resolution: 20.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 kg Material: Aluminum alloy Black anodized dinish 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black-anodized aluminum Housing			
7. Bi-convex lens for Focal length 100 mm with mount- (Units:02) Material: N-BK7 Diameter Size: 1/2* Wavelength: 350-700 nm Surface Quality: ≤ 40-20 Scratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Irregularity: ≤ λ/4 AR Coating Reflectance: < 1% Centration: ≤ 3 arcmin Diameter Tolerance: ±1/9 With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 mm-2.3 micron Beam Separation: 2.7 mm Length: 1.10* Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: ≤ 30 arcsec Wavefrom Distortion: < x/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 mm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized dinish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black-anodized aluminum Housing			
(Units:02) Material: N-BK7 Diameter Size: 1/2" Wavelength: 350-700 nm Surface Quality: ≤ 40-20 Scratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Unity: ≤ 40-20 Scratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Unity: ≤ 40-4 AR Coating Reflectance: <1% Centration: ≤ 3 arcmin Diameter Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Ream Divergence: <30 arcsee Wavefront Distortion: <3.44 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360" continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Rottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy Black anodized dinish 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black-anodized aluminum Housing		*	
Material: N-BK7 Diameter Size: 1/2" Wavelength: 350-700 m Surface Quality: ≤ 40-20 Seratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Irregularity: ≤ ½/4 AR Coating Reflectance: < 1% Centration: ≤ 3 arcmin Diameter Tolerance: ±0/mm/-0.1 mm Focal Length Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: < 2√4 Surface Quality: 40-20 Seratch-Dig Suitable Manual Rotation mount Mount specification: Iligh Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: <0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black-anodized aluminum Housing	7.	Bi-convex lens for Focal length 100 mm with mount-	
Material: N-BK7 Diameter Size: 1/2" Wavelength: 350-700 m Surface Quality: ≤ 40-20 Seratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Irregularity: ≤ ½/4 AR Coating Reflectance: < 1% Centration: ≤ 3 arcmin Diameter Tolerance: ±0/mm/-0.1 mm Focal Length Tolerance: ±0/mm/-0.1 mm Focal Length Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: < 2√4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Procession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≥0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black-anodized aluminum Housing		(Units:02)	
Diameter Size: 1/2" Wavelength: 350-700 mm Surface Quality: ≤ 40-20 Scratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Irregularity: ≤ 1/4 AR Coating Reflectance: <1% Centration: 3 arcmin Diameter Tolerance: ±10 (mm/-0.1 mm Focal Length Range: 350 nm-2.3 micron Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: <30 arcsec Wavefront Distortion: ⇒1/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting Bottom-Located M4 Tapped Hole for Post Mounting Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Micrometer adjuster Taps: M6 (up to			
## Wavelength: 350-700 nm Surface Quality: ≤ 40-20 Scratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Irregularity: ≤ 1/4 AR Coating Reflectance: < 1% Centration: ≤ 3 arcmin Diameter Tolerance: +10.0mm/-0.1 mm Focal Length Tolerance: ±1% With suitable lens mount Mount materia: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 550 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: < 3/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy Black anodized finish 10. Right Angle bracket for vertical mounting - (Units:2) For build X-2 configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing - (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black-anodized aluminum Housing			
Surface Quality: \$40-20 Scratch-Dig Focal length: 100 mm Clear Aperture: >90% Surface Irregularity: \$\frac{\text{\$\text{\$\text{\$\text{\$V\$}}}}{400}\$ AC Contration: \$\text{			
Focal length: 100 mm Clear Aperture: >90% Surface Irregularity: \$\frac{1}{2}\text{ AR Coating Reflectance: < 1% Centration: \$\frac{3}{2}\text{ arcmin} \ Diameter Tolerance: +0.0mm/-0.1 mm Focal Length Tolerance: +1% With suitable lens mount Mount material: aluminum alloy Mount material: aluminum alloy			
Surface Irregularity: ≤ N/4 AR Coating Reflectance: <1% Centration: ≤3 arcmin Diameter Tolerance: +0.0mm/-0.1 mm Focal Length Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: <30 arcsec Wavefront Distortion: <3/4 Surface Quality: 40-20 Seratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy Black anodized finish Black-anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable inis Black-anodized aluminum Housing			
Surface Irregularity: ≤ 1/4 AR Coating Reflectance: <1% Centration: ≤3 arcmin Diameter Tolerance: +0.0mm/-0.1 mm Focal Length Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: <30 arcsec Wavefront Distortion: <3/4 Surface Quality: 40-20 Seratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: ≥25 mm Resolution: ≥0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy Black anodized finish 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing - (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable inis Black- anodized aluminum Housing			
AR Coating Reflectance: < 1% Centration: ≤ 3 arcmin Diameter Tolerance: ±10,0mm/-0.1 mm Focal Length Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: < √4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing - (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized daluminum Housing		Clear Aperture: >90%	
Centration: \$3 arcmin Diameter Tolerance: \$40.0mm/-0.1 mm Focal Length Tolerance: \$41% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: \$30 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: <30 arcsee Wavefront Distortion: <\/>		Surface Irregularity: $\leq \lambda/4$	
Diameter Tolerance: +0.0nm/-0.1 mm Focal Length Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10° Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: <30 arcsec Wavefront Distortion: <√4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black-anodized aluminum Housing		AR Coating Reflectance: < 1%	
Focal Length Tolerance: ±1% With suitable lens mount Mount material: aluminum alloy 8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: ≪1/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: Iligh Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black-anodized aluminum Housing		Centration: ≤ 3 arcmin	
8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: <		Diameter Tolerance: +0.0mm/-0.1 mm	
8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: <30 arcsec Wavefront Distortion: <λ/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: 50.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		Focal Length Tolerance: ±1%	
8. Beam Displacer with mount- (Units:1) Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: I" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: < < > / /		With suitable lens mount	
Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: <30 arcsec Wavefront Distortion: <\(\lambda \)/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		Mount material: aluminum alloy	
Substrate: Grade Calcite Wavelength Range: 350 nm-2.3 micron Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsee Wavefront Distortion: < 3/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing	8.	Beam Displacer with mount- (Units:1)	
Beam Separation: 2.7 mm Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: <\/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		Substrate: Grade Calcite	
Length: 1.10" Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: < √ 4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		Wavelength Range: 350 nm-2.3 micron	
Housing: 1" diameter Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: < 1/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		Beam Separation: 2.7 mm	
Clear Aperture: 10 mm x 10 mm Beam Divergence: < 30 arcsec Wavefront Distortion: ≤ √/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		Length: 1.10"	
Beam Divergence: < 30 arcsec Wavefront Distortion: ∞, //4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		Housing: 1" diameter	
Wavefront Distortion: <λ/4 Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		Clear Aperture: 10 mm x 10 mm	
Surface Quality: 40-20 Scratch-Dig Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black-anodized aluminum Housing			
Suitable Manual Rotation mount Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		Wavefront Distortion: $<\lambda/4$	
Mount specification: High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
High Precession 360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 µm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		Suitable Manual Rotation mount	
360° continuous coarse rotation Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
Vernier scale for high resolution Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
Suitable for optics housing diameter 1" Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing - (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
 Bottom-Located M4 Tapped Hole for Post Mounting 9. Single axis translation stage - (Units:6)			
 Single axis translation stage - (Units:6) Straight line accuracy: 7.5 μm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing 		1 0	
Straight line accuracy: 7.5 µm Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
Travel: ≥25mm Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing	9.		
Resolution: ≤0.5 mm translation per revolution Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
Micrometer adjuster Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
Taps: M6 (up to 14-18) Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		<u> </u>	
Load capacity up to 4-6 Kg Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
Material: Aluminum alloy 10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
10. Right Angle bracket for vertical mounting - (Units:2) For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
For build X-Z configuration For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing	10	•	
For 25 mm post series With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing	10.		
With M6 mounting holes Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
Material: Aluminum alloy Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
Black anodized finish 11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
11. Aperture with housing- (Units: 5) Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing			
Aperture Size: 2" diameter Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing	4.1		
Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing	11.	Aperture with housing- (Units: 5)	
Zero minimum aperture Continuous variable iris Black- anodized aluminum Housing		Aperture Size: 2" diameter	
Continuous variable iris Black- anodized aluminum Housing			
Black- anodized aluminum Housing			
		Dual layer leaf design	

Mounted with housing Post mountable With a post of length 75 mm and diameter 12 mm **12.** LED (λ =625nm) - (Unit:1) Wavelength: 625 nm Output Power: 630 mW (Typ.) at max current Collimated LED for Olympus BX & IX Max current: 1000mA Beam Diameter: 50mm Beam Area:1960 mm² **USB-Controlled LED Driver** 1200 mA Max Drive Current Min current setting resolution:1mA Min current measurement resolution:1mA Voltage measurement resolution:10mV Current setting accuracy: $\pm (1\%+10\text{mA})$ Forward Voltage: 8V Slotted Base Plate for Mounting up-SERIES Modules Power supply 12 V, 4 A Regulated Power Supply with M8 Connector, 100 - 240 VAC 4-Pin Female Mating Connector for Mounted LEDs **LED Mount** Slip Ring for SM1 Lens Tubes and C-Mount Extension Tubes, 8-32 Tap 13. LED (λ =530nm)- (Unit:1) Wavelength: 530 nm Output Power: 200 mW (Typ.) at max current Collimated LED for Olympus BX & IX Max current: 1000mA Beam Diameter: 50mm Beam Area: 1960 mm² **USB-Controlled LED Driver** 1200 mA Max Drive Current Min current setting resolution:1mA Min current measurement resolution:1mA Voltage measurement resolution:10mV Current setting accuracy: $\pm (1\%+10\text{mA})$ Forward Voltage: 8V Slotted Base Plate for Mounting up-SERIES Modules Power supply 12 V, 4 A Regulated Power Supply with M8 Connector, 100 - 240 VAC Connecter 4-Pin Female Mating Connector for Mounted LEDs **LED Mount** Slip Ring for SM1 Lens Tubes and C-Mount Extension Tubes, 8-32 Tap

Signature of the Authorized Official with Seal

SECTION 9

PREVIOUS SIMILAR ORDER EXECUTED

Please quote best minimum prices applicable for a premier Educational and Research Institution. The party must give details of purchase orders identical or similar equipment supplied to any IITs/NITs/Govt. R&D Organization/Govt. Offices/PSU/Govt. Funded Universities/Govt. Funded Autonomous Bodies/Govt. bodies as per below Format in last Three years (to be enclosed in Price Bid / Commercial Bid) along with the final price paid and details are mandatory.

Name of the Firm _____

Order placed by (Full address of Purchaser)	Order No. and Date	Description and quantity of ordered equipment	Value of Order	Date of completion of delivery as per contract		Has the Equipment being installed satisfactorily (Attach a Certificate from the Purchaser/ Consigner)	Contact Person along with Telephone No., Fax No. and e- mail address.
Details of Name of and support	<u>Fechnical l</u> application	n specialist / S ted product d	Service	Engineer w	ho have the techn		cy to handle

BID SUBMISSION

Online Bid Submission

The Online bids (complete in all respect) must be uploaded online in **two covers** as explained below:

Cover - 1						
S. No.	. No. Document Content					
1		Technical Compliance Sheet, Bidder information form	.pdf			
2		Organization Declaration Sheet, Compliance sheets for Essential Pre-Bid Criteria	.pdf			
3		Checklist, Tender Acceptance, Tender Form, Annexure I, etc.	.pdf			
4	Technical Bid	List of organizations/clients where similar products have been supplied (in last three years) along with their contact number(s). (Annexure III)	.pdf			
5		Technical supporting documents in support of all claims made at Annexure I	.pdf			
6		EMD and Tender fee submission proof	.pdf			
7		Brochure of quoted product and other documents, if any	.pdf			
8		Other Documents, if any which are not covered above	.pdf			
		Cover - 2				
S. No.	Document	Content	File Type			
1		Duly filled and signed Tender Form (Price Bid)	.pdf			
2	Price Bid	Duly signed BOQ	.pdf			
3		BOQ in .xls Format	.xls/ .xlsx			

ORIGINAL EQUIPMENT MANUFACTURER (OEM)

Manufacturing Authorization Form (MAF) (On Letter Head of Manufacturer)

Tender No.:
To, Dr. Rakesh Kumar Singh Department of Physics Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India
Dear Sir,
We manufacturer of original equipment at
We hereby extend our full guarantee and warranty as per clause
Yours Faithfully,
(Name) (Name & Seal of Manufactures)

Note:

- 1. Items of indigenous nature or quoted in INR, more than 1 authorized representative may participate in the same tender and submit their bids on behalf of their OEM/Principal/Manufacturer if the OEM permits more than one authorized bidder in such case as per their policy.
- 2. In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufacturer can also authorize only one agent/dealer.
- 3. The letter of authority should be on the letterhead of the manufacturer and should be signed by a person competent and having the power of attorney to bind the manufacturer. The same should be included by the bidder in its techno-commercial unpriced bid.

DECLARATION

(To be submitted on the letterhead of Company)

To, Dr. Rakesh Kumar Singh Department of Physics Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India

We certify as under:

We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries, and solemnly certify that we fulfill all requirements in this regard and are eligible to be considered.

We certify that:

a. We are not from such a country or, if from such a country, we are registered with the Competent Authority (copy enclosed);

and

b. We shall not subcontract any work to a contractor from such countries unless such contractor is registered with the Competent Authority.

Yours faithfully,

(Signature of the Bidder, with Official Seal)

DECLARATION OF LOCAL CONTENT

(To be given on Company Letter Head for Tender Value below Rs.10 Crores)/ (To be given by Statutory Auditor/ Cost Auditor/ Cost Accountant/ CA for tender value above Rs.10 Crores)

To, Dr. Rakesh Kumar Singh Department of Physics Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India

Subject: Declaration of Local Content

Tend			Reference							No:		
Nam	e		of				Tender/	1	Work:			
1. Country			of Origin			of	of Goods					
	e hereby declar			has					content Addition	is	made	
4. Details of Local Content "Local Content" means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of the imported content in the item (including all customs duties) as a proportion of the total value, in percent. Bidders offering Imported products will fall under the category of Nonlocal Suppliers. They cannot claim themselves as Class-I or Class-II Local Suppliers by claiming the services such as Transportation, Insurance, Installation, Commissioning, Training and After Sale Service Support like AMC/ CMC etc. as Local Value Addition.												
We are solely responsible for the abovementioned declaration. False declaration will be in breach of Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.												
You	rs faithfully,											
(Signature of the bidder, with Official Seal)												

Note: It is mandatory for bidders to quote items having local content minimum 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017, No. P-45021/2/2017-PP (B.E-II) dated 16.09.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India.

(to be submitted on the letterhead of Company)

UNDERTAKING FOR LIVE VIDEO DEMONSTRATION

To, Dr. Rakesh Kumar Singh Department of Physics Indian Institute of Technology (BHU) Varanasi Varanasi-221005, Uttar Pradesh, India

We, M/s do hereby confirms that the LIVE VIDEO
demonstration for the quoted product
will be given by our company as and when asked by the purchase committee, IIT (BHU) during the technical
evaluation process.
Yours faithfully,
(Signature of the Bidder, with Official Seal)